



ALL-GLASS RAILING SYSTEM




ROPO Railing





Office: #806 Fusheng Mansion, No. 3 Fuxing Ave,
Jin'an District, Fuzhou City, Fujian, 350014 China
Factory: Tieling Industrial Zone, Minhou, Fuzhou City,
Fujian, China
MP/Whatsapp: +86-15980112500 PH: +86-591-87147106
Email: sales@chinaropo.com, bensonchina@gmail.com
Web: www.ropowindows.com

立装式全玻璃护栏·隐藏式全玻璃护栏·外装式全玻璃护栏
On-floor all-glass system · In-floor all-glass system · External all-glass system







型材与配件 · PROFILES & ACCESSORIES







型材与配件 · PROFILES & ACCESSORIES






型材与配件 · PROFILES & ACCESSORIES






型材与配件 · PROFILES & ACCESSORIES



外装玻璃底座
Glass Supporting Profile



顶部装饰盖板
Upper Decorative Cover



底部装饰盖板
Bottom Decorative Cover



端盖
End cap




PVC 橡胶板
PVC Rubber Sheet




固定螺栓
Fixing Glass Rosette

不锈钢扶手管 (方形)
SS Slot Tube (Square)




厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm

不锈钢扶手管 (方形)
SS Slot Tube (Square)




厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm

不锈钢扶手管 (矩形)
SS Slot Tube (Rectangular)




厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm

铝扶手管 (圆形)
Alu Slot Tube (Round)



厚度 Thickness	1.5mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm 10+1.52PVB+10mm

铝扶手管 (圆形)
Alu Slot Tube (Round)



厚度 Thickness	1.5mm
玻璃厚度 Glass Thickness	8mm, 10mm 6+0.76PVB+6mm

不锈钢扶手管 (圆形)
SS Slot Tube (Round)



厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm

不锈钢扶手管 (圆形)
SS Slot Tube (Round)





厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm


不锈钢扶手管 (圆形)
SS Slot Tube (Round)



厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm 10+1.52PVB+10mm



不锈钢扶手 (椭圆)
SS Slot Tube (Oval)



厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm

不锈钢扶手 (椭圆)
SS Slot Tube (Oval)



厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm

不锈钢扶手 (椭圆)
SS Slot Tube (Oval)



厚度 Thickness	1.5mm, 2.0mm
玻璃厚度 Glass Thickness	6+0.76PVB+6mm 8+1.52PVB+8mm 10+1.52PVB+10mm

