




Shower Room Hardware Typical Product Catalogue



Shower Room Hardware Typical Product Catalogue



Fuzhou ROPO Building Materials Co.,Ltd,

Tieling Industrial Zone, Fuzhou City, Fujian Province, China

T: +86 591 87147106

E: sales@chinaropo.com

H: www.ropowindows.com

Technology



304

Stainless steel 304 profile

It is a very fashionable shower room material with a strong touch and metallic texture. The industry's top 304# stainless steel profile is produced in strict accordance with the American ASTM standard, with a wall thickness of 1.0mm, excellent bearing capacity, not easy to deform and strong corrosion resistance. Perfectly show the refined 8K mirror effect, lasting brightness as new.



High performance hardware technology

Both the main body and accessories are made of top-grade SUS304 stainless steel raw materials. By the process of integrated precision casting molding, repeated polishing and grinding, hardware is corrosion resistance, high hardness, safety, and durable.



Vacuum electroplating technology

Using the superb PVD vacuum electroplating process, the surface of high-gloss plating hardware accessories is as bright as new, never fading, strong corrosion resistance, not only has the best texture, but also has a long service life.



Pulley technology

Power system is composed of high-strength stainless steel bearings and high-quality imported steel balls, outsourcing modified steel and imported materials with lubrication function. The wheel seat is sealed to prevent air and water from entering, and the pulley runs smoothly for a long time to prevent jumping and jamming. After sliding test of the movable door, the service life can reach several decades. Durable



Tempered glass process

Fully automatic glass cutting machine, advanced computer operation interface, laser positioning, adopting the latest European algorithms, automatic layout optimization, high-precision cutting, and a set of rough grinding, fine grinding, polishing, chamfering and other processes at one time. The advanced glass tempering furnace adopts the physical tempering method for tempering treatment to improve the high strength of the glass



PET safety explosion-proof membrane

Imported PET material can increase the strength of glass a few times. Even if the glass bursts due to a high-strength external force, glass fragments will still stick together firmly, which will guarantee your safety.




PVC sealing strip

It is produced by continuous vulcanization with food-grade raw material extrusion molding technology with reasonable design, waterproof and dustproof, bright color, durability, aging resistance, acid and alkali resistance, and delicate and shiny cross-section.



Stone base

Clone natural stone base is made of high-performance resin, natural ore powder and PVC raw materials through vacuum, high pressure and temperature extrusion molding. The new formula has strong toughness and hollow design. It is strong and durable, not easy to break, and lighter. The UV microcrystalline surface is delicate and soft, with clear texture and bright



LHS90131: Hinge door type shower room with 901 series linear shape



Hinge type

LH040	P.07
LH901	P.15
LH005	P.25
LH003	P.33
LH001	P.43

Shaft type

LZ084	P.55
LZ083	P.59
LZ082	P.65
LZ081	P.69
LZ041	P.75
LZ002	P.81

Double shift type

LS080	P.89
LS046	P.95
LS044	P.101
LS005	P.105
LS003	P.113
LS002	P.119
LS001	P.125

Single shift type

LD042	P.131
LD040	P.135

Linkage door type


LL040	P.141
LL003	P.145
LL001	P.149

Sliding door type

LT040	P.155
LT005	P.159
LT002	P.167
LT001	P.171

Folding door type

LB001	P.177
-------	-------



Hinge door
shower room




Simple Rhyme



A simple beauty, a fascinating space form, the simple rhyme style of the bathroom, in the joy and encouragement of the water, complement and reflect each other.

This series can make in open-out or open-in door








ESTHETICS




LHS04021

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHS04031

Standard specification: 1500x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHP04031

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHL04031

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHL04041

Standard specification: 900x1500x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHU04041

Standard specification: 900x1200x900x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHU04051

Standard specification: 900x1500x900x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHT04052

Standard specification: 1100x2200x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHF04062

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm、W:900-1500mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHE04072

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



Hinge type

Hinge type



Elegant Unique



Nobility is not material luxury or luxury of life, but an attitude and personality in life. The noble and honorable classic series meet the needs of bathroom life, and it is a business card that reflects your identity.

This series can make in open-out or open-in door





PURIFIED WORLD,
CAREFREE ENJOYMENT



ELEGANCE



ETERNALLY
BLOOMS IN TIME






LHS90111

Standard specification: 800x2000mm
 Customized range: L:700-900mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS90121

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS90131

Standard specification: 1500x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHP90131

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL90131

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL90141

Standard specification: 900x1500x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU90141

Standard specification: 900x1200x900x2000mm
 Customized range: L:800-1300mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU90151

Standard specification: 900x1500x900x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHT90152

Standard specification: 1100x2200x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHF90162

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHE90172

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



Hinge type

Hinge type




Comfortable experience



Home is a port. On every evening when returning home, feeling comfortable and enjoying life is the most comfortable experience.

This series can make in open-out or open-in door



Hinge type



Hinge type





THE DESIGN CONCEPT
ORIGINATED FROM NATURE,
MAKES SUNSHINE ,


green plant, shower space to be integrated with each other and create a lively atmosphere,
people can enjoy the intimate experience brought from water and nature.



LHS00511

Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS00521

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS00531

Standard specification: 1500x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHP00531

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm, L2:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL00531

Standard specification: 900x1200x2000mm
 Customized range: L: 1000-1300mm, W: 800-1300mm, H: 1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL00541

Standard specification: 900x1500x2000mm
 Customized range: L: 1200-1600mm, W: 800-1300mm, H: 1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU00541

Standard specification: 900x1200x900x2000mm
 Customized range: L:800-1300mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU00551

Standard specification: 900x1500x900x2000mm
 Customized range: L: 1200-1600mm, W: 800-1300mm, H: 1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



SIMPLE SPACE ,ELEGANT LIFE,
 NATURALLY.



Classic Trend



Behind every product, there is a story. From design to production, it is the formation and recognition of product personality and style. Each process forged is the height of quality and texture.

This series can make in open-out or open-in door





INTIMATE
EXPERIENCE



RATIONALITY
AND SENSITIVITY







CREATE
QUALITY MODEL



LHS00311

Standard specification: 800x2000mm
 Customized range: L:700-900mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS00321

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS00331

Standard specification: 1500x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHP00331

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL00331

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL00341

Standard specification: 900x1500x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU00341

Standard specification: 900x1200x900x2000mm
 Customized range: L:800-1300mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU00351

Standard specification: 900x1500x900x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHT00352

Standard specification: 1100x2200x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHF00362

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHE00372

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm、W:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





Touch Elegance



With original design, simple and clear lines, elegant design is not restricted by any era and trend. Its style is different from the secular vision, making bathroom life full of charm

This series can make in open-out or open-in door



Hinge type



Hinge type

DETAILS CREATE EXCELLENCE






BRAND
STYLE

LHS00111

Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS00121

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHS00131

Standard specification: 1500x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHP00131

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm, L2:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL00131

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHL00141

Standard specification: 900x1500x2000mm
 Customized range: L:1200-1600mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU00141

Standard specification: 900x1200x900x2000mm
 Customized range: L:800-1300mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHU00151

Standard specification: 900x1500x900x2000mm
 Customized range: L:1200-1600mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHT00152

Standard specification: 1100x2200x2000mm
 Customized range: L:1900-2500mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHF00162

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm, W:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LHE00172

Standard specification: 1100x2200x1100x2000mm
 Customized range: L:1900-2500mm, W:800-1300mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




Hinge type

Hinge type



Shaft type
shower room



Space rhythm



Creativity is ever-changing. It is a space full of diversified beauty and rhythm. A space full of creativity can give people a dreamlike and wonderful life.



This series can make in open-out or open-in door



**LZS08421**


Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm

**LZS08431**



Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm

**LZP08431**



Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm

**LZL08431**

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm





Enjoy the pure



When taste becomes the basis of life, you will be at the forefront of fashion and enjoy pure and comfortable bathroom life. All dreams turned into bits and pieces in life

This series can make in open-out or open-in door



Shaft type




Shaft type

**LZS08321**


Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm

**LZS08331**



Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm

**LZP08331**


Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm

**LZL08331**

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm






Wisdom space



Publicizing the charm of modern art, creating ever-changing changes between creativity and sentiment, wisdom is the humanistic spirit manifested in space.

This series can make in open-out or open-in door





Shaft type



Shaft type



LZS08221

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





LZS08231

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





LZP08231

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





LZL08231

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZT08252

Standard specification: 1100x2200x2000mm
 Customized range: L:1900-2500mm、W:800-1500mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





Fashion Fields



In the fashion fields, find your own personality; in every detail of life, let you enjoy the free bath.

This series can make in open-out or open-in door



Shaft type




Shaft type

**LZS08111**


Standard specification: 1000x2000mm
 Customized range: L: 700-900mm、H: 1850-2200mm

Product material: S.S.304
 Surface treatment: Gold/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm

**LZS08121**


Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: Gold/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm

**LZS08131**



Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: Gold/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm

**LZP08131**



Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: Gold/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm

**LZL08131**



Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: Gold/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm

**LZT08152**

Standard specification: 1100x2200x2000mm
 Customized range: L:1900-2500mm、W:800-1500mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: Gold/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





Classic Enjoy



Tailor-made only for people with taste, representing the highest state of artistic sanitary life. It is a label of identity and status, culture, art, enjoyment, and treasure and a life style we have longed for.

This series can make in open-out or open-in door



Shaft type





Shaft type

RELEASE
POETIC IMAGINATION

LZS04121

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZS04131

Standard specification: 1500x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZP04131

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm、L2:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZL04131

Standard specification: 900x1200x2000mm
 Customized range: L:1000-1300mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZL04141

Standard specification: 900x1500x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZU04141

Standard specification: 900x1200x900x2000mm
 Customized range: L: 1000-1300mm、W: 800-1300mm、H: 1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZU04151

Standard specification: 900x1500x900x2000mm
 Customized range: L:1200-1600mm、W:800-1300mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZT04152

Standard specification: 1100x2200x2000mm
 Customized range: L: 1900-2500mm、W: 800-1300mm、H: 1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZF04162

Standard specification: 1100x2200x1100x2000mm
 Customized range: L: 1900-2500mm、W: 800-1300mm、H: 1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LZE04172

Standard specification: 1100x2200x1100x2000mm
 Customized range: L: 1900-2500mm、W: 800-1300mm、H: 1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



Shaft type

Shaft type



Gorgeous appearance



Gorgeous appearance shows the worship and creation of the ultimate life. Structure and appearance of function and ability are perfectly unified; artistic creation of square geometric, integration of practicality and taste.

This series can make in open-out or open-in door



Shaft type




Shaft type



LZS00231

Standard specification: 1200x2000mm
 Customized range: L:1000-1400mm、H:2000-2200mm



Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LZP00231

Standard specification: 900x900x2000mm
 Customized range: L1: 650-1500mm、L2: 650-1500mm、H: 2000-2200mm



Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LZL00231

Standard specification: 900x1200x2000mm
 Customized range: L: 1000-1500mm、W: 800-1300mm、H: 2000-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x60mm



**INTIMATE
 EXPERIENCE**

Shaft type

Shaft type



Double shift type
shower room




Series Journey of Taste



With transparent and flexible design space, angular section, precise structure design, this is perfect combination of art and technology. Perseverance and strength but comprehensive, interpret the life of modern people



For series with 8mm glass can add buffering function.








Double shift type

Double shift type

LSS08022

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/ rose gold
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm



LSL08032

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/ rose gold
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm



URBAN SPACE



Taste Life



Combination of first-class materials and advanced craftsmanship brings a cordial and delicate texture, interprets grace from a new design perspective, allows people to experience the noble and comfortable bathroom life, and brings a very spiritual life.





Double shift type

Double shift type





Double shift type

Double shift type

LSS04622

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm



LSS04621

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm



LSS04631

Standard specification: 1500x2000mm
 Customized range: L:1400-1800mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm



LSS04642

Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm



LSL04632

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm





Double shift type

Double shift type



Quiet Space



A quiet bathing environment should be simple and smooth. Don't choose too strong and complicated products, which may cause anxiety. In order to avoid the feeling of depression, the light source in the bathing area should be reasonably configured to create an environment suitable for relaxation.




Double shift type

LSS04422

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL04432

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x80mm



Double shift type



URBAN SPACE



Freehand elements



Reason and sensibility are intertwined, blended, and sublimated here. Simple composition and freehand elements show the profound charm of art and technology, sensibility we well as intellectuality.





Double shift type

Double shift type



Double shift type

THE DESIGN CONCEPT ORIGINATED FROM NATURE, MAKES SUNSHINE ,

green plant, shower space to be integrated with each other and create a lively atmosphere,
people can enjoy the intimate experience brought from water and nature.




Double shift type

**LSS00522**


Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm

**LSS00521**


Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm

**LSL00532**

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver/ matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x80mm





Beauty Vision



When look of appreciation flows in the eyes, art has gained its value, and the fashionable life is already around, in the flowing water between the fingers, let us enjoy the life of art calmly.





Double shift type

Double shift type


FASHION BLENDING



LSS00321

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSS00322

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSS00331

Standard specification: 1500x2000mm
 Customized range: L:1400-1800mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSS00342

Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL00332

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



Double shift type

Double shift type



Delicate Texture



No matter how perfect the product design is, it needs to be realized through production. The precision from material selection to mold making, and the precise measurement from lofting to cutting, all reflect our work style of meticulous work and excellence.





Double shift type

Double shift type

SEEKING
NEW PLACE




Double shift type

Double shift type


LSS00222

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、W:1850-2200mm
 Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm




LSS00221

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、W:1850-2200mm
 Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm




LSS00242

Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm、W:1850-2200mm
 Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm




LSL00232

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm
 Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL00231

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm
 Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm





Delicate Texture



Concise but not simple. In a simple environment, the furnishings with extremely high color saturation seem to become the silhouettes of color blocks, which overlap and influence each other, just like a decorative painting with a strong style on the wall, beautiful and moving.







Double shift type

Double shift type

LSS00122

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm



Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSS00121

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm



Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSS00142

Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm、H:1850-2200mm



Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL00132

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm



Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL00131

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm






Single shift type
shower room




Beautiful Attractive



With the simplest lines, the simplest geometric surfaces and geometric bodies, through the simplest combination, horizontal and vertical, line and surface, surface and body, practical and beautiful are combined into a whole, full of modern fashion sense.





LDT04241

Standard specification: 1100x2200x2000mm
 Customized range: L:2000-3000mm、W:900-1500mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LDT04231

Standard specification: 1100x2000x2000mm
 Customized range: L:2000-2600mm、W:900-1500mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LDT04221

Standard specification: 1100x1800x2000mm
 Customized range: L:1800-2400mm、W:900-1500mm、H:1850-2200mm
 Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 8mm
 Optional stone base: 50x80mm



Single shift type

Single shift type



Enticing Space



The exquisite and delicate textures set off an elegant and generous sentiment, expressing the energetic life. The combination of nature and humanity allows you to easily have a quiet and charming space.






LDS04021

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LDS04031

Standard specification: 1500x2000mm
 Customized range: L:1400-1800mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LDS04042

Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LDL04031

Standard specification: 900x1400x2000mm
 Customized range: L:1200-1600mm、W:800-1200mm、H:1850-2200mm



Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LDL04041

Standard specification: 900x1500x2000mm
 Customized range: L:1400-1800mm、W:800-1200mm、H:1850-2200mm


Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LDL04052

Standard specification: 900x1600x2000mm
 Customized range: L:1400-2000mm、W:800-1200mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm







Smart Space



It is very beautiful in the blend of water, enjoying every moment of time, I smell a touch of beauty







LLS04032

Standard specification: 1200x2000mm
Customized range: L: 1100-1500mm, H: 1850-2200mm




Product material: S.S.304
Surface treatment: mirror
Glass thickness: 8mm
Optional stone base: 50x80mm



LLL04042


Standard specification: 900x1200x2000mm
Customized range: L: 1100-1500mm, W: 800-1200, H: 1850-2200mm

Product material: S.S.304
Surface treatment: mirror
Glass thickness: 8mm
Optional stone base: 50x80mm



Linkage door type

Linkage door type



Magnificent chic



Art classics touch the depths of the soul. Gorgeous and unique design coupled with superb craftsmanship makes people thrilled, bringing the beauty to the fullest, which is a perfect combination of creativity and technology.






Linkage door type

Linkage door type


LLS00332 Standard specification: 1200x2000mm
 Customized range: L: 1100-1500mm, H: 1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LLL00342 Standard specification: 900x1200x2000mm
 Customized range: L: 1100-1500mm, W: 800-1200, H: 1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm





Beautiful





In the simple and bland design, it not only reflects the simplicity and liveliness of the modern bathroom space, but also does not lose the concise and solemn, elegant and beautiful style of traditional culture, creating the unadorned nature and kindness of the bathroom.








LLS00132 Standard specification: 1200x2000mm
Customized range: L: 1000-1500mm, H: 1850-2200mm

Product material: Alu. alloy
Surface treatment: gloss silver
Glass thickness: 8mm
Optional stone base: 50x80mm



LLL00142 Standard specification: 900x1200x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: Alu. alloy
Surface treatment: gloss silver
Glass thickness: 8mm
Optional stone base: 50x80mm



Linkage door type

Linkage door type




Sliding door type
shower room



Charm Space





A beam of light hits the glass to draw an outline, light and dark intertwined, if it is separated, as if to tell a distant and beautiful past, making the owner dream of the past inadvertently.



LTC04042


Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm、L2:800-1200mm、H:1850-2200mm

Product material: S.S.304
 Surface treatment: mirror/ matte black
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



Sliding door type

Sliding door type



Pure and happy



In the world of innocence, I have a easily moved heart. In passion, I woven into colorful memories. I also seek sensible happiness and finally a melancholy and confused heart, and find my own way of life.





Sliding door type

Sliding door type



Sliding door type

Sliding door type



THE ATMOSPHERE WITH SIMPLE STRUCTURE ,


bright and warm colors and natural light, combined with the beauty of contemporary life, the open style of bathroom shower space makes the whole bathroom shower space makes the whole bathroom to be transformed into an area with full charming ,thus it highlights the pure concise design style more than before.



LTC00542

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver/ matte black
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



LTL00542

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver/ matte black
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



LTS00521

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver/ matte black
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



PURE BROKEN CONCISE

Sliding door type


Sliding door type



Concise Clear



The design is simple and unpretentious, without the frivolity of grandstanding, without the extravagance of extravagance, and some with simple and clear lines and harmonious colors, creating the dream of urban leisure life.






LTC00242

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm、L2:800-1200mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



LTS00221

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



LTS00231

Standard specification: 1600x2000mm
 Customized range: L:1400-1800mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



LTS00242

Standard specification: 2000x2000mm
 Customized range: L:1800-2500mm、H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 6/8mm
 Optional stone base: 50x60mm



Sliding door type

Sliding door type



Quality Superior






Sentiment shows the eternal theme of life. Looking for an intermediate state that is beyond modernity and simplicity. This state is different from ordinary and simple, but is closely connected with practicality, comfort, intimacy and elegance.



LTC00142


Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte black
 Glass thickness: 6mm
 Optional stone base: 50x60mm



Sliding door type

Sliding door type



Folding door type
shower room

Folding door type

Folding door type



Space collocation




The dazzling clean lines, beautiful streamlined design and imaginative space match make your bathroom more beautiful!



Folding door type


Folding door type



LBS00121

Standard specification: 900x2000mm
 Customized range: L:700-900mm、H:1850-2200mm


Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LBL00131

Standard specification: 900x900x2000mm
 Customized range: L:700-1000mm、W:800-1000mm、H:1850-2000mm

Product material: Alu. alloy
 Surface treatment: gloss silver/ matte silver
 Glass thickness: 8mm
 Optional stone base: 50x60mm



Folding door type

Folding door type