



www.josoo cooler.com

JOSOO COOLERS Catalogue 2023

Josoo Brief

Founded: **In 2007** Factory Area (m²): **25000+**

Employees: **200-300+**

Prod. Capacity (pcs/month): **6000+** (Coolers) , * **100K+** (Rice Cookers, etc.) ,

Certificates:



DOE



RoHS

REACH

Awards:

- "Zhongshan Quality Benchmarking Enterprise 中山市质量标杆企业" --2021
- "Top 1000 Growth Enterprises of Guangdong Innovation Benchmarking Enterprises 广东省创新标杆企业成长百强企业" --2020
- "Guangdong Specialized And Sophisticated Enterprises 广东省专精特新中小企业" --2020
- "National High-tech Enterprise 国家高新技术企业" --2018

JOSOO 掌声

Josoo Culture

愿景 Vision

努力成为中国制造的骄傲
Strive to be the pride of Made In China

使命 Mission

为客户提供满意的优质产品和服务
To provide clients with quality products and satisfactory service

价值观 Core Values

品质第一, 拥抱变化, 创新, 乐趣, 做人, 成果
Quality First, Embracing Change, Be Innovative,
Enjoy Your Job and Life, Be A Good Man, Result-oriented


Josoo Facilities



Collection



Josoo Coolers Product Line



Wine Coolers | Free Standing | Static Cooling Series



Wine Coolers | Desk | Static Cooling | Classic | ZS-A40



■ Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Wire Shelf



Mirror Glass Door



Parallel SST Panel Door



■ Performance

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **G/39**;
- Temp.Range: 5-20°C ;

■ Capacity

- Storage Capacity (750ml): **14 Bottles**;
- Net Capacity: 42L;
- Unit Size: **W480xD430xH505mm**;
- Humidity Range: 50%-80%RH;

■ Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ Packing/Loading :

- Packing Size: W510xD460xH532mm;
- 20'GP/40'HQ (pcs) : 220/560


■ Features

- Cooling System: Comp./Static Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: Full Glass/2-Layer, Tempered Clear Glass;
- Reversible Door: Yes;
- Handle Type: Recessed Handle;
- Shelf: 2 Wire Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/N/A;
- Certificates: CB/CE/RoHS/REACH


■ Extra Options:

- Lock & Key: Option;
- Carbon Filter: N/A;

■ Bottle Loading Drawing:



■ Installation Drawing: Desk | Static Cooling



Wine Coolers | Free Standing | Static Cooling | Classic | ZS-A86



■ Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Wire Shelf



Mirror Glass Door



Parallel SST Panel Door



■ Performance

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **G/39**;
- Temp.Range: 5-20°C ;

■ Capacity

- Storage Capacity (750ml): **33 Bottles**;
- Net Capacity: 90L;
- Unit Size: **W480xD430xH860mm**;
- Humidity Range: 50%-80%RH;

■ Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ Packing/Loading :

- Packing Size: W510xD460xH885mm;
- 20'GP/40'HQ (pcs) : 120/330


■ Features

- Cooling System: Comp./Static Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: PVC Door Frame/2-Layer, Tempered Clear Glass;
- Reversible Door: Yes;
- Handle Type: Recessed Handle;
- Shelf: 6 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/N/A;
- Certificates: CB/CE/RoHS/REACH

■ Extra Options:

- Lock & Key: Option;
- Carbon Filter: N/A;

■ Bottle Loading Drawing:



Wine Coolers | Free Standing | Static Cooling | Classic | ZS-B86



■ Performance

- Temp.Zone: Dual Zone;
- ERP Class/Noise(dB(A)): **G/39**;
- Temp.Range: Upper:5-12℃ , Lower:12-20℃ ;

■ Capacity

- Storage Capacity (750ml): **28 Bottles**;
- Net Capacity: 85L;
- Unit Size: **W480xD430xH860mm**;
- Humidity Range: 50%-80%RH;

■ Common Features:

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ Packing/Loading :

- Packing Size: W510xD460xH885mm;
- 20'GP/40'HQ (pcs) : 120/330


■ Features

- Cooling System: Comp./Static Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: PVC Door Frame/3-Layer, Tempered Clear Glass;
- Reversible Door: Yes;
- Handle Type: Recessed Handle;
- Shelf: 5 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: Yes;
- Cabinet/Plinth Vent Grille Color:Black/N/A;
- Certificates: CB/CE/RoHS/REACH

■ Extra Options:

- Lock & Key: Option;
- Carbon Filter: N/A;

■ Bottle Loading Drawing:



■ Finish Available:

45 Degree Corner SST Door



Seamless SST Door



Wire Shelf



Mirror Glass Door



Parallel SST Panel Door



Handle Options



LS01 (490mm)



LS02 (490mm)



LS03 (490mm)



LS04 (870mm)



LS05 (490mm)



LS06 (490mm)



LS07 (490mm)



LS08 (490mm)

JOSOO

JOSOO

ZHONGSHAN JOSOO ELECTRIC APPLIANCE CO.,LTD.

No. 9, Qiye North Road, Maxin Industry Zone, Huangpu Town, Zhongshan City, Guangdong, China

0760-23309226

0760-23309225

sales@josoo.com.cn

www.josoo cooler.com