## Pipe Stand

## Pipe vise & stand



- Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-315mm), suitable in many applications,
- •Like pipe threading, cutting, grooving etc.
- •Can equip with wheel easy to move save labor.

Wheel

#### V head pipe stands

Catalog No.	Model No.	Description		ıdjustment -High	Max pip	e capacity	Max weig	ht capacity	Weight
		·	in.	cm	in.	cm	lb.	kg	kg
730010	1107-S	V head pipe stand	20-36 ½	50.5-93.5	12	300	2500	1134	11.4
730020	1107-M	V head pipe stand	23-42 ½	60-108	12	300	2500	1134	12.6
730030	1107-L	V head pipe stand	28-52	71-132	12	300	2500	1134	14.4

#### Ball head for 1107

Catalog No.	Model No.	Description	Max pipe capacity Max weight		ht capacity	Weight	
		1	in.	mm	lb.	kg	kg
730131	А	Ball head for 1107	12	300	1000	454	1.5
730132	В	Ball head for 1107	12	300	2000	900	2.8

#### Wheel for 1107

Catalog No.	Model No.	Description	Max pip	e capacity	Max weig	ht capacity	Weight
		·	in.	mm	lb.	kg	kg
730133	Wheel	Wheel for 1107	12	300	880	400	3.5

## Pipe Stand

## Pipe vise & stand

#### **Product features**

- Pipe Jack Stand with roller bracket are available in varying configurations with capacity up to 36".
- H405 Pipe Jack Stand with outward roller is easy to move.
- H405 Pipe Jack Stand height is adjustable.
- The material of support frame is solid and durable, impact resistant.
- Double Handle is adjustable. 4 wheels is lockable. for easy carrying and setup.
- Suitable for use with threading machine, roll grooving machine, etc.







#### Pipe jack stand

Catalog No.	Model No.	Description	Pipe clamping range	Maximum load Bearing with wheels and casters	Height adjustable with casters	Maximum load Bearing without wheels and casters	Height adjustable without casters	Weight (kg)
760020	H405	Pipe jack stand	Up to 36"	2,500 lbs (1134 kgs)	32"(82cm)-39" (100cm)	5,000 lbs (2268 kgs)	23"(59cm)-30" (77cm)	33

#### **Product features**

- Pipe Jack Stand with roller bracket are available in varying configurations with capacity up to 40".
- H405 MAX Pipe Jack Stand with outward roller is easy to move.
- ●H405 MAX Pipe Jack Stand height is adjustable.
- The material of support frame is solid and durable, impact resistant.

Double Handle is adjustable. 5 wheels is lockable. for easy carrying and setup.
Suitable for use with threading machine, roll grooving machine, etc.







### Pipe jack stand

H405-MAX

Catalog No.	Model No.	Description	Pipe clamping range	Maximum load Bearing with wheels and casters	Height adjustable with casters	Maximum load Bearing without wheels and casters	Height adjustable without casters	Weight (kg)
760030	H406	Pipe jack stand	Up to 40"	2,500 lbs (1134 kgs)	32"(82cm)-39" (100cm)	5,000 lbs (2268 kgs)	23"(59cm)-30" (77cm)	33

## Pipe Stand

## Pipe vise & stand

#### **Product features**

- •1109 series pipe stands equip lock ring allowing quick height adjustment.
- •1109 can Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-315mm), suitable in many applications,
- like pipe threading, cutting, grooving etc.







#### Roller head pipe stand

Catalog No.	Model No.	Description		eight adjustment Low-High Max pipe capacity		Max weight capacity		Weight	
outurog		D coonparen	in.	cm	in.	mm	lb.	kg	kg
730140	1109	Roller head pipe stand	32-55	82-140	12	315	2500	1134	16.5

#### Product features

Crank handle anchored to base.

● For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications,

• like pipe threading, cutting, grooving etc.

•Toothed jaws are for pipe clamping securely.

OH401: Die casting aluminum solid base, light-weight, durable and impact resistant

OH401: Built-in tool tray, tool hanging slot, pipe rest and bender.

OH401: Foldable structure, easy for transportation and stock.

OH402: Cast-iron base with handy pipe rest and bender.

H401 portable tristand chain vise



Catalog No.	Model No.	Description	Pipe c	apacity	Wei	ight	Packing size
			in.	mm	lb.	kg	(cm)
750010	H401	Portable tristand chain vise	1/8-6	3-150	44	20	Plate:64*43*23 Legs:111*11*7
750020	H402	Bench chain vise	1/8-6	3-150	15.4	7	25.5*25*15.5

#### **Product features**

- •Stable and strong, easy to transport, foldable tubular frame
- Optimum work surface: plate made of processed beech wood
- ●22mm thick wood plate
- Versatile, ideal for vice machining



Catalog No.	Model No.	Description	Working Height (mm)	Capacity (Kg)	Wood board thickness (cm)	Steel material	Weight (kg)	Packing size (cm)
73060	H403	Workbench	825	up to 500	2.2	A3 steel	27	122*68*17





# **W**WELPING

## Hangzhou Welping Machinery Equipment Co., Ltd

Phone: 00 86 571 89332538

E-mail: top@welping.cn Web: www.welpingtool.com

Office address: Room 1904 Building 1, Taifu Plaza, No. 1 Tonghui Middle Road,

Xiaoshan District, Hangzhou

Factory address: No. 2 Jinyuan Road, Puyang Town, Xiaoshan District, Hangzhou, China