



General Catalog Pipe Tools

2023



Dedicated to pipe tools



Company Introduction

Since 2005, Hangzhou Weiping Machinery Equipment Co., Ltd. has been focusing on the development, manufacturing and sales of pipe tool equipment. Our goal is to combine industrial-level design, performance and quality to create a machine that will become your first choice.

Our products can be used in municipal drainage, natural gas, sewage, chemical, agricultural irrigation and so on. Our products sell well at home and abroad by virtue of high quality and competitive price. They are mainly distributed in India, South Africa, Sri Lanka, Russia, Germany and so on.

To suit different pipe applications and market requirements, we are offering different level tools represented by brand WELPING, YOVIDA, Doweld and Volkir. Brand WELPING enjoys a high reputation in the market of China and Russia, benefiting from the steady quality and performance. Thanks to our experienced engineers, WELPING can help you to quickly decide OEM and ODM requirements. At the same time, we are improving and updating products line to better suit field requirements.

WELPING takes the advantages of our full line production capacity, from laser cutting, die casting, metal fabrication and machining, powder coating and assembly. We can always provide competitive pricing and optimal production time. Standard items and light-OEM items, WELPING can finish within 10 days.

As the leading integrated supplier of pipe tool solutions, WELPING has been expanding from manufacturing butt welding equipment, pipe bender, drain cleaning and other hydraulic tools apply to any kind of pipes. We intend to bring industrial level design, performance and quality together, to help you build reputation in the field of pipe jointing.



Pipe vise & stand

Product features

- Crank handle anchored to base.
- For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications, like pipe threading, cutting, grooving etc.
- Toothed jaws are for pipe clamping securely.
- Cast-iron base with handy pipe rest and bender.



Catalog No.	Model No.	Description	Pipe Capacity		Weight		Package (cm)
			Inch	mm	lb.	kg	
750020	H402	Bench chain vise	1/8"-6	3-150	15.4	7	25.5*25*15.5

Product features

- Crank handle anchored to base.
- For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications, like pipe threading, cutting, grooving etc.
- Toothed jaws are for pipe clamping securely.
- Die casting aluminum solid base, light-weight, durable and impact resistant.
- Built-in tool tray, tool hanging slot, pipe rest and bender.
- Foldable structure, easy for transportation and stock.



Catalog No.	Model No.	Description	Pipe Capacity		Max weight		Weight		Package (cm)
			in.	mm	lb.	kg	lb.	kg	
750010	H401	Trisland chain vise	1/8"-6	3-150	1322	600	44	20	110*48*22

Product features

- Crank handle anchored to base.
- For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications, like pipe threading, cutting, grooving etc.
- Toothed jaws are for pipe clamping securely.
- Detachable design, the chain clamp and the bracket can be separated.
- Foldable structure, easy for transportation and stock.



Catalog No.	Model No.	Description	Pipe Capacity		Max weight		Weight		Package (cm)
			in.	mm	lb.	kg	lb.	kg	
750030	H40-A	Tripod chain vise	1/8"-6	3-150	882	400	46	20.8	121*37*30

Flod type stand



1107-S

1107-M

1107-L



Product features

- S, M and L stands for different height, A and B ball head can mount 1107 stand.
- 1107 series pipe stands equip lock ring allowing quick height adjustment.
- Foldable structure, easy for transportation and stock.
- Durable V-head, easy to install, for 1/8"-12"(3mm-300mm), suitable in many applications, Like pipe threading, cutting, grooving etc.
- A portable handle wrapped by rubber is also a highlight. Easy carrying and storage.



A
ball head



B
ball head

V head pipe stands

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight kg
			in.	cm	in.	cm	lb.	kg	
730010	1107-S	V head pipe stand	20-36 ½	50.5-93.5	12	30	2500	1134	12.9
730020	1107-M	V head pipe stand	23-42 ½	60-108	12	30	2500	1134	14.1
730030	1107-L	V head pipe stand	28-52	71-132	12	30	2500	1134	15.9

Ball head for 1107

Catalog No.	Model No.	Description	Max pipe capacity		Max weight capacity		Weight kg
			in.	cm	lb.	kg	
730131	A	Ball head for 1107	12	30	1000	454	1.5
730132	B	Ball head for 1107	12	30	2000	900	2.8

Ball head with fold pipe stand



1107A-S
1107B-S

1107A-M
1107B-M

1107A-L
1107B-L



A ball head



B ball head

Product features

- S, M and L stands for different height, A and B ball head can mount 1107 stand.
- 1107 series pipe stands equip lock ring allowing quick height adjustment.
- Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
- Welding of heavy pipes, shapes, solids and rounds. Support pipe during pipe threading, pipe hole cutting, roll grooving, etc


V head pipe stands with A ball head

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	
730040	1107A-S	V head pipe stand with A ball head	20-36 ½	50.5-93.5	12	30	1000	454	12.9
730050	1107A-M	V head pipe stand with A ball head	23-42 ½	60-108	12	30	1000	454	14.1
730060	1107A-L	V head pipe stand with A ball head	28-52	71-132	12	30	1000	454	15.9

V head pipe stands with B ball head

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	
730070	1107B-S	V head pipe stand with B ball head	20-36 ½	50.5-93.5	12	30	2000	900	14.2
730080	1107B-M	V head pipe stand with B ball head	23-42 ½	60-108	12	30	2000	900	15.4
730090	1107B-L	V head pipe stand with B ball head	28-52	71-132	12	30	2000	900	17.2

Fixed type stand



Product features

- XS, XM and XL stands for different height, A and B ball head can mount 1107 stand.
- 1107 series pipe stands equip lock ring allowing quick height adjustment.
- Fixed structure, more heavy duty and steady.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications, Like pipe threading, cutting, grooving etc.
- The rounded foot pads of this stand is widened. The strut tension plate for superior lateral support. Stability is enhanced when you are working in the uneven place.




V head pipe stands

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight
			in.	cm	in.	cm	lb.	kg	
730130	1107X-S	V head pipe stand	20-36 ½	50.5-93.5	12	30	3300	1496	12.9
730140	1107X-M	V head pipe stand	23-42 ½	60-108	12	30	3300	1496	14.1
730150	1107X-L	V head pipe stand	28-52	71-132	12	30	3300	1496	15.9

Ball head for 1107

Catalog No.	Model No.	Description	Max pipe capacity		Max weight capacity		Weight
			in.	cm	lb.	kg	
730131	A	Ball head for 1107	12	30	1000	454	1.5
730132	B	Ball head for 1107	12	30	2000	900	2.8

Ball head with fixed pipe stand



A ball head



B ball head

Product features

- XAS, XAM and XAL stands for different height, A and B ball head can mount 1107 stand.
- 1107 series pipe stands equip lock ring allowing quick height adjustment.
- Fixed structure, more heavy duty and steady.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
Like pipe threading, cutting, grooving etc.

V head pipe stands with A ball head

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	
731060	1107XA-S	V head pipe stand with A ball head	20-36 ½	50.5-93.5	12	30	1000	454	12.9
731070	1107XA-M	V head pipe stand with A ball head	23-42 ½	60-108	12	30	1000	454	14.1
731080	1107XA-L	V head pipe stand with A ball head	28-52	71-132	12	30	1000	454	15.9

V head pipe stands with B ball head

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	
731090	1107XB-S	V head pipe stand with B ball head	20-36 ½	50.5-93.5	12	30	2000	900	14.2
731100	1107XB-M	V head pipe stand with B ball head	23-42 ½	60-108	12	30	2000	900	15.4
731110	1107XB-L	V head pipe stand with B ball head	28-52	71-132	12	30	2000	900	17.2

Fold pipe stand with wheel



1107C-S

1107C-M

1107C-L

Product features

- CS, CM and CL stands for different height, A and B ball head can mount 1107 stand.
- 1107 series pipe stands equip lock ring allowing quick height adjustment.
- Stable, collapsible steel tube frame with the smallest of dimensions, Portable, handy, and practical.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
- Like pipe threading, cutting, grooving etc.
- Equip with wheel easy to move save labor.



A
ball head



B
ball head

V head pipe stands with wheel

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight kg
			in.	cm	in.	cm	lb.	kg	
730100	1107C-S	V head pipe stand with wheel	20-36 ½	50.5-93.5	12	30	880	400	13.2
730110	1107C-M	V head pipe stand with wheel	23-42 ½	60-108	12	30	880	400	14.4
730120	1107C-L	V head pipe stand with wheel	28-52	71-132	12	30	880	400	16.2

Ball head for 1107

Catalog No.	Model No.	Description	Max pipe capacity		Max weight capacity		Weight kg
			in.	cm	lb.	kg	
730131	A	Ball head for 1107	12	30	1000	454	1.5
730132	B	Ball head for 1107	12	30	2000	900	2.8

Ball head with fixed pipe stand



1107CA-S
1107CB-S

1107CA-M
1107CB-M

1107CA-L
1107CB-L



A ball head



B ball head

Product features

- CS, CM and CL stands for different height, A and B ball head can mount 1107 stand.
- 1107 series pipe stands equip lock ring allowing quick height adjustment.
- Stable, collapsible steel tube frame with the smallest of dimensions, Portable, handy, and practical.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
Like pipe threading, cutting, grooving etc.
- Equip with wheel easy to move save labor.

V head pipe stands with wheel and A ball head

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight
			in.	cm	in.	cm	lb.	kg	
730130	1107CA-S	V head pipe stand with A ball head	20-36 ½	50.5-93.5	12	30	880	400	14.4
730140	1107CA-M	V head pipe stand with A ball head	23-42 ½	60-108	12	30	880	400	15.6
730150	1107CA-L	V head pipe stand with A ball head	28-52	71-132	12	30	880	400	17.4

V head pipe stands with with wheel and B ball head

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight
			in.	cm	in.	cm	lb.	kg	
730160	1107CA-S	V head pipe stand with B ball head	20-36 ½	50.5-93.5	12	30	880	400	15.7
730170	1107CA-M	V head pipe stand with B ball head	23-42 ½	60-108	12	30	880	400	16.9
730830	1107CA-L	V head pipe stand with B ball head	28-52	71-132	12	30	880	400	18.7

Pipe stand

Product features

- With Stainless steel crucifix structure, more solidity.
- 1107E can Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications, like pipe threading, cutting, grooving etc.



Roller head pipe stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight
			in.	cm	in.	cm	lb.	kg	kg
730200	1107E	Stainless V roller head pipe stand	28-52	71-132	12	30	2500	1134	13.5

Product features

- Locking ring allows for quick vertical height adjustments.
- 1107F can Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), designed to support pipe for a variety of uses on the job site like pipe threading, cutting, grooving etc.



Roller head pipe stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight
			in.	cm	in.	cm	lb.	kg	kg
730210	1107F	V head pipe stand	28-52	71-132	12	30	2645	1200	13.3

Product features

- Roller bracket are available in varying configurations with capacity up to 36".
- 1107R can Foldable structure, easy for transportation and stock.
- The rounded foot pads of this stand is widened. The strut tension plate for superior lateral support.



Roller head pipe stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max working capacity		Weight
			in.	cm	in.	cm	lb.	kg	kg
730220	1107R	Fold roller head pipe stand	25-50	71-132	36	91	2500	1134	21

Pipe stand

Product features

- 1109 series pipe stands equip lock ring allowing quick height adjustment.
- 1109 can Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
like pipe threading, cutting, grooving etc.



Roller head pipe stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	mm	lb.	kg	kg
730230	1109	Fold roller head pipe stand	32-55	92-140	12	300	1000	454	16.5

Product features

- 1109 series pipe stands equip lock ring allowing quick height adjustment.
- Fixed structure, more heavy duty and steady.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
like pipe threading, cutting, grooving etc.



Roller head pipe stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	m	in.	cm	lb.	kg	kg
730240	1109-B	Fixed roller head pipe stand	32-55	92-140	12	30	1000	454	16.5

Product features

- 1109 series pipe stands equip lock ring allowing quick height adjustment.
- 1109 can Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
like pipe threading, cutting, grooving etc.



Roller head pipe stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	kg
730250	1109-C	Fold roller head pipe stand	32-55	92-140	12	30	1000	454	16.5

Pipe vise & stand

Product features

- Pipe Jack Stand with roller bracket are available in varying configurations with capacity up to 36".
- H405 Pipe Jack Stand with outward roller is easy to move.
- H405 Pipe Jack Stand height is adjustable.
- The material of support frame is solid and durable, impact resistant.
- Double Handle is adjustable. 4 wheels is lockable. for easy carrying and setup.
- Suitable for use with threading machine, roll grooving machine, etc.



Pipe jack stand

Catalog No.	Model No.	Description	Pipe claming rang	Maximum load Bearing with wheels and casters	Height adjustable with casters	Maximum load Bearing without wheels and casters	Height adjustable without casters	Weight (kg)
770010	H405	Pipe jack stand	up to 36"	2204 lbs (1000 kgs)	32"(82cm)-39"(100cm)	5000 lbs (2268 kgs)	23"(59cm)-30"(77cm)	33

Product features

- Pipe Jack Stand with roller bracket are available in varying configurations with capacity up to 40".
- H405 MAX Pipe Jack Stand with outward roller is easy to move.
- H405 MAX Pipe Jack Stand height is adjustable.
- The material of support frame is solid and durable, impact resistant.
- Double Handle is adjustable. 5 wheels is lockable. for easy carrying and setup.
- Suitable for use with threading machine, roll grooving machine, etc.



Pipe jack stand

Catalog No.	Model No.	Description	Pipe claming rang	Maximum load Bearing with wheels and casters	Height adjustable with casters	Maximum load Bearing without wheels and casters	Height adjustable without casters	Weight (kg)
770020	H405 MAX	Pipe jack stand	up to 40"	5070 lbs (2300 kgs)	32"(82cm)-39"(100cm)	5561 lbs (2568 kgs)	23"(59cm)-30"(77cm)	47

Pipe vise & stand

Product features

- Roller bracket are available in varying configurations with capacity up to 43".
- Stand with Steel Rollers is ideal for use with threading machines, roll grooving or other pipe working applications. Rollers can be locked to prohibit rotation. Feed screw quickly adjusts sizes and keeps pipe centered on stand..



Pipe jack stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	
780010	H406	Fold roller head pipe stand	29-43	74-109	43	91	2500	1134	27.5

Product features

- Roller bracket are available in varying configurations with capacity up to 43".
- Stand with Steel Rollers is ideal for use with threading machines, roll grooving or other pipe working applications. Rollers can be locked to prohibit rotation. Feed screw quickly adjusts sizes and keeps pipe centered on stand..



Pipe jack stand

Catalog No.	Model No.	Description	Height adjustment LOW-High		Max pipe capacity		Max workingcapacity		Weight
			in.	cm	in.	cm	lb.	kg	
790010	H407	Fold roller head pipe stand	35	90	43	91	2500	1134	23.6

work bench

Product features

- Stable and strong, easy to transport, foldable tubular frame.
- Optimum work surface: plate made of processed beech wood.
- 22mm -25mm thick wood plate or plywood case.
- Versatile, ideal for vice machining.



Catalog No.	Model No.	Size of face	Working Height (mm)	Capacity (Kg)	Wood board thickness(mm)	Steel material	Weight (kg)	Package Size (cm)
760010	H403-1	120*62.5	825	up to 500	22	A3 steel	25	120*62.5*17
760011	H403-2	108*62.5	800	up to 500	22	A3 steel	24	112*68*16
760012	H403-3	80*62	800	up to 400	22	A3 steel	19	102*69*20
760013	H403-4	81*50	620	up to 400	2.5	A3 steel	16	102*65*19



Hangzhou Welping Machinery Equipment Co., Ltd

Phone: 00 86 15268186595 ,TEL:00 86 571 89332538

E-mail: melissa@welping.cn Web: www.piperollgroover.com

Office address: Room 1904 Building 1, Taifu Plaza, No. 1 Tonghui Middle Road,
Xiaoshan District, Hangzhou

Factory address: No. 2 Jinyuan Road, Puyang Town, Xiaoshan District, Hangzhou, China