# **Material Safety Data Sheet**

#### 1. Identification of the Product and the Company

Common Name: Benzimidazolone Yellow H3G C.I Name: **C.I. Pigment Yellow 154** CAS NO: 68134-22-5 C.I.NO:11781

Chemical Formula: C18H14F3N5O3

Manufacturer: HANGZHOU FANCHENG CHEMICAL CO.,LTD Add: Xinjie,Xiaoshan ,Hangzhou,Zhejiang Province China TEL: 86- 571-83531793 FAX: 86 -571 -83531793 HTTP:www.finelandpigment.com

# 2. Composition / Information on Ingredients

Chemical name: N-(2,3-dihydro-oxo-1H-benzimidazol-5-yl)-3-oxo-2-[(2-trifluromethyl)phenyl]azo]-Butanami de CAS Registry: 68134-22-5 Hazards Designation: No danger symbols Particular information pertaining to specific risk for Human and Environment: The product is not a substance subject to mandatory marking in accordance with EEC – directives 67/548 and 88/379 or amendments. OSHA's Hazard Communication Standard (29 CFR 1910.1200): This substance is not considered to be a hazardous substance as defined under OSHA's hazard communication standard.

# 3. Hazards Identification

Not classified as dangerous for supply or conveyance under EEC directives 67/548, 77/728, 88/379, 91/155.

This product is in compliance with CONEG Model legislation for packaging and packaging ink components.

# 4. First Aid Measures:

Eye Contact: In case the pigment comes into contact with eyes, it may cause irritation. In this case flush eyes thoroughly with water for at least 15 minutes. If irritation persists, consult your physician.

Skin Contact: In case pigment comes into contact with skin, it may cause irritation. In which case wash skin with soap and water. Remove severely contaminated clothing and clean before reuse. Seek medical attention if irritation persists.

Inhalation: In case the pigment is inhaled and causes respiratory difficulty, proceed to area of fresh air. Get medical attention if necessary.

Ingestion: In case the pigment is ingested, it is not considered to be toxic. If swallowed, dilute with water and induce vomiting. Never give fluids or induce vomiting to an unconscious person or person having convulsions. Seek medical attention immediately this case.

#### 5. Fire Fighting Measures

Flammability Class: Not flammable Extinguishing Medium: Carbon Dioxide, dry chemical or foam Special Fire Fighting Procedures: Wear self-contained breathing apparatus and full protective equipment Unusual Fire / Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products General Hazard: Improper handling of any finely divided organic pigment may lead to dust and cloud formation which may be an explosive hazard

#### 6. Accidental Release Measures

Respiratory Protection: Dust respirator Ventilation: Local exhaust or containment Hand protection: Rubber Hand Gloves recommended Eye Protection: Avoid Eye Contact, Safety Goggles recommended Body Protection: Impervious clothing Recommended personal protection in accordance with good industrial hygiene and safety practices

# 7. Handling and Storage

Spill Procedure: Vacuum or use wet clean-up techniques and place recovered product in closable container.

Waste Disposal Method: Disposal of this material must be made in accordance with Federal, State and Local regulations.

Storage Conditions: This product may ignite if exposed to open flames, sparks, static discharge or other sources or ignition.

#### 8. Exposure Controls and Personal Protection

Respiratory Protection: Dust respirator Ventilation: Local exhaust or containment Hand protection: Rubber Hand Gloves recommended Eye Protection: Avoid Eye Contact, Safety Goggles recommended Body Protection: Impervious clothing

#### 9. Physical and Chemical Properties

Appearance: Yellow Powder Odor: Odorless pH: 2.7 Boiling point: N/A Melting Point: 330 Specific Gravity:1.57 Solubility in Water: Insoluble

#### 10. Stability and Reactivity

This product is a stable compound under normal storage conditions and hazardous polymerization will not occur.

# **11. Toxicological Information**

Toxicological Test Data: Based upon industry-wide experience and published toxicological studies, organic pigments in general are considered to be practically non-toxic. Effect of Exposure: Acute: Low order of toxicity on single exposure. This product has reported an acute oral LD50 Value of 50mg/kg or greater in rates. Chronic: No carcinogenic effects observed on prolonged exposure in animal studies.

# **12. Ecological Information**

Being chemically inert and practically insoluble in water, organic pigments are not environmentally hazardous. They may be virtually removed from wastewater mechanically in suitable effluent treatment plants. Organic pigments have minimal bioaccumulation and bioavailability characteristics. Therefore, they are not biodegradable and retained in soil or water.

#### 13. Waste Disposal

Dispose (dump or incinerate) in accordance with applicable federal, state and local regulations.

# 14. Transport information

D.O.T. Shipping Name (49 CFR 172.101-102): None D.O.T. Hazard Class (49 CFR 172.101-102): None D.O.T. Label: None Land transport ADR/RID/GGVS/GGVE UN – No : None / Not Regulated Sea transport IMDG/GGVSee UN – No : None / Not Regulated Air transport TCAO/TATA UN-ID No : None / Not Regulated This product is not classified as dangerous under the relevant EU directives and DOT regulations. Thus, it is not hazardous under transport regulations

# 15. Regulatory information

OSHA Hazard Communication Standard: This product is not considered to be a hazardous substance under OSHA's Federal Hazard Communication Standard 29 CFR 1910.1200. Toxic Substance Control Act (TSCA): All of the ingredients of this material have been reported to the U.S. EPA and are included in the TSCA Chemical inventory. SARA Title III: Section 302 (EHS): None Section 311/312 (Acute): None Section 313: None RCRA: Not regulated as a hazardous waste under RCRA EINECS (European Economic Community): All components of this material are on the EINECS list. CONEG: This meduat is cartified to be in full compliance with CON

1

This product is certified to be in full compliance with CONEG legislation for packaging and packaging Ink components regarding hexavalent chromium, cadmium, lead and mercury.

#### 16. Other information

This information contained is provided in good faith. Although it is based on data from sources deemed to be reliable, hangzhou Fancheng Chemical Co., Ltd. cannot guarantee its accuracy and assumes no responsibility for conditions resulting from its use.

Corer. Zhong 杭州泛成化工有限公司 HANGZHOU FANCHENG CHEMICAL CO., LTD.