

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Safety Padlocks serve to lockout a specific piece of equipment or machinery, or even an entire area during preventive maintenance or repair. Our padlocks are durable, substantial, standardized, identifiable and exclusively for safety under the 1910.147 lockout tagout regulation.

Product Catalog

Safety Lockout Padlock

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Steel Shackle Safety Padlock



LS25S



LS38S



LS76S

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Size
LS25S	25mm	Chromed Steel	6mm	KA/KD/MK/GMK	45*38*21mm
LS38S	38mm				
LS76S	76mm				



LS25SL



LS38SL



LS76SL

Ideal Usage: Displaying additional information and languages on body label

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Size
LS25SL	25mm	Chromed Steel	6mm	KA/KD/MK/GMK	75.5*38*21mm
LS38SL	38mm				
LS76SL	76mm				

Insulation Shackle Safety Padlock



LS25P



LS38P



LS76P

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Size
LS25P	25mm	Nylon	6mm	KA/KD/MK/GMK	45*38*21mm
LS38P	38mm				
LS76P	76mm				



LS25PL



LS38PL



LS76PL

Ideal Usage: Displaying additional information and languages on body label

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Size
LS25PL	25mm	Nylon	6mm	KA/KD/MK/GMK	75.5*38*21mm
LS38PL	38mm				
LS76PL	76mm				

Stainless Steel Shackle Safety Padlock



LS29SS



LS38SS



LS76SS

LS29SS Mini Model Ideal Usage: Everyday applications, Small spaces and Circuit breakers

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Size
LS29SS	29mm	304 Stainless Steel	4mm	KA/KD/MK/GMK	31*34*16mm
LS38SS	38mm		4mm/6mm		45*38*21mm
LS76SS	76mm				

Cable Safety Padlock



LS175-R



LS175-T



LS175-3N

Ideal Usage: Displaying additional information and languages on body label

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Size
LS175-R	175mm	Steel	3.2mm	KA/KD/MK/GMK	45*38*21mm
LS175-T			1.8mm		
LS175-3N		Plastic-Coated Steel	3mm		

Aluminum Safety Padlock



LAS01



LAS02



LAS03

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Material
LAS01	25mm	Chromed Steel	6mm	KA/KD/MK/GMK	Aluminum
LAS02	38mm				
LAS03	76mm				

Laminated Safety Padlock






LDP01



LDP02

Part No.	Shackle Length	Shackle Material	Shackle Diameter	Keying Type	Body Material
LDP01	24mm	Hardened Steel	6mm	KA/KD	Hardened Steel
LDP02	47mm				





• Body Material Options

Nylon	Aluminum	Steel
		
Most Common	Versatile Usage	Highest Durability




• Body Size Options

Compact	31*34mm	Ideal Usage: Everyday applications, small spaces and circuit breakers
Standard	45*38mm	Ideal Usage: Fits wide variety of devices — electrical, valve and cable
Long Body	75.5*38mm	Ideal Usage: Displaying additional information and languages on body label

• Shackle Material Options

Steel Shackle	Nylon Shackle	Stainless Steel Shackle	Cable Shackle
			
Ideal Usage: Most common with extra durability for tough environments	Ideal Usage: Non-conductive for working on electrical circuits/panels	Ideal Usage: Durable, corrosion resistant for outdoor use	Ideal Usage: Versatile, multi-purpose solution, angle and twist to fit tight spaces

• Body Color Options

Body Material	Available Colors
Nylon	
Aluminum	
Steel	


• Custom Engraving Solutions





Padlocks and keys can be laser-engraved on one to five surfaces to identify individuals, departments, work areas, serial numbers and company logos.

• Keying Options



• Versatile Labels



Each padlock includes danger warning labels in English, French, and Spanish, plus additional write-on labels to include specific instructions to efficiently communicate with your workforce.

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Lockout Hasps are a neat and convenient way to lockout an energy source ensuring that your worker's safety is never compromised. The hasp is fitted to the isolation point. The multiple workers can apply their lockout padlock.

Product Catalog

Lockout Hasp

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Lockout Hasp



LSH01



LSH02



LSH01-H



LSH02-H

Part No.	Description
LSH01	Steel hook with plastic coated body, 115mm length *45mm width, hook size 25mm
LSH02	Steel hook with plastic coated body, 130mm length *60mm width, hook size 38mm

Part No.	Description
LSH01-H	Steel hook with plastic coated body, 115mm length *45mm width, hook size 25mm
LSH02-H	Steel hook with plastic coated body, 130mm length *60mm width, hook size 38mm



LAH11



LAH03



LAH12



LSH03

Part No.	Description
LAH11	Aluminum with Nylon PA, Lock shackle 1" (25mm)
LAH12	Aluminum with Nylon PA, Lock shackle 1.5" (38mm)

Part No.	Description
LAH03	Double-end aluminum lockout hasp, Head Dia.: 38mm, Tail Dia.: 25mm
LSH03	Double-end steel lockout hasp, Head Dia.: 44.5mm, Tail Dia.: 18.5mm

Lockout Hasp



LNH01

LNH02

LNH03

Body and jaw in spark proof nylon construction, with light weight, but can be withstand 450g.

Part No.	Description
LNH01	11.4cm(H)*4cm(W), Hole Dia.: 10mm, Qty for 3 padlocks
LNH02	19cm(H)*3.9cm(W), Hole Dia.: 8.1mm, Qty for 6 padlocks
LNH03	17.5cm(H)*4.35cm(W), Hole Dia.: 9.5mm, Qty for 6 padlocks



LNH04

LNH05

Part No.	Description
LNH04	Non-conductive nylon, thin shackle Dia.: 3mm, 61mm*106mm
LNH05	Non-conductive nylon, thin shackle Dia.: 3mm, 61mm*108mm



LAH04

Part No.	Description
LAH04	Thick Aluminum plate with Aluminum oxidation treatment, three colors: Red, Yellow, Blue, size: 189mm*75mm

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Cable Lockouts provide great versatility for locking out electrical switch levers or valve handwheels. Cable lockouts are easy-to-use multi-purpose energy isolation solution in industrial or commercial applications.

Product Catalog

Cable Lockout

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Cable Lockout



LCL01-4

Cable Dia. 4mm, Length 2m



LCL01-6

Cable Dia. 6mm, Length 2m



LCL02

Cable Dia. 3.8mm, Length 2m



LCL03

Cable Dia. 3.8mm, Length 2m



LCL04

Cable Dia. 3.3mm, Length 2.4m



LCL05

Cable Dia. 3.8mm, Length 2m



LCL06

Cable Dia. 3mm, Length 2m



LCL07

Cable Dia. 3mm, Length 2m
PVC coated steel cable



LCL08

Cable Dia. 3.2mm, Length 1m
With lock ank key, PVC coated steel cable



LCL09

Cable Dia. 4mm, Length 1m
With lock and key



LCS01

Cable Seal
Cable Dia. 1.8mm, Length: 250mm



LCS02

Hexagon Head Cable Seal
Cable Dia. 1.8mm, Length: 250mm

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Valve Lockout Devices are used to shutoff many kinds of pressured valves to ensure that the machinery that is valve operated remains switched off while workers carry out the maintenance work. Choose your valve lockout and take into consideration the size of the valve, the method of operation and the locked position required.

Product Catalog

Valve Lockout

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Gate Valve Lockout



Part No.	Fit for valve handle diameter
LGV01	1"-2.5" (25mm-64mm)
LGV02	2.5"-5" (64mm-127mm)
LGV03	5"-6.5" (127mm-165mm)
LGV04	6.5"-10" (165mm-254mm)
LGV05	10"-13" (254mm-330mm)



Part No.	Fit for valve handle diameter
LGV01-T	1"-2.5" (25mm-64mm)
LGV02-T	2.5"-5" (64mm-127mm)
LGV03-T	5"-6.5" (127mm-165mm)
LGV04-T	6.5"-10" (165mm-254mm)
LGV05-T	10"-13" (254mm-330mm)



Part No.	Fit for valve handle diameter
LGV01-R	1"-2.5" (25mm-64mm)
LGV02-R	2.5"-5" (64mm-127mm)
LGV03-R	5"-6.5" (127mm-165mm)
LGV04-R	6.5"-10" (165mm-254mm)
LGV05-R	10"-13" (254mm-330mm)
LGV06-R	13"-18" (330mm-457mm)
LGV07-R	18"-25" (457mm-635mm)




LGV08	Adjustable Gate Valve Lockout Fit for valve handle diameter: 1"-6.5"(25mm-165mm)
-------	--

Adjustable Ball Valve Lockout




Part No.	Fit for ball valve size
LBV01	1/2"-2.5"(13mm-64mm)
LBV01-D	1/2"-2.5"(13mm-64mm) with Baffle
LBV02	1/2"-3.15"(13mm-79mm)
LBV03	2"-8"(50mm-200mm)




Part No.	Fit for ball valve size
LBV04	3/8"-1 1/5"(9.5mm-31mm)
LBV04-D	3/8"-1 1/5"(9.5mm-31mm) with Baffle
LBV05	1/2"-2 3/4"(13mm-70mm)
LBV05-D	1/2"-2 3/4"(13mm-70mm) with Baffle
LBV06	2 4/5"-8 1/2"(73mm-215mm)

Standard Ball Valve Lockout



Part No.	Description
LBV11	82mm*55mm Hole diameter: 10mm
LBV12	157mm*102mm Hole diameter: 10mm
LBV13	157mm*102mm Hole diameter: 7.5mm

Butterfly Valve Lockout









LFV01	Butterfly valve with handle width 8mm-45mm
-------	---



LFV011	Adjustable angle: 15°-36° used with cables lockout
--------	---

Universal Valve Lockout

Photo	Part No.	Description
	LUV01	For Butterfly Valves
	LUV02	Lock with quarter-turn ball valve for single arm
	LUV03	Two arms to lock out 3,4 or 5-way valves
	LUV04	Using cable attachment for gate valves
	LUV05	Universal valve lockouts for most valves
	LUV-ARM	195mm*140mm used with universal valve lockout base

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Circuit Breaker Lockout is used to prevent the accidental or deliberate switching off of certain electrical circuits.

Product Catalog

Circuit Breaker Lockout

Lita Lock

Wenzhou-China

<https://www.litalock.com/>



LB01



LB02



LB03



LB04



LB10-1



LB10-2



LB11-1



LB11-2



LB12-1



LB12-2



LB05



LB06



LB15



LB16



LB21



LB22



LB07



LB08



LB09



LB16



LB18



LB19



LB20



LB13



LB14



LB28



LB29

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Electrical Lockout Devices are used to properly shut down electrical systems to prevent electrical accidents for industrial high voltage or low voltage applications. Electrical systems include: push-buttons, rotary, wall switches, plugs and much more.

Pneumatic Lockouts are critical for de-energizing and isolating compressed air sources of power. / Cylinder lockout devices are designed to prevent access to the main valve handle on many cylinder tanks.

Product Catalog

Electrical&Pneumatic Lockout

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Electrical Plug Lockout



Part No.	Description	Material
LPP01	Suitable for locking two-prong and small three-prong plugs	Industrial plastic ABS
LPP02	Suitable for all kinds of home appliance industry electrical plugs	
LPP03	Fits multiple plugs and small strips for locking	
LPP04	Suitable for all kinds of home appliance industry electrical plugs	



Part No.	LPP05
Description	Can lockout 9,10,11,12,20mm pneumatic plug lockout
Material	Industrial plastic ABS
Features	Fits a variety of electrical plugs and male air hose fittings


Pneumatic&Cylinder Lockout



LPPR01



LPPR02



LPPR03



LPPR04



LGC01



LGC02

Electrical Plug Lockout



Part No.	Hole	Size	Material
LBT01-22	22mm	32mm*50mm height*outer diameter	High strength glass resin PC
LBT01-25	25mm		
LBT01-30	30mm		



Part No.	Hole	Size	Material
LBT01-22	22mm	37mm*55mm height*outer diameter	High strength glass resin PC
LBT01-25	25mm		
LBT01-30	30mm		
LBT02-22	22mm	47mm*55mm height*outer diameter	
LBT02-25	25mm		
LBT02-30	30mm		
LBT03-22	22mm	55mm*55mm height*outer diameter	
LBT03-25	25mm		
LBT03-30	30mm		



Part No.	LBT05
Description	Suitable for 22mm to 30mm cutout button locking
Material	Transparent high-strength glass resin PC
Features	Two installation methods, there are 2 different size fittings for 22mm or 30mm cutout button

Push Button & Rotary Switch Lockout



Part No.	Hole	Size	Material
LBT061-40	40mm	37mm*55mm	High strength glass resin PC
LBT062-40		42mm*55mm	
LBT063-40		55mm*55mm	



Part No.	Hole	Size	Material
LBT071-40	40mm	37mm*55mm	High strength glass resin PC
LBT072-40		42mm*55mm	
LBT073-40		55mm*55mm	



Lockout Tagout Tags are labelling process that is always used when lockout is required. They are OSHA compliant and communicate safety and lockout information at the point of need. These tags come in a variety of materials to suit your specific lockout/tagout (LOTO) needs. You can also create your own custom tag for an application specific message.

Scaffolding Tag Holders comply with OSHA's regulations and are designed to be attached to the scaffolding and will hold our green tags. When the tags or removed, it warns people not to use the scaffolding.

Product Catalog

Lockout Tagout Tag&Scaffolding Tag Holder

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Lockout Tagout Tag



LLT01
75mm*146mm*0.5mm



LLT02
75mm*146mm*0.5mm



LLT03
75mm*146mm*0.5mm

Customized Tags



Scaffolding Tag Holder



LSL01
310mm×92mm, Diameter: 60mm,
1 tag with 1 holder



LSL02
213mm×56mm

Lita Lock
Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Lockout Tagout Management helps to storage and manage padlocks and lockout tagout. It includes: lockout boxes, lockout board, lockout station, lockout bags. Need a full Lockout Tagout Solution? Lita Lock offers a wide range of service that help you solve.

Product Catalog

Lockout Tagout Management

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Group Lockout Box



LBS01

230mm*90mm*155mm



LBS02

230mm*90mm*155mm



LBS03

110mm*110mm*155mm



LBS04

162mm*85mm*337mm



LSS01

360mm*155mm*450mm



LSS02

450mm*90mm*600mm



LSS03

560mm*70mm*460mm

Lockout Tagout Station



LST01

410mm*315mm*65mm




LST02

565mm*400mm*65mm



LST03

410mm*315mm*65mm



LST04

410mm*315mm*65mm



LST05

410mm*315mm*65mm

Lockout Tagout Board



LMG01




LMG02




LMG03

Part No.	Description
LMG01	343mm*343mm
LMG02	292mm*597mm
LMG03	597mm*546mm



LMG04



LMG05



LMG06

Size: 400mm*498mm

Lockout Tagout Board



Part No.	Description
LMG11	140mm*40mm*80mm
LMG12	270mm*40mm*80mm
LMG13	400mm*40mm*80mm
LMG14	530mm*40mm*80mm

Lockout Tagout Box



LBX-S

LBX-B

Part No.	Description
LBX-S	400mm*190mm*180mm
LBX-B	450mm*235mm*200mm

Lockout Tagout Bag



LLB11

300mm*280mm*80mm



LLB12

160mm*240mm*100mm



LLB21-S



LLB21-B

Part No.	Description
LLB21-S	330mm*220mm*250mm
LLB21-B	370mm*240mm*280mm



Key Box

Part No.	Description	Part No.	Description
LKB24	215*55*325mm, 24 key holes	LKB96	640*55*395mm, 96 key holes
LKB32	270*55*325mm, 32 key holes	LKB120	780*55*395mm, 120 key holes
LKB48	270*55*395mm, 48 key holes	LKB150	780*55*443mm, 150 key holes
LKB72	480*55*395mm, 72 key holes	LKB180	885*55*443mm, 180 key holes

Lita Lock

Keeping workers safe

A Complete Lockout&Tagout Solution
Expert OEM&ODM Service



Lockout Tagout Kits are a comprehensive set of tools required for large industrial lockouts-both electrical and valve lockout devices. Lita Lock's OSHA compliant lockout tagout kits will help keep your team safe.

Product Catalog

Lockout Tagout Kit

Lita Lock

Wenzhou-China

<https://www.litalock.com/>

Lockout Tagout Kit



LKT01

Category	Part NO.&Qty
Safety Lockout Padlock	KD-LS38S-Red×1
Lockout Tag	LLT01×1
Red Chain	1 PC



LKT02

Category	Part NO.&Qty
Lockout Tagout Board	LMG01×1
Safety Lockout Padlock	KD-LS38S-Red×10
Steel Lockout Hasp	LSH01×1
Steel Lockout Hasp	LSH02×1
Lockout Tag	LLT01×10



LKT03

Category	Part NO.&Qty
Lockout Tagout Station	LST01×1
Safety Lockout Padlock	KD-LS38S-Red×4
Steel Lockout Hasp	LSH02×1
Lockout Tag	LLT01×10



LKT04

Category	Part NO.&Qty
Lockout Tagout Station	LST02×1
Safety Lockout Padlock	KD-LS38S-Red×10
Steel Lockout Hasp	LSH01×2
Lockout Tag	LLT01×20



LKT05A

Category	Part NO.&Qty
Lockout Pouch	LLB11×1
Safety Lockout Padlock	KD-LS38P-Red×4
Nylon Lockout Hasp	LNH01×1
Steel Lockout Hasp	LSH01×1
Plug Lockout	LPP04×1
Button Lockout	LBT05×1
Circuit Breaker Lockout	LB10-2×1
Circuit Breaker Lockout	LB11-2×1
Circuit Breaker Lockout	LB12-2×1
Lockout Tag	LLT02×4



LKT05B

Category	Part NO.&Qty
Lockout Pouch	LLB11×1
Safety Lockout Padlock	KD-LS38S-Red×4
Steel Lockout Hasp	LSH01×1
Cable Lockout	LCL01-4×1
Valve Lockout	LGV01×1
Valve Lockout	LBV01×1
Valve Lockout	LBV11×1
Lockout Tag	LLT02×4



LKT05C

Category	Part NO.&Qty
Lockout Pouch	LLB11×1
Safety Lockout Padlock	KD-LS38P-Red×4
Nylon Lockout Hasp	LNH01×1
Steel Lockout Hasp	LSH01×1
Circuit Breaker Lockout	LB07×1
Circuit Breaker Lockout	LB08×1
Circuit Breaker Lockout	LB09×1
Circuit Breaker Lockout	LB10-2×1
Circuit Breaker Lockout	LB11-2×1
Circuit Breaker Lockout	LB12-2×1
Lockout Tag	LLT02×4



LKT06A

Category	Part NO.&Qty
Lockout Pouch	LLB12×1
Safety Lockout Padlock	KD-LS38S-Red×2
Steel Lockout Hasp	LSH01×1
Steel Lockout Hasp	LSH02×1
Lockout Tag	LLT02×2



LKT06B

Category	Part NO.&Qty
Lockout Pouch	LLB12×1
Circuit Breaker Lockout	LB07×1
Circuit Breaker Lockout	LB08×1
Circuit Breaker Lockout	LB09×1
Circuit Breaker Lockout	LB04×1
Circuit Breaker Lockout	LB21×1



LKT06C

Category	Part NO.&Qty
Lockout Pouch	LLB12×1
Safety Lockout Padlock	KD-LS38S-Red×2
Lockout Hasp	LSH01×2
Circuit Breaker Lockout	LB07×1
Circuit Breaker Lockout	LB08×1
Circuit Breaker Lockout	LB10-2×1
Lockout Tag	LLT02×2

Lockout Tagout Kit



LKT06D

Category	Part NO.&Qty
Lockout Pouch	LLB12×1
Safety Lockout Padlock	KD-LS38S-Red×1
Safety Lockout Padlock	LS175-R×1
Lockout Hasp	LSH01×1
Circuit Breaker Lockout	LB28×2
Circuit Breaker Lockout	LB29×1
Lockout Tag	LLT02×10



LKT06E

Category	Part NO.&Qty
Lockout Pouch	LLB12×1
Safety Lockout Padlock	KD-LS38P-Red×2
Lockout Hasp	LNH01×1
Lockout Hasp	LSH01×1
Circuit Breaker Lockout	LB10-2×1
Circuit Breaker Lockout	LB11-2×1
Circuit Breaker Lockout	LB12-2×1
Lockout Tag	LLT02×10



LKT07B

Category	Part NO.&Qty
Lockout Toolbox	LBX-S×1
Safety Lockout Padlock	KD-LS38S-Red×2
Safety Lockout Padlock	KD-LS76S-Red×1
Lockout Hasp	LSH01×2
Lockout Hasp	LSH02×2
Lockout Hasp	LNH03×1
Cable Lockout	LCL05×1
Valve Lockout	LGV01×1
Valve Lockout	LGV02×1
Valve Lockout	LBV11×1
Valve Lockout	LBV12×1
Valve Lockout	LUV01×1
Circuit Breaker Lockout	LB07×2
Circuit Breaker Lockout	LB08×1
Circuit Breaker Lockout	LB09×1
Circuit Breaker Lockout	LB02×2
Circuit Breaker Lockout	LB04×2
Lockout Tag	LLT02×10



LKT07A

Category	Part NO.&Qty
Lockout Toolbox	LBX-S×1
Safety Lockout Padlock	KD-LS38S-Red×4
Lockout Hasp	LSH01×2
Lockout Hasp	LSH02×2
Cable Lockout	LCL01-6×1
Valve Lockout	LGV01×1
Valve Lockout	LGV02×1
Valve Lockout	LBV01×1
Valve Lockout	LBV11×1
Valve Lockout	LUV01×1
Lockout Tag	LLT02×10



LKT07C

Category	Part NO.&Qty
Lockout Toolbox	LBX-S×1
Safety Lockout Padlock	KD-LS38S-Red×4
Lockout Hasp	LSH01×2
Lockout Hasp	LSH02×2
Lockout Hasp	LNH03×2
Cable Lockout	LCL01-6×1
Valve Lockout	LBV01×1
Valve Lockout	LGV08×1
Circuit Breaker Lockout	LB07×2
Circuit Breaker Lockout	LB08×1
Circuit Breaker Lockout	LB04×2
Lockout Tag	LLT02×10

Lita Lock

Keeping workers safe

Lita Lock, a China based manufacturer, since 2017, active in manufacturing safety padlocks, electrical lockout, valve lockout, lockout station, tags and other lockout & tagout for global partners.

To help customers compliance with OSHA Standard 29 CFR 1910.147, Lita Lock does not only offer design, production and final assembly, but also a complete lockout & tagout solution for various industries.

Lita Lock pursues the competitiveness on creative, quality control, technology and sustainable development.

As the founder of Lita Lock, Iris Chen says: “Many things have changed, but one thing that has not—our original intention to start businesses: keeping workers safe.” Together, we make work environments safer.



Mrs Iris Chen

Sales Manager

Email: iris@litalock.com

WhatsApp/Mobile: +86 13165872593