

Report No : TST20240103617-3RR Page 1 of 9 Date: Jan.24,2024 Applicant: Dongguan Dadi Electronic Technology Co., Ltd. Manufacturer: Dongguan Dadi Electronic Technology Co.,Ltd. The following sample(s) was /were submitted and identified on behalf of the clients as : Sample Name: Ultrasonic sensors CSB12 series, CSB18 series, CSB18 vertical series, CSB30 series, CSC series, Main Model: CSDA series, CSDB series, CSR30 series Sample Received Date: Jan.20,2024 Jan.20,2024To Jan.24,2024 **Testing Period**: 1. As specified by client ,to screen Lead(Pb),Cadmium(Cd),Mercury(Hg), **Test Requested:** Chromium(Cr)and Bromine(Br)in the submitted sample(s)by XRF. 2. As specified by client ,when screening results exceed the XRF screening limit in IEC62321:2013 Edition 1.0, further use of wet chemical methods are required to test Lead(Pb),Cadmium(Cd),Mercury(Hg),Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutylphthalate (DBP), and Diisobutyl phthalate (DIBP) in the submitted sample(s). **Test Method:** Please refer to next page(s). **Test Result:** Please refer to next page(s). **Test Conclusion:** The test results comply with the limits of RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU.



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



Report No : TST20240103617-3RR

Date: Jan.24,2024

Page 2 of 9

1. Pb, Cd, Cr(VI), Hg, PBBs&PBDEs

Test Method:

A. Disassembly, disjointment and mechanical sample preparation

-Ref. to IEC 62321-2:2021, Disassembly, disjointment and mechanical sample preparation.

B. With reference to IEC 62321-1:2013, tests were performed for the samples indicated by the photos in this report.

(1) Screening - Lead, mercury, cadmium, total chromium and total bromine

-Ref. to IEC 62321-3-1:2013, Screening for Lead, mercury, cadmium, total chromium and total bromine by

X-ray fluorescence spectrometry.

(2) Wet chemical test method

Test Item(s)	Test Method	Test Equipment	Unit	MDL	Limit
Pb	IEC62321-5:2013	ICP-OES	mg/kg	10	1000
Cd	IEC62321-5:2013	ICP-OES	mg/kg	10	100
Hg	IEC 62321-4:2013/AMD1:2017	ICP-OES	mg/kg	10	1000
Cr(VI) (Metal)	IEC62321-7-1:2015	UV-Vis	µg/cm2	0.1	0.13
Cr(VI) (Nonmetal)	IEC62321-7-2:2017	UV-Vis	mg/kg	10	1000
PBBs	IEC62321-6:2015	GC-MS	mg/kg	10	1000
PBDEs	IEC62321-6:2015	GC-MS	mg/kg	10	1000

PBBs		PBDEs			
Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether		
Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether		
Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether		
Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether		
Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether		

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



Report No : TST20240103617-3RR

Date: Jan.24,2024

Page 3 of 9

Test result(s):

No.	Sample Description	Results of XRF					Chemical confirmation	Conclusion
110.		Pb	Cd	Hg	Cr	Br	results (mg/kg)	
1.	Silver metal shell	BL	BL	BL	BL			Pass
2.	Silver metal	BL	BL	BL	BL			Pass
3.	Silver metal	BL	BL	BL	BL			Pass
4.	Gold metal	BL	BL	BL	BL			Pass
5.	Gold metal	BL	BL	BL	BL			Pass
6.	Blue sealant	BL	BL	BL	BL	BL		Pass
7.	РСВ	BL	BL	BL	BL	х	PBBs:N.D. PBDEs:N.D.	Pass
8.	Pink wire	BL	BL	BL	BL	BL		Pass
9.	Black wire	BL	BL	BL	BL	BL		Pass
10.	Solder	BL	BL	BL	BL			Pass

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



Report No : TST20240103617-3RR

Date: Jan.24,2024

Page 4 of 9

Remark:

a. It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).

b. The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition.

c. Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS for Cr(VI) and GC-MS (for PBBs/PBDEs) is recommended to be performed if the concentration exceeds the below warming value according to IEC 62321-3-1:2013.

XRF Screening limits for different matrices :

	Concentration (mg/kg)						
Materials	Cd	Cr	Pb	Hg	Br		
Polymeric	BL≤60 <x<140≤ol< td=""><td>BL≤640<x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<></td></x<1330≤ol<></td></x<></td></x<140≤ol<>	BL≤640 <x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<></td></x<1330≤ol<></td></x<>	BL≤670 <x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<></td></x<1330≤ol<>	BL≤660 <x<1340≤ol< td=""><td>BL≤290<x< td=""></x<></td></x<1340≤ol<>	BL≤290 <x< td=""></x<>		
Metallic	BL≤60 <x<140≤ol< td=""><td>BL≤640<x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td></td></x<1340≤ol<></td></x<1330≤ol<></td></x<></td></x<140≤ol<>	BL≤640 <x< td=""><td>BL≤670<x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td></td></x<1340≤ol<></td></x<1330≤ol<></td></x<>	BL≤670 <x<1330≤ol< td=""><td>BL≤660<x<1340≤ol< td=""><td></td></x<1340≤ol<></td></x<1330≤ol<>	BL≤660 <x<1340≤ol< td=""><td></td></x<1340≤ol<>			
Composite materials	BL≤40 <x<160≤ol< td=""><td>BL≤440<x< td=""><td>BL≤470<x<1530≤ol< td=""><td>BL≤460<x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<></td></x<1530≤ol<></td></x<></td></x<160≤ol<>	BL≤440 <x< td=""><td>BL≤470<x<1530≤ol< td=""><td>BL≤460<x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<></td></x<1530≤ol<></td></x<>	BL≤470 <x<1530≤ol< td=""><td>BL≤460<x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<></td></x<1530≤ol<>	BL≤460 <x<1540≤ol< td=""><td>BL≤240<x< td=""></x<></td></x<1540≤ol<>	BL≤240 <x< td=""></x<>		

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



Report No : TST20240103617-3RR

Date: Jan.24,2024

Page 5 of 9

Note: -BL= Below Limit

-OL=Over Limit

-X = inconclusive, the region where need further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs).

- --- = Not Applicable
- mg/kg=0.0001%
- N.D.=Not Detected(<MDL)
- MDL= Method Detection Limit

-Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02 mg/kg with 50cm² sample surface area used.

-*=According to 2011/65/EU Annex,point *Lead as an alloying element is steel containing up to 0.35% lead by weight, aluminum containing up to 0.4% lead by weight and as a copper alloy, containing up to 4% lead by weight can be exempted.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



Report No : TST20240103617-3RR

Date: Jan.24,2024

Page 6 of 9

2. Phthalates—DBP, BBP, DEHP & DIBP

Test Item(s)	Test Method	Test Equipment	Unit	MDL	Limit
Dibutyl Phthalate(DBP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000
Benzylbutyl Phthalate (BBP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000
Di-(2-ethylhexyl)Phthalate (DEHP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000
Diisobutyl phthalate(DIBP)	IEC62321-8:2017	GC-MS	mg/kg	30	1000

Test result(s):

Part No.		Conclusion			
	DBP	BBP	DEHP	DIBP	Conclusion
6	N.D.	N.D.	N.D.	N.D.	Pass
7	N.D.	N.D.	N.D.	N.D.	Pass
8+9	N.D.	N.D.	N.D.	N.D.	Pass

Note:

- mg/kg=0.0001%

-N.D.=Not Detected(<MDL)


This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com

Test Report Report No : TST20240103617-3RR Date: Jan.24,2024 Page 7 of 9 Chemical Test Process: 1.Test for Cd/Pb Content Weigh sample and Add digestion **Digest samples** Place in a conical flask reagent on hot plate Transfer the digestive Make up with Analyze by ICP-OES solution into a deionized water volumetric flask 2. Test for Hg Content Weigh sample and Digest samples in Add digestion place in a microwave microwave reagent digestion vessel digestion oven Transfer the digestive Make up with Analyze by ICP-OES solution into a deionized water volumetric flask

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com



Report No : TST20240103617-3RR

Date: Jan.24,2024

Page 9 of 9

Sample Photo:



*** End of Report ***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Dongguan True Safety Testing Co., Ltd., this test report shall not be copied except in full and published as advertisement.

Dongguan True Safety Testing Co., Ltd.Room 201, No.20, East of Houjie Avenue, Houjie, Dongguan, Guangdong, ChinaTel:+86-0769-85088050Fax:0769-81221086E-mail: :tst@tst-test.com