

## **TECHNICAL DATA SHEET**

# LASER RANGING SENSOR DA-Y & DB-Y series



#### Contents

- Product Features
- Application Scenario
- Model Selection
- Circuit wiring diagram
- Size parameter
- Installation instructions

CE


Website: www.dadisick.com

Email: sale@dadisick.com

## **DA-Y & DB-Y series**

## Product description

DA-Y/DB-Y series industrial-grade laser sensors provide accurate and stable distance measurement and can be integrated into various industrial applications. The red laser beam hits the reflective surface and non-contact measurement is performed based on the return signal.



#### **Features**


- Phase method distance measurement, high accuracy and fast speed;
- o It comes with a screen and built-in menu, and can be set up without connecting to a computer;
- Output interface:
  RS232/RS485,2 switching outputs plus voltage/current output;
- o Supports 64 units online networking and PLC programming;
- o IP67 protective metal die-cast body ensures stability even outdoors and in harsh environments.

## **Application Cases**

- ♦ Industrial measurement of position, displacement, thickness, distance, etc.
- Industrial automation and production intelligent management
- ♦ High-altitude cable erection measurement, railway catenary measurement
- ♦ Material level/liquid level detection
- Slope and dam deformation monitoring
- Building security monitoring



Displacement/distance measurement



40Hz high-frequency fast refresh



Multiple outputs can be connected to alarms

#### **Technical Parameters**

Item	Type A				
Model	DA-Y10	DA-Y20	DA-Y30	DA-Y50	DA-Y100
Measuring distance	0.2-10m	0.2-20m	0.2-30m	0.2-50m	0.2-100m
Voltage/current output	/				
Voltage output error	1				
Current output error	I				
Output mode	Digital quantity+switch quantity				

Item	Type B (With voltage and current output)				
Model	DB-Y10	DB-Y20	DB-Y30	DB-Y50	DB-Y100
Measuring distance	0.2-10m	0.2-20m	0.2-30m	0.2-50m	0.2-100m
Voltage/current output	Can be set to 0~5V / 0~10V / 4~20mA / 0~20mA /0~24mA output *Note 2				
Voltage output error	0.2%+0.5mV				
Current output error	0.2%+0.005mA				
Output mode	Digital quantity+switch quantity+analog quantity				

Communication interface	RS232/RS485 (switchable)	
Measuring frequency	1Hz-40Hz	
Laser type	Class II, 660±15nm, ≤1mW	
Measurement resolution	1mm	
Measurement error	±(2mm+d * one ten thousandth) *Note 1	
Indicator light	Red laser	
Spot size	@1m⊘6mm;@10m⊘8mm; @20m⊘12mm;@30m⊘16mm;	
Display	128x32 dot matrix screen	
Backlight off time	30 minutes (can be set to normally on)	
Operating mode	Off measurement, continuous measurement	
Transistor switch output	2 channels (cannot exceed DC36V 0.5A) *Note 3	
Power supply	DC15~30V	
Power consumption	< 3.0W	
Protection grade	IP67	
Shell material	Die-cast zinc alloy	
Working temperature	-10°C~50°C	
Storage temperature and humidity	-20°C~60°C, 20%~85%RH	
Overheating protection	When the body temperature is higher than 70°C, the measurement will be shut down and when the temperature is lower than 70°C, the measurement will be resumed	
Body size	88.45x40x59.3mm (including connection base)	

<sup>\*</sup>Note 1: When [Speed Level] is 1.

<sup>&</sup>quot;d" represents the actual distance. In harsh environments, such as when the sun is too strong and the ambient temperature fluctuates too much, there will be a large error in the measurement results. In this case, the effect is better when used with a target reflector.

<sup>\*</sup>Note 2: Current and voltage can't be output at the same time.

<sup>\*</sup>Note 3: If the external DC output of the transistor switch exceeds the limited voltage or current, it may cause permanent damage to the instrument.

## **Display and Buttons**

#### Display





- 1 Station number
- ② Measuring distance
- (3) Unit of measurement distance


#### Buttons

Button	Press	Hold
SET	Confirm in setting mode	Enter parameter setting mode
ESC	Return to setting mode	Backlight switch setting
	Adjust option content Adjust position forward	
	Adjust option content	Adjust position backward

#### **Installation Dimensions**









(Joint surface)

(Bottom of the main body)





(Side view of main body)

### Wiring method


#### 1. Main Unit Wiring and Networking Instructions

No.	Wire color	Interface definition	Description
2	Brown	DC +15-30V	Positive pole of external power supply DC 15~30V (input)
7	Blue	DC -0V	Power- (input)
8	Red	AO+ (type B only)	Analog output+ 4~20mA / 0~20mA / 0~24mA 0~5V / 0~10V
1	White	AO- (type B only)	Voltage/current output dedicated ground terminal
3	Green	RS232RX/RS485-B	232 or 485 communication line
4	Yellow	RS232TX/RS485-A	232 or 485 communication line
5	Gray	Q1	Switching output 1
6	Pink	Q2	Switching output 2
	Shielded wire	EARTH	Connected to the ground


#### 2.RS485 Wiring Method

For example, the following figure is the wiring diagram for joint commissioning of Mitsubishi PLC (FX3U-16M), computer and ranging sensor.

Note: The power supply for the instrument in the figure is provided by the 24V of the PLC. In the absence of PLC 24V power supply, an additional  $15\sim30V$  DC power supply can be connected.




#### D-Sub connector RS485 pin definition



(Note: Different manufacturers may have different specifications)


#### 3.RS232 Wiring Method

This function has an open-drain (collector) output inside the instrument. It can only input DC current and cannot directly output voltage and current. Please note that the current sink cannot exceed DC36V 0.5A.



Note: RXD and TXD on the computer side and instrument side need to be cross-connected. RS232 has three connections: RX (green) TX (yellow) GND (blue).

#### D-Sub connector RS232 pin definition



#### 4.RS485 networking connection method

This function has an open-drain (collector) output inside the instrument. It can only input DC current and For example, the figure below is a connection diagram for networking a computer and multiple instruments through RS485 half-duplex communication, All instruments are connected to the bus, Due to address restrictions, the maximum number is 64.

Note: In actual application, if communication is unstable, a  $120\Omega$  /8W resistor needs to be connected in parallel to the RS485 terminal.

