

ELECTRIC FAN

PRODUCT CATALOGUE 2021-2022

Foshan Sibolux Electric Co., Ltd.

Company Profile

- Foshan Sibolux Electric Co., Ltd. was established in 2011, is a professional OEM & ODM manufacturer and exporter engaged in Electric fans, included retro metal fan, high velocity fan, industrial fan, plastic fan, exhaust fan and tower fan. We are located in Shunde District, Foshan City, Guangdong Province, China. Presently, our company has equipped with complete set of brand-new and advanced machine exclusive for manufacturing. With excellent quality and service, our products are selling well in about 30 countries, such as Europe, America, Australia, South Africa, Middle East, we have gained high reputation and popularity from overseas customers. In order to win the market worldwide, we keep our products in high levels as to meet the international standards like GS, CE, CB, RoHS, Erp, SAA, keep pace with the world.
- With our own professional R&D team, we are able to design and develop new items any time when necessary. We are sincerely working hard to satisfy our customers need, and do bring benefit to our customers. We also build up a strong team for products R&D, quality control and export documentation.
- All of these days, "High quality, integrity, innovation, and win-win" is our business philosophy, our aim is offer best service and excellent quality products to satisfy every client. Looking forward to work with you near future and grow up together. Welcome to visit us anytime for husiness discussion!



Metal Desk Fan





FT-25MC, 10 Inch, 30W FT-30MC, 12 Inch, 35W FT-40MC, 16 Inch, 50W

- Voltage: 220-240V,50/60Hz
- ➤ 4PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- Tilt Angle Adjustable
- > 3 Speeds Control
- Detachable Base
- > 90 Degree Oscillation
- Optional Color
- Bronze, Brused Steel, Gun-Metal, Copper
- Certificate: GS/CE/ROHS/ERP/CB



FT-25MB, 10 Inch, 30W FT-30MB, 12 Inch, 35W FT-40MB, 16 Inch, 50W

- > Voltage:220-240V,50/60Hz
- > 4PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- Tilt Angle Adjustable
- ➤ 3 Speeds Control
- > 90 Degree Oscillation
- Optional Color
- Bronze, Brused Steel, Gun-Metal, Copper
- Certificate: GS/CE/ROHS/ERP/CB



FT-25MA, 10 Inch, 30W FT-30MA, 12 Inch, 35W FT-40MA, 16 Inch, 50W

- Voltage: 220-240V,50/60Hz
- ➤ 4PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- Tilt Angle Adjustable
- 3 Speeds Control
- ▶ 90 Degree Oscillation
- Optional Color
- Bronze, Brused Steel, Gun-Metal, Copper
- ➤ GS/CE/ROHS/ERP/CB



Luxry Metal Fan

2021-2022 Catalogue



FD-40ME3, 16 Inch, 50W

- Voltage: 220-240V,50Hz
- 5 PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- Tilt Angle Adjustable
- 3 Speeds Control
- > 80 Degree Oscillation
- Detachable Base
- Optional Color
- Brushed Steel or Matt Black with Wooden color
- ➤ GS/CE/ROHS/ERP



FT-30ME, 12 Inch, 35W

- Voltage: 220-240V,50/60Hz
- > 5PCS Aluminum or Plastic Blades
- Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- ➤ 80 Degree Oscillation
- Detachable Base
- Optional Color
- Brused Steel or Matt Black
- ➤ GS/CE/ROHS/ERP







Metal Stand Fan

2021-2022 Catalogue



FD-40MR, 16 Inch, 50W FD-45MR, 18 Inch, 60W With Remote Control

- Voltage: 220-240V,50/60Hz
- ➤ 4PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- Product Height Adjustable
- > 3 Speeds Control
- > 7.5 Hours Timer
- > 3 Wind Mode: Sleep, Nature, Normal
- > 80 Degree Oscillation
- > Detachable Base
- Product Color: Chrome And Black Chrome
- ➤ GS/CE/ROHS/ERP



FD-40M, 16 Inch, 50W FD-45M, 18 Inch, 60W

- Voltage: 220-240V,50/60Hz
- > 4PCS Metal Blades
- Helix Safet Grill Pass Finger Test
- Product Height Adjustable
- ➤ 3 Speeds Control
- 80 Degree Oscillation
- Detachable Base
- Product Color: Chrome, Copper, Gun Metal
- ➤ GS/CE/ROHS/ERP





Tripod Fan

2021-2022 Catalogue



FD-40MD, 16 Inch, 50W FD-45MD, 18 Inch, 60W BASE A

- Voltage: 220-240V,50/60Hz
- > 4PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- Product Height Adjustable
- ➤ 3 Speeds Control
- > 80 Degree Oscillation
- Tripod Base
- Product Color: Chrome And wood
- ➤ GS/CE/ROHS/ERP



FD-40MD, 16 Inch, 50W FD-45MD, 18 Inch, 60W BASE B

- Voltage: 220-240V,50/60Hz
- 4PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- Tilt Angle Adjustable
- Product Height Adjustable
- 3 Speeds Control
- ➤ 80 Degree Oscillation
- Tripod Base
- Product Color: Chrome And wood
- ➤ GS/CE/ROHS/ERP





Tripod Fan

2021-2022 Catalogue



FD-40MD, 16 Inch, 50W FD-45MD, 18 Inch, 60W BASE C

- Voltage: 220-240V,50/60Hz
- > 4PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- Product Height Adjustable
- ➤ 3 Speeds Control
- > 80 Degree Oscillation
- Tripod Base
- Product Color: Chrome And wood
- ➤ GS/CE/ROHS/ERP



FD-40MD, 16 Inch, 50W FD-45MD, 18 Inch, 60W BASE D

- Voltage: 220-240V,50/60Hz
- 4PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- Tilt Angle Adjustable
- Product Height Adjustable
- 3 Speeds Control
- ➤ 80 Degree Oscillation
- Tripod Base
- Product Color: Chrome And wood
- ➤ GS/CE/ROHS/ERP





Tripod Fan

2021-2022 Catalogue





FD-40ME, 16 Inch, 50W

- Voltage: 220-240V,50/60Hz
- 4PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- Product Height Adjustable
- 3 Speeds Control
- > 80 Degree Oscillation
- > Tripod Base
- Product Color: Chrome And wood
- ➢ GS/CE/ROHS/ERP



Drum And Flat Base Metal Fans

2021-2022 Catalogue SIBOLUX

FT-30ME2, 12 Inch, 35W

- Voltage: 220-240V,50Hz
- > 5PCS Plastic Blades
- Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- > 90 Degree Oscillation
- ➢ GS/CE/ROHS/ERP



FE-45C, 18 Inch

- Voltage: 220-240V,50Hz
- ➤ Power:100W
- ➤ 3PCS Metal Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- > 3 Speeds Control
- > 90 Degree Oscillation
- ➤ GS/CE/ROHS/ERP



FD-40ME2, 16 Inch, 50W

- > Voltage:220-240V,50Hz
- ➤ 5PCS Plastic Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- > 90 Degree Oscillation
- Product Height 1.2 M
- ➤ GS/CE/ROHS/ERP





High Velocity Fan





FE-10, 4 Inch, 10W FE-15, 6 Inch, 15W FE-23, 9 Inch, 25W


- Voltage:220-240V,50/60Hz
- > 3PCS Aluminum Blades
- Line Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- Optional Color
- ➤ Chrome, Black, Silver
- ➤ GS/CE/ROHS/ERP





FE-25, 10 Inch, 50W FE-30, 12 Inch, 55W FE-35A, 14 Inch, 55W

- Voltage:220-240V,50/60Hz
- > 3PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- Optional Color
- ➤ Chrome, Black, Silver
- ➤ GS/CE/ROHS/ERP



FE-40A, 16 Inch, 70W FE-45A, 18 Inch, 100W FE-50, 20 Inch, 140W

- Voltage:,60Hz or 220-240V,50/60Hz
- > 3PCS Aluminum Blades
- Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- Optional Color
- ➤ BChrome, Black, Silver
- ➢ GS/CE/ROHS/ERP



Drum High Velocity Floor Fan








FE-30, 12 Inch, 55W FE-35, 14 Inch, 70W

- Voltage: 220-240V,50/60Hz
- > 3PCS Aluminum Blades
- ➤ Helix Grill With Drum Frame
- > Tilt Angle Adjustable
- 3 Speeds Control
- Optional Color
- Yellow, Black, Grey
- ➤ GS/CE/ROHS/ERP



FE-40, 16 Inch, 100W FE-45A, 18 Inch, 100W FE-50, 20 Inch, 140W

- Voltage: 220-240V,50/60Hz
- > 3PCS Aluminum Blades
- Helix Safet Grill With Drum Frame
- > Tilt Angle Adjustable
- 3 Speeds Control
- Optional Color
- Yellow, Black, Grey
- ➤ GS/CE/ROHS/ERP



Foor Fan with Oscillation FES-45, 18 Inch, 100W, FES-50, 20 Inch, 140W

- Voltage: 220-240V,50Hz
- > 3PCS Aluminum Blades
- Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- > 90 Degree Oscillation Funtion
- Max. Speed 1300RPM
- Air Flow: 94.42m3/min
- ➤ GS/CE/ROHS/ERP



High Velocity Drum Fan





FES-50, 20 Inch, 140W

- Voltage:220-240V,50/60Hz
- > 5PCS Aluminum Blades
- ➤ Line Grill
- Tilt Angle Adjustable
- Product height: 140cm
- 3 Speeds Control
- Product Color: Black



FE-50B, 20 Inch, 140W

- > Voltage:220-240V,50/60Hz
- > 5PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- > 90 Degree Oscillation
- 3 Speeds Control
- Product Color: Black





FE-50C, 20 Inch, 140W

- Voltage: 220-240V,50/60Hz
- > 5PCS Aluminum Blades
- ➤ Helix Safet Grill Pass Finger Test
- > Tilt Angle Adjustable
- 3 Speeds Control
- Product Color: Black, Yellow



Heavy Duty Commerical Fan



SDF-60 24 Inch, 250W

- Voltage: 220-240V,50/60Hz
- > 3PCS Aluminum Blades
- ➤ Helix Grill
- > Tilt Angle Adjustable
- ➤ 3 Speeds Control
- Product Color: Black Or Orange
- Loading Qty.: 201/420/477 PCS
- ➤ CE/ROHS





Heavy Duty Industrial Fan



FS-65, 26 Inch, 200W FS-75, 30Inch, 230W

- Voltage: 220-240V,50/60Hz
- > 3PCS Aluminum Blades
- ➤ Helix Grill
- > 3 Speeds Control
- Product Height 190cm
- Product Color: Black
- ➤ CE/ROHS





FW-65, 26 Inch, 200W FW-75, 30Inch, 230W

- ➤ Voltage: 220-240V,50/60Hz
- 3PCS Aluminum Blades
- ➤ Helix Grill
- ➤ 3 Speeds Control
- Product Color: Black
- ➤ CE/ROHS





Stand and Desk Fan



YH-23D1-2, 12 Inch 40W

- Voltage:220-240V,50/60Hz
- ➤ 5PCS PP Blades
- ➤ Line Grill
- > Tilt Angle Adjustable
- 2 Speeds Control
- Round Base



YH-30D1-2, 12 Inch 40W

- Voltage:220-240V,50/60Hz
- > 5PCS PP Blades
- ➤ Line Grill
- Tilt Angle Adjustable
- 3 Speeds Control
- Round Base





YH-40I, 16 Inch, 60W YH-40IR-2, 16 Inch With RC 60W

- Voltage: 220-240V,50/60Hz
- > 5PCS PP Blades
- ➤ Line Grill
- Tilt Angle Adjustable
- 3 Speeds Control
- Round Base



Turbo Fan



KTF-20BS, 8 Inch, 38W 8Inch Turbo Stand Fan With Remote Co

- Voltage:220-240V,50/60Hz
- Power: 45W
- Air Flow:12.58/m3, Speed:1.79m.sec
- > 7.5 hours timer
- > Height adjustable, Max. 85cm
- Round base
- Product Certificate: CE/ROHS/EMC/ERP



KTF-20B, 8 Inch, 45W 8Inch Turbo Fan With Remote Control

- Voltage:220-240V,50/60Hz
- Power: 38W
- Air Flow:12.58/m3, Speed:1.79m.sec
- > 7.5 hours timer
- ➤ 90 degree left-right oscillation
- > 90 degree up-down oscillation
- > Tilt Angle Adjustable
- 3 Speeds Control
- Product Certificate: CE/ROHS/EMC/ERP





Basic Stand & Desk Fan

2021-2022 Catalogue





FD-40A, 40cm Stand Fan

- Voltage: 220-240V,50Hz
- 3PCS PP Blades
- Mesh Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- ▶ 60cm Cross Base
- Product Height Adjustable, Max. Height 120cm
- Optional: Round Base



FS40-09R, 40cm Stand Fan With RC

- Voltage: 220-240V,50Hz
- Power: 45W
- ➤ 3PCS PP Blades
- ➤ Mesh Grill
- > Tilt Angle Adjustable
- ➤ 3 Speeds Control
- ➤ 60cm Cross Base
- > Product Height Adjustable, Max. Height 120cm
- Optional: Round Base



FT-23 23cm Desk Fan 23W FT-30 30cm Desk Fan 33W FT-40 40cm Desk Fan 44W

- ➤ Voltage: 220-240V,50Hz
- ➤ 3PCS PP Blades
- Mesh Grill
- Tilt Angle Adjustable
- 2 Speeds Control for 23cm,
- ➤ 3 Speeds Control for 30cm and 40cm



Basic Stand & Desk Fan


2021-2022 Catalogue





FD-40C, 40cm Stand Fan

- Voltage: 220-240V,50Hz
- ➤ 3PCS PP Blades
- Mesh Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- ► 60cm Cross Base
- Product Height Adjustable, Max. Height 120cm



FW-40R, 40cm Wall Fan With RC FW-40, 40cm Wall Fan

- Voltage: 220-240V,50Hz
- Power: 50W
- ➤ 3PCS PP Blades
- Mesh Grill
- > Tilt Angle Adjustable
- ➤ 3 Speeds Control



FSW-45, 18 inch 3 in 1 Industrial Fan

- ➤ Voltage: 220-240V,50Hz
- ➤ Power: 70W
- > 3PCS Aluminum Blades
- ➤ Line Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- Product Height: 125cm











ATTILA

- 46" Energy saving Tower fan;
- Unit size: 340*340*1170 mm
- Power: 100-240V/50 ~ 60Hz 25W
- Slim and unique design with 4 DC fans, each fan can be 180 degree individual rotated by hand
- > Full function and large temperature shown on LED display
- ➤ 12 hours timer
- With 3 wind mode:Normal/Nature/Sleep;
- Oscillation;
- > Optional: Ionizer
- Certificate:GS/CE/ROHS/ERP







Model No.: TF-29G

TF-29GT, With 2 hours timer TF-29GR, With remote control

- 29" Energy saving Tower fan;
- ➤ Unit size: 74 Cm
- Power: 220-240V/50 ~ 60Hz 40W
- > 80 Degree Oscillation
- Remote control model with 3 wind mode:Normal/Nature/Sleep and 7.5 hours timer
- Finish: Matt Black or White
- Optional: timer, remote control
- Certificate:GS/CE/ROHS/ERP







HONGDA-RC

- > 32" Tower Fan with remote control;
- Unit size: 210*210*825mm
- Power: 220-240V/50Hz 45W
- Full function and temperature shown on big LED screen
- ➤ 12 hours timer
- With 3 speeds setting:Low/Mid/High
- With 3 wind mode: Normal/ Nature/ Sleep
- Strong airflow and lower noise
- Motor overheat protection
- > With widespread oscillation;e
- Certificate:GS/CE/ROHS/ERP







HONGDA-RH

- 40" Tower Fan with remote control;
- Unit size: 295*295*1030mm
- Power: 220-240V/50Hz 45W
- Full function and temperature shown on big LED screen
- > 12 hours timer
- ➤ With 3 speeds setting:Low/Mid/High
- With 3 wind mode: Normal/ Nature/ Sleep
- > Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate:GS/CE/ROHS/ERP









YODA-RC

- ➤ 32" Tower Fan with remote control;
- ➤ Unit size: 210*210*825mm
- Power: 220-240V/50Hz 45W
- Full function and temperature shown on big LED screen
- ➤ 12 hours timer
- ➤ With 3 speeds setting:Low/Mid/High
- With 3 wind mode: Normal/ Nature/ Sleep
- Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation
- Certificate: GS/CE/ROHS/ERP



YODA-RH

- ➤ 40" Tower Fan with remote control;
- Unit size: 295*295*1030mm
- Power: 220-240V/50Hz 45W
- Full function and temperature shown on big LED screen
- > 12 hours timer
- With 3 speeds setting:Low/Mid/High
- With 3 wind mode: Normal/ Nature/ Sleep
- Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate:GS/CE/ROHS/ERP



Mini Tower Fan

2021-2022 Catalogue













TAKI Rotary Switch
TAKI-E Soft touch Electronic Switch

- > 16" Mini tower fan ;
- Rotary Switch with 3 speeds setting;
- Oscillating (Left and Right)
- No assembly need, convenient in use
- Comfortable airflow with Low noise
- > Cute streamline design, fashionable and elegant, a perfect gift for family and friends.
- Certificate:GS/CE/ROHS/ERP







VILOO

- 32" Tower Fan;
- Unit size: 200*200*813mm
- Power: 220-240V/50Hz 45W
- 2 hours timer
- With 3 speeds setting:Low/Mid/High
- Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate:GS/CE/ROHS/ERP



VILOO RC

- 32" Tower Fan With Remote
- Unit size: 200*200*813mm
- Power: 220-240V/50Hz 45W
- 3 hours timer
- With 3 speeds setting:Low/Mid/High
- Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate: GS/CE/ROHS/ERP









FT75-22

- 36" Tower Fan
- Unit size: 200*200*813mm
- Power: 220-240V/50Hz 40W
- 3 hours timer
- With 3 speeds setting:Low/Mid/High
- Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate:CE/ROHS/ERP



FT75-22R

- 39" Tower Fan With Remote
- Unit size: 200*200*813mm
- Power: 220-240V/50Hz 40W
- 3 hours timer
- With 3 speeds setting:Low/Mid/High
- Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate: CE/ROHS/ERP



2021-2022 Catalogue





PRADO

- ➤ 33" Tower fan with Mechanical control;
- Unit size: 240*240*838 mm
- Power: 220~240V/50Hz 45W
- 2 hours Timer ;
- Body material: ABS; Injection color black or white
- Power cord storage at the back;
- With 3 speeds setting;
- Oscillation angle at 70 degree ;
- Certificate:GS/CE/ROHS/ERP



PRODO RC-S

- 33" Tower Fan with remote control;
- Unit size: 240*240*838 mm
- Power: 220-240V/50Hz 45W
- With LED light indicating;
- ➤ With 3 speeds setting:Low/Mid/High
- ≥ 3 hours timer
- > Strong airflow and lower noise
- Motor overheat protection
- With widespread oscillation;
- Certificate:GS/CE/ROHS/ERP











KOLEM RH

- 34" Tower fan with eletronic contro;
- Unit size: 220*220*870 mm
- Power: 220~240V/50Hz 45W
- With LED light indicating and 7.5 hours Timer;
- With remote control;
- With 3 wind mode: Normal/Nature/Sleep;
- Body material: ABS;
- Oscillation angle at 70 degree
- Certificate:GS/CE/ROHS/ERP













PRIMO RC-S

- 31" Tower fan with remote control;
- Unit size: 200*200*790 mm
- Power: 220~240V/50Hz 45W
- Body material: PP;
- 3hours timer
- With Aluminum motor;
- With 3 speeds setting
- Strong airflow and lower noise
- Oscillation angle at 70 degree;
- Certificate:GS/CE/ROHS/ERP



2021-2022 Catalogue





TF-4601

- > 220-240V,50/60Hz
- Power: 50W
- Product Height: 117cm
- > 12 Hours Timer
- > 80 Degree Oscillation
- 3 Speeds Control
- > Detachable Round Base
- Certificate:CE/ROHS/ERP



TF-46NRT

- > 220-240V,50/60Hz
- ➤ Power: 50W
- Product Height: 117cm
- > 12 Hours Timer
- > 80 Degree Oscillation
- 3 Speeds Control
- Detachable Round Base
- ➤ Certificate:CE/ROHS/ERP



TF-50R

- > 220-240V,50/60Hz
- > Power: 65W
- Product Height: 127cm
- > 12 Hours Timer
- > 80 Degree Oscillation
- > 3 Speeds Control
- Detachable Round Base
- Certificate:CE/ROHS/ERP



Plastic Box Fan

2021-2022 Catalogue





KYT-40, 16 Inch Ventilator, 50W

- Voltage: 220-240V,50Hz
- > 5PCS PP Blades
- Plastic Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- Detachable Base
- Certificate:CE/ROHS/ERP



KYT-50A, 20Inch Ventilator, 90W

- ➤ Voltage: 220-240V,50Hz
- > 5PCS PP Blades
- Plastic Grill
- Tilt Angle Adjustable
- ➤ 3 Speeds Control
- Detachable Base
- Certificate:CE/ROHS/ERP



KYT-50B, 20 Inch Ventilator, 90W

- Voltage: 220-240V,50Hz
- > 5PCS PP Blades
- Plastic Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- Detachable Base
- Certificate:CE/ROHS/ERP



Plastic Box Fan

2021-2022 Catalogue





KYT-301, 12 Inch, 50W

- Voltage: 220-240V,50Hz
- ► 5PCS PP Blades
- Rotary Louver
- Compact design
- 3 Speeds Control
- ➤ 120 Mins Timer
- Product Color: White or Black
- Certificate:CE/ROHS/ERP



KYT-30F, 12 Inch, 50W

- Voltage: 220-240V,50Hz
- ► 5PCS PP Blades
- Rotary Louver
- Compact design
- 3 Speeds Control
- > 120 Mins Timer
- Product Color: Dark Grey and Light Grey
- Certificate:CE/ROHS/ERP



KYT-30D, 12 Inch, 50W

- ➤ Voltage: 220-240V,50Hz
- ➤ 5PCS PP Blades
- Rotary Louver
- Compact design
- 3 Speeds Control
- > 120 Mins Timer
- > Product Color: White and Black
- Certificate:CE/ROHS/ERP



Plastic Mist Fan

2021-2022 Catalogue SIBOLUX

FSM-01, 16 Inch, 70W

- Voltage: 220-240V,50/60Hz
- ➤ 3PCS PP Blades
- ➤ Line Grill
- > Tilt Angle Adjustable
- 3 Speeds Control
- > 1.7L Water Tank
- Round Base
- Product Height Adjustable
- Certificate:CE/ROHS/ERP



FS-1618R, 16 Inch, 100W

- Voltage: 220-240V,50Hz
- ➤ 3PCS AS Blades
- ➤ Line Grill
- Tilt Angle Adjustable
- · 3 Speeds Control
- > 1.5L Water Tank
- With Remote Control
- Certificate:CE/ROHS/ERP





USB Mini Fan

2021-2022 Catalogue









- 4 Inch Mini USB Desk FanUnit size: 140*63*162 mm
- Power: 5V/5W
- > Exquisite Design
- Ultra-Quiet
- Certificate:CE/ROHS



UF04C

- ➤ 4 Inch Mini USB Desk Fan
- ➤ Unit size: 140*102*170 mm
- Power: 5V/5W
- Mini size saves space and allows easy hassle free portability
- > unique square design makes it eye catching
- Certificate:CE/ROHS



U407C

- ➤ 4" Li-ion rechargeable fan
- ➤ DC5V
- > 3 speeds, RPM:2300R/2700R/3000R
- ➤ Brushless copper motor, 5000hrs working
- ➤ 4pcs plastic blades
- ➤ USB cable length: 1.2M
- > Build in 1800mAh 18650 battery
- Available color: blue/green/pink
- Certificate:CE/ROHS



Foldable & Rechargeable Stand/Desk Fan

2021-2022 Catalogue



Foshan, Guangdong 528303 CN



Rechargeable Outdoor Fan

2021-2022 Catalogue





FE-30C, 12 Inch Rechargeable Fan

- Voltage: DC 24V, 23-43W
- ➤ 5PCS Blades
- > Tilt Angle Adjustable
- Stepless Control
- Working Time:
- ➤ Low Speed 25 Hours
- ➤ High Speed 4.5 Hours
- ➤ Waterproof Rank: IP 24
- ➤ Loading Qty.: 20'GP 845PCS, 40'HQ: 2000PCS



FE-40C,16 Inch Rechargeable Fan

- Voltage: DC 24V, 23-43W
- > 5PCS Blades
- > Tilt Angle Adjustable
- Stepless Control
- Working Time:
- ➤ Low Speed 20 Hours
- ➤ High Speed 3.5 Hours
- Waterproof Rank: IP 24
- Loading Qty.: 20'GP 496PCS, 40'HQ: 1200PCS







- Model No.: 48-1001 48inch 70W, 18W 3 colors LED
- Model No.: 52-1001 52inch 80W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- Blades:3 composite wood
- Option Color:
- ➤ Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB



2021-2022 Catalogue





- Model No.: 48-1002 48inch 70W, 18W 3 colors LED
- Model No.: 52-1002 52inch 80W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- Blades:3 composite wood
- Option Color:
- Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB
- Model No.: 48-1003 48inch 80W, 18W 3 colors LED
- Model No.: 52-1003 52inch 100W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- Blades:3 Solid wood
- Option Color:
- Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB





- Model No.: 48-1015 48inch 70W, 18W 3 colors LED
- Model No.: 52-1015 52inch 80W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- ➤ Blades:3 composite wood
- Option Color:
- ➤ Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB



2021-2022 Catalogue





- Model No.: 48-1009 48inch 50W
- Model No.: 52-1009 52inch 70W
- 3 Speeds Control
- Switch: Remote Control
- Blades:3 composite wood
- Option Color:
- Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB
- Model No.: 48-1016 48inch 80W, 18W 3 colors LED
- Model No.: 52-1016 52inch 100W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- ➤ Blades:3 Solid wood
- Option Color:
- Electroplate: Satin Nickel, Bronze
- Spray the powder: White, Black, ORB





- Model No.: 48-1010 48inch 80W, 18W 3 Colors LED
- > 3 Speeds Control
- Switch: Remote Control
- ➤ Blades:3 ABS Blades
- Option Color:
- Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB



2021-2022 Catalogue





- Model No.: 42-1014 48inch 60W, 24W 3 Colors LED
- 3 Speeds Control
- Switch: Remote Control
- Blades:6 ABS Blades
- Option Color:
- Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB
- Model No.: 48-1016 48inch 80W, 24W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- ➤ Blades:5 ABS Blades
- Option Color:
- Electroplate: Satin Nickel, Bronze
- > Spray the powder: White, Black, ORB





- Model No.: 52-1017 52inch 100W, 18W 3 Colors LED
- ➤ 3 Speeds Control
- Switch: Remote Control
- ► Blades:3 ABS Blades
- Option Color:
- Spray the powder: White, Black



2021-2022 Catalogue





- Model No.: 52-1018 52inch 100W, 18W 3 Colors LED
- 3 Speeds Control
- Switch: Remote Control
- ► Blades:3 ABS Blades
- Option Color:
- Spray the powder: White, Black
- Model No.: 52-1019 52inch 100W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- Blades:3 ABS Blades
- Option Color:
- > Spray the powder: White, Black





- Model No.: 52-1004 52inch 100W, 18W 3 Colors LED
- > 3 Speeds Control
- > Switch: Remote Control
- ► Blades:3 solid wood Blades
- > Option Color:
- Spray the powder: White, Black,ORB



2021-2022 Catalogue





- Model No.: 52-1005 52inch 100W, 18W 3 Colors LED
- 3 Speeds Control
- Switch: Remote Control
- ► Blades:3 solid wood Blades
- Option Color:
- Spray the powder: White, Black,ORB
- Model No.: 52-1006 52inch 100W, 18W 3 colors LED
- 3 Speeds Control
- Switch: Remote Control
- ➤ Blades:3 solid wood Blades
- Option Color:
- Spray the powder: White, Black,ORB





- Model No.: 48-1017 52inch 70W, 18W 3 Colors LED
 Model No.: 52-1017 52inch 80W, 18W 3 Colors LED
- ➤ 3 Speeds Control
- ➤ Switch: pull-string
- ► Blades:3 solid wood Blades
- Option Color:
- ➤ Electroplate: Satin Nickel ,Bronze
- > Spray the powder: White, Black,ORB

2021-2022 Catalogue





- Model No.: 52-1005 52inch 65W, 18W 3 Colors LED
- 3 Speeds Control
- Switch: Remote Control
- ► Blades:3 composite wood
- Option Color:
- Electroplate: Satin Nickel ,Bronze
- Spray the powder: White, Black, ORB



UV Air Purifier

2021-2022 Catalogue





LAP-01



01

LAP-03



LAP-02

- UV Air PurifierDC 5V 1A 5W
- DC 5V, 1A, 5W or 100-240V,AC
- Suitable environment: desk, bedside table
- ➤ Particulate matter CADR: 40 m³/h
- ➤ Porduct HEPA filter screen development area 0.18m² for 0.3µm Particle filtration efficiency is up to 99.5%
- Air quality indicator by three-color lightss.
- Nique dual USB plug, with wider applicability
- Magnet adsorption door design, simple and easy to use.
- Model: intelligence, sleep, hand control speed, Fan speed: low, medium, high
- > 3layer Air filter configuration:
- Silver anti-bacteria filter;
- ➤ H13 HEPA;
- > 3. activated carbon filter
- ➤ Product Size: 19*19*30cm
- ➤ Gift Box Size: 21*21*33cm
- Carton Size:44*44*35cm
- Certificate:CE/ROHS
- Loading Qty.: 20'GP 1340PCS, 40'HQ: 3200PCS



Air Purifier

2021-2022 Catalogue





CADR: 120 m³/h
 Voltage: 100-240V

Power: 24WNoise: <48dB

➤ Applicable area: <25m2

➤ H13 HEPA;

> 3. activated carbon filter

➤ Product Size: 21*21*31cm

Optional Color: White or Black

➤ Loading qty. 800pcs/20′ 2120pcs/40′HQ

SAP-C10









UV Air Purifier

2021-2022 Catalogue





Model No.: SAP-C07
 CADR : 120 m³/h
 Voltage: 100-240V

Power: 24W

Applicable area: <25m2

Noise: <48dB

Air quality indicator, Dust Sensor, PM2.5 display, Fiter change reminder, Auto/sleep/Turo mode, 1-8 hours timer, Anion Generator

Product Size: 21*21*31cmOptional Color: White or Black

➤ Loading qty. 800pcs/20′ 2120pcs/40′HQ

Aromatherapy box


Plant fiber sponge that locks the fragrance and releases slowly, The aroma can be changed according to personal preference

Diagonal fan'

DC EC external rotor motor + diagonal flow high efficiency fan Energy saving, efficient and silent;

360 degree wind

360 degree air inlet at the bottom with rear air inlet system



Air quality indicator

Real-time monitoring of current air quality based on sensors Tri-color light display







GOOD

MODERATE

TE BAD

Cylinder composite filter

Pre-filter + HEPA filter + activated carbon filter



Air Purifier

2021-2022 Catalogue







- Model No.: SAP-C09
 CADR: 120 m³/h
- ➤ Voltage: 100-240V
- Power: 24W
- ➤ Applicable area: <25m2
- Noise: <48dB
- ➤ Air quality indicator, Dust Sensor, PM2.5 display, Fiter change reminder, Auto/sleep/Turo mode, 1-8 hours timer, Ainon Generator
- Product Size: 21*21*33cm
- > Optional Color: White or Black
- ➤ Loading qty. 904pcs/20′ 2300pcs/40′HQ



Air Purifier







Model No.: SAP-E01
 CADR: 80 m³/h
 Voltage: 100-240V

Power: 10W

> Applicable area: <25m2

Noise: <48dB

Air quality indicator, Dust Sensor, PM2.5 display, Fiter change reminder, Auto/sleep/Turo mode, 1-8 hours timer, Ainon Generator, 5.0 Blue tooth

Product Size: 19*19*29.5cmOptional Color: White or Black

Loading qty. 1200pcs/20′ 2852pcs/40′HQ



Air Cooler













Voltage: 110V/60Hz~ or 220V/50Hz~

Power: 60W Capacity: 4L

Air speed: 3 speed (H-M-L) settings with 9m/s

Air volume: 400-500m3/hr

Noise level: ≤60dB

Ice box:

Auto left-right in 120°, Manual up-down Swing:

Timer: 1-12hours timer remote Remote:

Loading qty. 460pcs/20' 1120pcs/40'HQ

2pcs





Air Cooler









➤ Model No.: JC-110-A

Voltage: 110V/60Hz~ or 220V/50Hz~

Power: 70WCapacity: 7L

Air speed: 3 speed (H-M-L) settings with 9m/s

Air volume: 500-600m3/hr

Noise level: ≤60dB

Mode: 3 modes: Normal, Nature and Sleep
 Swing: Auto left-right in 120°, Manual up-down

Timer: 1~12 Hour timerRemote: With remote

lce box: 2pcs

Loading qty. 350pcs/20′ 840pcs/40′HQ

