



2010 Since

309,000 ft²

80 +Partner Countries

10 +R&D Team

*All production lines have more than 130 experienced workers. In addition to our own door and window products, we also have joint ventures and major cooperation in garage doors and fire door hardware products.

CERTIFICATES OBTAINED

Our product can meet NOA, UL, CE, BS EN1634-1:2008 and various product test reports. We're driven by material, process research and development, we're the international one-stop door and window project solution provider, which can provide the integration of original design, materials selection, customization, production, delivery and after-sale service for global clients.

REPORT

Guangdong Blossom Cheer Holdings Limited
Test Report

No. 20230805C3-R-006 Date: Aug. 23, 2023 Page 01

Sample No.	SAMPLE	Sample Date	2023.08.03	Production Date	2023.08.07
Thickness	3.8mm	Sampled Method	Sampling	Sampler	Jiangping Chen
Description	Unit	Standards	Result	Decision	
Density	kg/m³	2800	807	OK	
Moisture content	%	4.7	4.09	OK	
Water absorption thickness expansion rate	%	<100	12.00	OK	
Dimensional Shrinkage	mm	<12	13.2	OK	
Static bending strength	MPa	>100	45.63	OK	
Modulus of elasticity	MPa	>1800	3683	OK	
Thickness	mm	3.741	3.71	OK	
Length	mm	2024.0	200	OK	
Width	mm	5024.0	501	OK	
Diagonal Tension	mm/m	<15	1.0	OK	

Remark: Carbon content material and fresh door contains leather.

Result: Qualified

Tester	Jiangping Chen	Reviewer	Hangping Liu
--------	----------------	----------	--------------

Page 1/1

CE

ISET S.r.l. Unipersonale

CERTIFICATE

1) APPLICANT (who finally puts the product on the market): Guangdong Blossom Cheer Holdings Limited, Building 1, No. 528 Quansheng Avenue, Donghuan Street, Panyu District, Guangzhou

2) CERTIFICATE NO.: ISETC-000220311

3) TECHNICAL REFERENCE: B-5220/A/044 - Trade (Shanghai) Product Service Limited

4) CAUTION ABOUT CE MARKING (Intention for the Applicant who puts the product on the EU market): The label of the CE Marking on the label side should be not less than 5mm height. CE Marking and EC Declaration of Conformity are duties for the manufacturer or its applicant who puts the product on the market. This one is responsible to start the CE marking and certification procedure as required by the legislation in force. Only for the products which are completely included in the specific Directive or Regulation will be necessary to report a Notified Body.

5) TYPE OF PRODUCT: Extruded Glass

6) LIST OF DIRECTIVES REGULATIONS STANDARDS (as indicated by the manufacturer itself): Construction Products Regulation (EU) No 305/2011, EN 14449:2005

7) NOTE: This document is not referred to any evaluation that could be considered as included in the scope of the activities covered by the standard EN ISO 9001:2015 or European Regulation 765/2008

8) REMARK: Certificate is issued on voluntary application from the Client and is given to the applicant the right to use and affix the ISET Mark on their products, even if it doesn't imply any assessment on the safety and compliance of the product. ISET declares that the only scope of the assessment is to verify the existence of the declaration issued by the manufacturer or an applicant under its own responsibility.

9) DATE OF ISSUE: 10/10/2022

10) SIGNATURE: Xiangping Chen

EXPIRY DATE: 30/10/2027

UL

CERTIFICATE OF COMPLIANCE

Certificate Number: R39533
Report Reference: R39533-20200430
Issue Date: 2020-MAY-04

Issued to: Guangdong Blossom Cheer Holdings Limited
3A03, Building 3, Block 4, Hallunbao Creative Park,
Yushan West Road, Panyu District, Guangzhou CHINA

This certificate confirms that representative samples of

FIRE DOOR AND FIRE WINDOW FRAMES
Models XZ-WDF-60UL, XZ-WDF-60UL Wood composite fire door frames for use with 1/3 h, 1 1/2 h, 34 h, 1 h and 1 1/2 h fire rated wood composite fire doors for installation masonry brick wall construction.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standards for Safety: Standard Method for Fire Tests of Door Assemblies, CAN/ULC-S104-15
Standard for Fire Tests of Door Assemblies, UL 10B

Additional Information: <https://us.ulprospector.com> for additional information.

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Service Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL Follow-Up Services.

Look for the UL Certification Mark on the product.

NOA

Annex 1 to the Certificate
FC-COC-001435
GUANGDONG BLOSSOM CHEER HOLDINGS LIMITED

No. 3, the 5th Xingye Rd, Private Science&technology park, Yundonghai Street, Sanhu District, Foshan city, Guangdong Province, China

Scope of certification (single certification):
W9.11 Wood-plastic composites
(Acer spp., Betula spp., Eucalyptus deglupta Blume, Eucalyptus globulus, Eucalyptus spp., Fagus sylvatica L., Fraxinus spp., Phyllostachys heterocycla var. pubescens, Pinus spp., Populus spp., Quercus spp.)

Systems of controlling FSC claims: transfer
FSC claims: FSC Mix, FSC 100%, FSC Recycled
Operation site: No. 3, the 5th Xingye Rd, Private Science&technology park, Yundonghai Street, Sanhu District, Foshan city, Guangdong Province, China

The mark of responsible forestry

BS

广东堡捷建材有限公司
GUANGDONG BLOSSOM CHEER HOLDINGS LIMITED

广州市番禺区市桥南桥兴大道528号楼311座
Room 311, Building 1, No. 528 Quansheng Avenue, Donghuan Street, Panyu District, Guangzhou, China
Tel: (86) 136 9429 8451 E-mail: service@blossomcheer.com

CERTIFICATE OF FIRE RATED DOORS
(BS EN1634-1:2008 & BS EN 1634-3 : 2004)

Reference No.: FT18-176
Project: 20 Granville Road
Address: 20 Granville Road, Bostade, Southampton, UK

Issue Date: 04-07-2023

Item	Location	Door Size (mm)	F.R.(min)	Frame	View Panel	QTY
1	侧门	762*2150*50	-/30/30	NO	NO	29
2	侧门	838*2150*50	-/30/30	NO	NO	29
3	侧门	835*2144*50	-/30/30	NO	NO	1
4	侧门	665*2150*50	-/30/30	NO	NO	8

Fire resistance test in accordance with BS EN 1634-3:2004 Total No of Door: 67

ROSH

CELAB®

CERTIFICATE

Certificate Number: UCN 8824279565
Date of Issue: 2023-08-26
Certificate valid up to: 2025-08-25

Brand Name: MELANGE WOODEN DOOR
Model #: MGAD16, MGAD02, MGAD06, MGAD07, MGAD08, MGAD09, MGAD10, MGAD11, MGAD12, MGAD13, MGAD14, MGAD15, MGAD16, MGAD17, MGAD18, MGAD19, MGAD20

Manufacturer: GUANGDONG BLOSSOM CHEER HOLDINGS LIMITED
Room 303, Block 4, Huihuo Plaza Building, Panyu, Guangzhou, CN 511430, China

Standard Used: EN 50581:2012

Declaration:
After inspection of the technical documentation issued by the customer, and in his request, we express our opinion that the product meets the technical requirements of the following directives and standards:
2011/65/EU (Restriction of the use of certain hazardous substances (RoHS))

This opinion is only valid for the directives, the equipment and configuration described, in conjunction with the test data detailed above and with compliance with all applicable legal requirements for the product. The following manufacturer's documents were provided:

Presence of Declaration of Conformity template	<input checked="" type="checkbox"/>
Presence of test report using variables as indicated in the declaration of conformity	<input checked="" type="checkbox"/>
Presence of Declaration of Conformity (DoC) signed, dated, numbered and stamped	<input checked="" type="checkbox"/>
Presence of CE symbol in the product label	<input checked="" type="checkbox"/>
Presence of instruction manual	<input checked="" type="checkbox"/>
Presence of technical drawing or technical specification of the product	<input checked="" type="checkbox"/>
Presence of product description in the technical construction file	<input checked="" type="checkbox"/>

Copyright of this Certificate is owned by CELAB®. Copy and may not be reproduced other than in full and with the prior approval of the General Manager. Use of this certificate is subject to Celab's regulations available on Celab web site.
Check the authenticity of this certificate and related information before use in the web site www.2025.com introducing the UCN number in the "Check document authenticity" area. You will see copy of this certificate and regulations on certificate use. This document is released only for scope allowed by laws. Do not use this document without full understanding of regulations.

Masamano Betsudo
www.2025.com

www.celab.com

Doc. 121 Voluntary Certificate Rev.1.31

MANUAL

Guangdong BLOSSOM CHEER Holdings Limited
WPC Door Project Manual

Production: Product Department
Audit: Product Department
Preparation: Sales Department
Updated date: January 9, 2023

Multi-channel Business Development

We Do More, And Your Cooperation With Us Is Easier



Google

<https://www.blossomcheer.com/>



Alibaba

<https://gdbc.en.alibaba.com/>



Made-In-China

<https://blossomcheer.en.made-in-china.com/>

SNS

FaceBook /Meta

https://www.facebook.com/profile.php?id=61552299855858&sk=photos_by



Visiting Abroad

Periodic overseas visits to customers, mutual benefit and win-win cooperation


Key Core Positions In International Projects

Behind Every Core Staff, There Are More People To Support Your Customization Needs



Core Advantage Customization

The Individual Needs Of Each Project Should Be Valued And Met




What's The Difference / Why Choose Us

Our advantage is also your advantage. We will continue to improve and always uphold the company vision of **Let quality doors and windows benefit projects around the world**



Depth customizable

6 Categories of customization, covering 99% of project requirements



Good quality control

Clear quality assurance policy, we are responsible for any quality problems.



Project Supporting Capacity

Provide one-stop solutions, product design, production, transportation, installation guidelines.



On-time Delivery

You can check the status of your order at any time, and every key process is visible.

Wooden Door


Suitable for all types of door occasions, such as villas, apartments and other commercial use of the door. With entrance & interior type.



Produce **16000+** Units /Month
Fast delivery, can be made in as little as **2 weeks**. Customize special order within **4 weeks**.



Anti-slip & Wear-resistant
No need to be careful when using it.
Tip: It does not mean can be damaged with sharp objects



Customizable & 1500+ Options
Every year with new aint-free products for projects, purchase simple and non-repetitive.




Environmentally Friendly
People can move in right after installation, no need to wait, no need to worry about formaldehyde.

Customization Craftsmanship For Wooden Doors


Various types of processes can be customized to meet more than 95% of different needs



Groove Decoration Process



Decorative Strip Process



Semi-circular Grid Process



Groove Line + Paint Process



Vertical Platen Process



Solid Wood Cell Board Process



Door Leaf Louver Process



Door Leaf 3D Buckle Process

Over Hundreds Of Color Textures Optional

We provide widely color choices, also can customize colors, such as using the International General Lauer color card as a standard, or we color samples for confirmation. Because the picture has color difference, we do not accept the color confirmation of the customized product through the picture.

Vertical Texture Selection



Solid Color Color Selection



Horizontal Texture Selection



Over Hundreds Of Color Textures Optional

We provide widely color choices, also can customize colors, such as using the International General Lauer color card as a standard, or we color samples for confirmation. Because the picture has color difference, we do not accept the color confirmation of the customized product through the picture.



Tubular Core Filling



Solid Core Wood Filling



Solid Wood Semi-Filling



Particle Board Filling



Graphene Filling



Aluminum Honeycom Filling



MDF Board Filling

High Cost Performance

Can achieve the effect of solid wood doors, but around 50-60% of the price

Widly & Deeply Customization


Different structures, processes, materials, to achieve a variety of grades.

Entry Metal Door


Suitable for all types of door occasions, such as villas, apartments and other commercial use of the door.




Produce **800+**Units /Month
Fast delivery, can be made in as little as **2 weeks**. Customize special order within **4 weeks**.



Sturdy & Wear-resistant
No need to be careful when using it.
Tip: It does not mean can be damaged with sharp objects




Customizable & 200+ Options
Every year with new aint-free products for projects, purchase simple and non-repetitive.



Environmentally Friendly
People can move in right after installation, no need to wait, no need to worry about formaldehyde.

Widely Customize Option For Designs & Sizes

The standard size of metal door is 2100*900mm, and the maximum size can be customized is 3000*1500mm




Widely Customize Option For Designs

Texture Selection




BCSD-04 BCSD-28 BCSD-30 BCSD-12

Style Selection



GH-119 GH-120 GH-121 GH-122

Solid Pure Color Color Selection



BCJY-200 BCJY-201 BCJY-202 BCJY-230

Entry Door Structure Options




Handhandle




Hinge




Door lock







Aluminum Honeycomb Filling^②



Paper Honeycomb Filling^③



Acoustic Foam Padding Filling^④



① Lock Box Skeleton

90 mm door panel thickness
Other peers are generally 45-70mm thickness

Free Customize your LOGO
Highlight the quality and brand of your project

Gift durable lock & hinges
Only for high class 304 stainless steel door types


100% quality check
All doors have assembled & tested before packaging.

WPC Door (Water-Proof Door)

Suitable for close to the sea and humid areas, as well as the Middle East and other hot weather areas.



Produce **18000+**Units /Month
Fast delivery, can be made in as little as **2 weeks**. Customize special order within **4 weeks**.



Insect-proof & No deformation
No need to be careful when using it.
Tip: It does not mean can be damaged with sharp objects



Customizable & 1500+ Options
Every year with new aint-free products for projects, purchase simple and non-repetitive.




Environmentally Friendly
People can move in right after installation, no need to wait, no need to worry about formaldehyde.

WPC Door (Water-Proof Door)

Suitable for close to the sea and humid areas, as well as the Middle East and other hot weather areas.

WPC Door Paint Swatch



Ivory White

Bright moon white

Rosewood grain

Black walnut

WPC door UV thermal transfer color plate




White maple

Wax oak

Tea cyan

Mahogany paint

WPC door light mould color card



#M09#

#M13#


#M04#

#M08#


WPC Door (Water-Proof Door)

Suitable for close to the sea and humid areas, as well as the Middle East and other hot weather areas.


Door leaf filling structure




No filling material



Square+PU foam fill




Square fill



Square+PU foam fill




Blats




PU foam+blats


Door frame




10031 Frame




14031 Frame




18031 Frame




20030 curved frame




6536 Line




6046 Straight line




8046 Sloped line




Regular lines




22031 Frame




19031 Frame




26031 Frame




24030 curved frame




10054 Curved lines



6046 Sloped line




9829 T-shape line



Curved lines

Door line

Widely Customize Option For Designs & Sizes



100% water proof

Can even in the water (except hardware)

0 Formaldehyde More Healthy

Integrated molding, no formaldehyde & no odor

Size optional

Hight can be customize, width can up to 1080mm

50 Years Service Life

In theory can up to 50 years (not suit for exterior use)