



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class customize 304 entrance door		
Size (Specification):	定制	Color:	哑光黑Matt black
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 full thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel entry swing door		
Size (Specification):	定制customize	Color:	黑色Blackor customize定制
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 full thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Galvanized steel door		
Size (Specification):	Customize定制	Color:	黑色Black
Details Description:	Material: Zinc alloy Profile: 1.2 full thickness Door leaf thickness: 90mm+-1mm (can be made thinner) Lock core: Super C-class brand lock core; Lock body: 40x688 armored energy-saving lock body; Lock box: built-in 2.0 all-steel lock box; Door hinge: self-developed minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: paper honeycomb + medium fiber sound insulation board.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Galvanized steel lacquer paint groove line glass door		
Size (Specification):	Customize定制	Color:	黑色Black
Details Description:	Galvanized steel material with lacquer painting finish, both frame and panel with 1.00 thickness material, the interior is filled with foam, and the finish groove recessed finish line.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Galvanized Galvanized steel door		
Size (Specification):	2000*1000mm	Color:	白色White黑色Black灰色Grey
Details Description:	Size type: door frame size Door panel thickness: 70mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: 1.0mm thick galvanized steel, filled with high-density foam; Door frame & casing: 1.0mm thick galvanized steel; Hardware hole open: will make lock and hinges. Opening direction: to be confirmed.		
Packaging Method:	Pearl cotton packaging		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Pure color lacquer paint flush door		
Size (Specification):	2100mm*900mm*150mm	Color:	哑光白色Matt white; 哑光黑色Matt black
Details Description:	Size type: wall to wall size Door panel thickness: 40mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: use MDF as trans-layer material, inside with composite wood for semi-solid core filling; Door frame and casing: composite plywood material; Design: flat design, the finish use matte white paint technology Hardware hole open: we'll make the lock hole.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Customize door frame		
Size (Specification):	Customize	Color:	Painted as picture 油漆定制色
Details Description:	<p>The door frame on the left + right side has a length of 2159mm, a width of 240mm, and a door frame thickness requirement of 38mm; The length of the top door frame is 900mm, the style is 240mm, and the thickness is 38mm.</p> <p>Door frame: The door frame is made of solid wood and plywood composite materials, with a bamboo texture paint process. The door frame is a flat frame shape, no need for groove line, no need to snap into the door casing.</p>		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Bamboo texture veneer custom painted door		
Size (Specification):	Customize	Color:	Painted as picture 油漆定制色
Details Description:	<p>Size type: door opening size</p> <p>Door leaf thickness: 40mm±1mm; foot height: 10mm±1mm</p> <p>Door leaf internal structure: composite structure, that is, the door leaf is made of solid wood around, the middle is filled with semi-solid particle board, and the surface is made of specially customized bamboo texture veneer with paint technology.</p> <p>Door frame and door frame: The door frame is made of solid wood and plywood composite material, and the surface is made of veneer paint technology. The door frame is made of solid wood material, and the surface is made of customized bamboo texture veneer with paint technology.</p>		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High-end customize wood veneer paint door		
Size (Specification):	Customize	Color:	Painted as picture 油漆定制色
Details Description:	Size type: wall to wall size; Door panel thickness: 45mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: composite structure, that is, solid wood is used around the door leaf, and the middle is filled with particleboard semi-solid, and the veneer is painted; Door frame & casing: made of solid wood and plywood composite material, and the veneer is painted; solid wood door casing with veneer wood paint process.		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Composite matt white lacquer sliding door		
Size (Specification):	2438*1524mm;	Color:	哑光白色烤漆Matt white paint.
Details Description:	Size type: wall to wall size Door panel thickness: 40mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: composite structure, that is, solid wood is used around the door leaf, and the middle is filled with particleboard semi-solid, and the finish is pure matt white color; Door frame: The door frame is made of solid wood and plywood composite material, and the finish is pure matt white color; Door casing: solid wood, finish pure matt white color process; Design: the whole is flat plate		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class solid oak wood paint door		
Size (Specification):	Customized定制	Color:	哑光黑Matt black; 定制颜色Customize color
Details Description:	Size type: wall to wall size Door panel thickness: 50mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: full natural oak solid wood with semi-solid door core, with finish painting technology; Door frame & casing: full natural oak solid wood; Design: matte black paint finish, with groove customize decoration line; Hardware hole open: will make lock hole		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	4 panel wooden veneer bi-fold door		
Size (Specification):	Customize定制	Color:	白色White
Details Description:	Size type: wall to wall size, height * width * wall thickness Door panel thickness: 40mm±1mm; Door panel suspension: 10mm±1mm Door leaf (panel) structure: MDF trans-layer+particle board composite door panel; Frame & casing: plywood with solid wood composite material, the casing with solid wood casing; Hardware hole open: will make handle hole.		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Silver line wood veneer paint door		
Size (Specification):	2100*900mm	Color:	Matte grey哑光灰定制Customize
Details Description:	Size type: wall to wall size; Door panel thickness: 44mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: composite structure, that is, solid wood is used around the door leaf, and the middle is filled with 70% solid particleboard, and the veneer is painted; Door frame: made of solid wood and plywood composite material, and the veneer is painted; Door casing: solid wood, veneer wood paint process; Design: horizontal silver groove line with wood skin texture.		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Pure white lacquire real oak paint flush invisible door		
Size (Specification):	2100*900mm	Color:	White
Details Description:	Size type: wall to wall size, height * width * wall thickness Door panel thickness: 45mm±1mm; Door panel suspension: 10mm±1mm Door structure: door panel,frame and casing finish is pure lacquire paint, all material is natural oak wood, door panel core is semi-solid type; Hardware hole open: will make lock hole, invisible hinge hole.		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Painted red oak veneer grille door		
Size (Specification):	Customize定制	Color:	哑光黑色Matt black; 定制Customize
Details Description:	<p>Size type: door opening size Door leaf thickness: 49mm±1mm; he thickness of the door leaf including the grille is 79mm±1mm; Height of hanging feet: 10mm±1mm Internal structure of door leaf: composite structure, solid wood is used around the door leaf, and solid oak is used to fill the middle. The surface is made of red oak natural veneer texture; the grille is made of solid wood grille strips (width 30 * height 15mm), and the texture is pure color paint process. Door frame: The door frame is made of solid wood and plywood composite material. The surface is made of red oak natural veneer texture; Door frame: flat L-shaped simple style, the surface is made of red oak natural veneer texture.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Pure color lacquer paint flush barn door		
Size (Specification):	Customize定制	Color:	哑光白色Matt white; 哑光黑色Matt black
Details Description:	Size type: door panel size Door panel thickness: 40mm±1mm; Door leaf structure: use MDF as trans-layer material, inside with composite wood for semi-solid core filling; Design: flat design, the finish use matte white paint technology Hardware hole open: we'll make the lock hole.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Solid oak wood entrance door		
Size (Specification):	2032*1524*150mm	Color:	哑光黑色烤漆Matt black color
Details Description:	<p>Size type: wall to wall size Door panel thickness: 50mm±1mm; Door panel suspension: 10mm±1mm ----- Door leaf structure: full natural oak solid wood, Mortise and tenon structure, two size panel with 8mm thickness tempered glass, with finish matte paint painting technology; Door frame & casing: full natural oak solid wood,; Design: two sides with fixed panel and glass, middle is with hinged open door Hardware hole open: will make lock and handle hole.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



[A]炫彩灰
Colorful Grey



[B]暖白
White



[C]流光岁月深灰
Streamer Dark Grey



[D]流金岁月黄
Yellow



[E]爱马仕绿
Hermes Green



[F]爱马仕灰
Hermes Grey



[G]爱马仕橙
Hermes Orange



[H]流光岁月咖啡
Streamer Coffee

Item:	Skin-Fell Single Plate Carbon Crystal Painted Free Door		
Size (Specification):	Customize	Color:	[A]Grey[B]White; [C] D.Grey[D]Yellow; [E]Green[F] H.Grey[G]H.Orange[H] S.Coffee
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled particle board/graphene. The finishing transition layer is a 4mm thick carbon crystal plate, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid multi-layer board (i.e. plywood frame) door frame, thickness 35mm. Door cover line: with plywood line, long plywood buckle flat line. Opening hardware holes: opening lock holes, sinking lock pieces.		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Extra large custom carbon crystal paint-free door		
Size (Specification):	Customized定制	Color:	A=Fengya Walnut No. 2 风雅胡桃2号B=Qingya Walnut No. 1 清雅胡桃1号C=Yaoying No. 3 耀影3号D=Yaoying No. 2 耀影2号E=Yaoying No. 1 耀影1号
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled with particle board/graphene. The finishing transition layer is a carbon crystal board 4mm thick, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid wood door frame, thickness 35mm. Door cover line: with plywood line. Hardware hole: open the lock hole, sink the lock piece.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum frame HPL finish door		
Size (Specification):	Customize定制	Color:	Black黑色white白色Customize定制
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; foot height: 10mm±1mm; Door leaf: flat door leaf, surface HPL fire-resistant material, medium-density fiberboard transition layer, semi-solid particleboard filling, solid wood keel frame around the door leaf, aluminum alloy edge sealing around. Door frame technology: aluminum alloy frame (flat), with wooden connecting plate in the middle (same color as door leaf finish). Make the door frame double-edged.		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Thermal break sliding door		
Size (Specification):	As customize	Color:	颜色可选咖啡Coffe、闪银黑Flash silver black、砂灰 Sand grey、金属灰Metal gray
Details Description:	100 heavy-duty aluminum alloy two-track sliding door, quieter, good sound insulation and heat insulation, typhoon and waterproof. Glass, 5mm+17A+5mm, double-layer tempered glass. Can be used for coastal balcony doors and garden villa entrance doors. Sound insulation, heat insulation, good sealing, strong and durable.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Thermal break sliding door		
Size (Specification):	As customize	Color:	颜色可选咖啡Coffe、肌肤黑 black、砂灰Sand grey、金属灰Metal gray
Details Description:	70mm heavy-duty aluminum alloy two-track sliding door, with good mute effect, anti-typhoon and waterproof. Glass: 5mm+17A+5mm, double-layer tempered glass. Mainly used for coastal balcony doors, garden villa entrance doors, sound insulation, heat insulation, good sealing, durable.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	50*100 heavy duty three track sliding door		
Size (Specification):	Customize	Color:	颜色可选肌肤黑Black, 氟泳咖啡Fluoro coffee, 氟泳灰Fluoro gray, 氟碳香槟金Fluorocarbon champagne golden, 泰柚木色Thai Teak Color
Details Description:	100mm wide, 2.0mm thick heavy-duty aluminum alloy material, good mute effect. Glass: 5mm+15A+5mm, double-layer tempered glass.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

BLOSSOM CHEER

65 Series Sliding Casement Door

Refer door design



Product Accessories



Sample cross section

Color Option



Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W/(m^2/K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3/(m^*h) q2 \leq 1.5 m^3/(m^*h)$
Sound insulation	$25 dB \leq Rm + Ctr < 30 dB$

Item:	65 series 1.4 swing open single casing door		
Size (Specification):	Customize	Color:	氟碳香金 慕尼黑 暖白 新咖啡 星空灰 氟碳铂灰 视觉柚木 巴西胡桃木 法国梨木 法国科技木
Details Description:	65 aluminum alloy material, good mute effect. Glass: 4mm+17A+4mm, double-layer tempered glass. Used for kitchen and balcony sliding doors, medium and narrow, stylish.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

BLOSSOM CHEER

65 Series Sliding Casement Door

Refer door design



Product Accessories



Sample cross section

Color Option



Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W/(m^2/K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3/(m^2 \cdot h)$ $q2 \leq 1.5 m^3/(m^2 \cdot h)$
Sound insulation	$25 dB \leq R_m + C_{tr} < 30 dB$

Item:	110 series 1.4 swing open single casing door		
Size (Specification):	Customize	Color:	颜色可选Golden金色, Black黑色, White暖白, Coffee咖啡色, Gray灰色
Details Description:	110 aluminum alloy material, good mute effect. Glass: 5mm+20A+5mm, double-layer tempered glass. Used for kitchen and balcony sliding doors, medium and narrow, stylish.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	110 series full profile fix aluminum frame door		
Size (Specification):	Customize定制	Color:	灰色grey, 黑色black, 定制customize
Details Description:	Use 110 Broken Bridge 3-Track to make. Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	16*45 Ultra-narrow 2.0 French door		
Size (Specification):	Customize	Color:	颜色可选 Black黑色, White暖白
Details Description:	2.0mm profile thickness, good mute effect. Glass: 8mm tempered glass. Exposed hinges. Used in kitchens, balconies, restaurants, cafes, extremely narrow and stylish.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	110 profile1.4mm broken bridge fixed window		
Size (Specification):	定制Customize	Color:	星空灰Grey; 慕尼黑Black氟碳香槟金Golden
Details Description:	Profile: 110 profile broken bridge fixed window; Profile thickness: 1.4mm thick, hollow temper glass 5mm + 20A +5mm; Profile surface treatment: powder coating; It has the performance of heat insulation, sound insulation and Typhoon resistance.		


For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

75 Series Broken Bridge Casement Window



Product Accessories



Color Option



Sand grey




Flash silver black




Metal grey


Product Profile




Outer frame




Center column




Sash



Screen window



Non-hidden frame



Non-hidden column

Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W/(m^2 \cdot K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3/(m \cdot h) q2 \leq 1.5 m^3/(m \cdot h)$
Sound insulation	$25 dB \leq R_m + C_{tr} < 30 dB$

Item:	75 Series 1.4mm Broken Bridge 2-Track Sliding Window	
Size (Specification):	Customize	Color: 金属灰 砂灰 咖啡
Details Description:	Type: 75 Broken Bridge 2-Track Sliding Window Profile thickness: 1.4mm thick, hollow tempered glass 5mm+9A+5mm; Profile surface treatment: powder coating; Hardware: with full set of accessories. It has heat insulation, sound insulation and typhoon resistance.	


For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.




110 Series Broken Bridge Casement Window




Product Aecessories



Color Option



Product Profile



Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W(m^2/K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3(m^*h) q2 \leq 1.5 m^3(m^*h)$
Sound insulation	$25 dB \leq Rm + Ctr < 30 dB$

Item:	110 Broken Bridge Casement Window	
Size (Specification):	Customize	Color: 砂灰Sand gray闪银黑silver flash black金属灰metallic gray咖啡brown(coffee color))
Details Description:	Profile: 110 broken bridge casement window; Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; Hardware: Imported German Homan full set of accessories. It has heat insulation, sound insulation and typhoon resistance.	


For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

75 Series Broken Bridge Casement Window



Product Accessories



Color Option



Sand grey




Flash silver black




Metal grey


Product Profile




Outer frame




Center column




Sash



Screen window



Non-hidden frame



Non-hidden column

Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0$ W/(m ² /K)
Wind pressure performance	Level 4; $2500 \leq P \leq 3000$ Pa
Watertight performance	$500P \leq \Delta P \leq 700$ Pa
Airtight performance	$q1 \leq 0.5$ m ³ (m ² h) $q2 \leq 1.5$ m ³ (m ² h)
Sound insulation	$25dB \leq Rm + Ctr < 30dB$

Item:	75 Series 2.0mm Broken Bridge 2-Track Sliding Window	
Size (Specification):	Customize	Color: 金属灰 砂灰 咖啡
Details Description:	Type: 75 Broken Bridge 2-Track Sliding Window Profile thickness: 2.0mm thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; Hardware: with full set of accessories. It has heat insulation, sound insulation and typhoon resistance.	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum door / window profile sample		
Size (Specification):	800mm*300mm	Color:	星空灰Grey; 慕尼黑Black氟碳香槟金Golden
Details Description:	Choose according to the required profile type, the common ones are: Window profiles include: 85 series, 110 series, 120 series, 135 series; Door profiles include: 65 series, 70 series, 80 series, 110 series and 100 series.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item: 80mm Series UPVC Sliding Window			
Size (Specification):	As customize	Color:	白色White
Details Description:	80 series plastic steel white, outer upvc inner steel lining material, 5mm tempered white glass. Window with crescent lock. Need screen window: 【是/否】 Packaging: PE bubble film.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Exposed balcony glass fence		
Size (Specification):	customize	Color:	白玻white
Details Description:	<div>Glass thickness: 8+8 laminated tempered glass</div> <div>Glass color: transparent white glass</div> <div>Profile: 2-6mm thick, style width 110mm, height 135mm, large contact surface, sufficient force, glass groove anti-deformation design (see Figure 3、 4)</div> <div>Function: can drain, can be installed with light strips, double-row screw fixation</div> <div>Glass packaging: neutral</div> <div>Other supplementary information: can be directly installed with double-row screws, easy to install</div>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



手工测量，如有误差敬请见谅

Item:	Aluminum Oxide Aluminum Oxide Black Split Lock		
Size (Specification):	Standard	Color:	黑色Black
Details Description:	Finishing treatment: sanding treatment; Usage thickness range: Suitable for 35-50mm thickness Material: pure alumina 58 mute lock body / alumina lock cylinder		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum alloy magnetic silent door lock		
Size (Specification):	Standard	Color:	灰拉丝Grey, 哑黑matt black亮金golden
Details Description:	Model 72-33, equipped with 4558 magnetic double tongue, small 70 zinc alloy copper core key lock core; suitable for door thickness 35-50mm, suitable for bathroom, room doors, etc.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock		
Size (Specification):	Standard	Color:	银色Silver; 黑色Black; 金色Golden玫瑰金Rose golden
Details Description:	Silver with key, Copper-zinc alloy handle, 201 stainless steel lock body copper core		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	砂光银色Sanding silver
Details Description:	Made of top grade 304 stainless steel, right angle elbow handle 135*60*19, equipped with 5572 European standard lock body, lock core with large 70 full copper, suitable for 35-50mm door thickness.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



HW008-18# 灰红古

Item:	Stainless steel lock handle with panel		
Size (Specification):	W20230705	Color:	灰红古/非洲黑/红古铜/星空灰
Details Description:	18# stainless steel handle/multi-functional stainless steel material, electroplating electrophoresis industry, salt spray test more than 200 hours, hw12 generation multi-functional structure, 360° direction can be automatically adjusted		
Quantity In Package:	1BOX		
Packaging Size:	41*17.5*8cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Entrance door anti-theft lock		
Size (Specification):	标配	Color:	星空灰
Details Description:	<p>Lock body: A lock body protection box is formed by stamping and welding a 2.0 thick stainless steel plate with a lock edge process. The lock body and filling are inside the box, which is equivalent to an extra layer of protective armor.</p> <p>Safety: Effectively prevent prying, ensure the stability of the lock body, and extend the service life of the lock body.</p> <p>Structural research and development: Bearing + gear drive, the advantage is that the lock is very labor-saving and smooth, the unlocking sound is very small, and it is not easy to age.</p>		
Quantity In Package:	1BOX		
Packaging Size:	41*17.5*8cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock		
Size (Specification):	标配	Color:	银色Silver白色white灰色 gray
Details Description:	Minimalist aluminum alloy door lock; Applied to indoor aluminum alloy minimalist series doors;		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Fire rated lock		
Size (Specification):	Standard	Color:	银色Siver
Details Description:	Stainless steel fire rated door for full set.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	E-595 Small lock		
Size (Specification):	/	Color:	哑光黑Matt black; 金色Golden
Details Description:	Mortise:60*68mm Material: Aluminum alloy Unlock: Semiconductor fingerprint+MF card+password+key+TUYA app Door thickness:45-70mm Warranty:2 yearsPower supply: 4 AA batteries Locks factory configuration: two MF cards, two mechanical keys, an instruction manual, and a hole drawing.		
Quantity In Package:	8CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	32.8*18.4*12cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	E513 Small lock		
Size (Specification):	/	Color:	哑光黑Matt black; 金色Golden
Details Description:	Mortise:50*50mm Material: Aluminum alloy Unlock: Semiconductor fingerprint+MF card+password+key+TUYA app Door thickness:45-70mm Warranty:2 yearsPower supply: 4 AA batteries Locks factory configuration: two MF cards, two mechanical keys, an instruction manual, and a hole drawing.		
Quantity In Package:	8CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	32.8*18.4*12cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited
Recommend Product Details



Item:	Model AK03		
Size (Specification):	430mm*55mm	Color:	黑色Black
Details Description:	Facial recognition, fingerprint, palm print, password, card, key functions TUYA WIF. Function: 3D face + electronic cat's eye + TUYA WIFI + fingerprint + password + IC card + mechanical key (7 in 1) function. Material: aluminum alloy, factory standard: 24-240MM lock body, English configuration factory.		
Quantity In Package:	6CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	50.6*41*45cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



黑色
BLACK

红古铜
RED BRONZE

Item:	Smart Fingerprint Password Lock Operating Lock		
Size (Specification):	360mm*75mm	Color:	黑色Black红古铜Red bronze
Details Description:	Fingerprint, password, mobile phone remote Tuya control, card and medicine key function. There is a rechargeable lithium battery inside the smart lock. The E29 lock belongs to the smart lock used in our project, and it uses conventional dry batteries. The lock also has a charging port with a USB connector.		
Quantity In Package:	6CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	21*45*14cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item: Smart door lock for use with VDP system	
Size (Specification): EK80	Color: Black
Details Description:	<p>Power supply 4 number 5 batteries</p> <p>Operation temperature -20~60</p> <p>Number of fingerprints ≤100</p> <p>Number of cards ≤100</p> <p>Number of passwords ≤100</p> <p>Fingerprint sensor Semiconductor fingerprint sensor</p> <p>Material aluminum alloy</p> <p>Recognition speed 3 seconds</p> <p>Emergency supply USB emergency service</p> <p>Lock core level C-level lock cylinder</p> <p>Suitable for door thickness 40~120mm</p> <p>Carton Size 740*490*250mm</p> <p>Color box Size: 230*470*160mm</p> <p>N.W: 5.8KG/SET</p> <p>G.W: 21KG/CTN</p> <p>Package: 5 sets/CTN</p>

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Thickened stainless steel joint hinge		
Size (Specification):	4 Inch	Color:	黑色Black
Details Description:	Thickened stainless steel hinge, material: 201 stainless steel.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinges		
Size (Specification):	Standard	Color:	Silver颜色
Details Description:	304 steel stainless 4 * 2.5 joint hinge, one pair of 2 pieces		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*3 102×74.5×2.5mm		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	201 stainless steel material, joint hinge, size is 4*3*3102×74.5×2.5mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel door hinges		
Size (Specification):	标配	Color:	Fixed color
Details Description:	<p>Material: Stainless steel</p> <p>Color: Crystal black</p> <p>Specifications: Load-bearing surface length 10cm, single load-bearing 800KG</p> <p>Suitable for heavy metal doors such as stainless steel doors.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Invisible (hidden) hinge		
Size (Specification):	Standard	Color:	银色Silver;黑色Black;金色Golden(\$19.5)
Details Description:	Zinc alloy material, the axis is a full copper core, three-dimensional adjustable concealed twist, 25*150mm, two pieces can bear 40kg.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Invisible (hidden) hinge		
Size (Specification):	23*95mm	Color:	砂镍Sand nickel
Details Description:	Zinc alloy material, three-dimensional adjustable invisible hinge, 24 * 95mm,recommended slot thickness 7mm, three bearing 40kg.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*3.0-4BB		
Size (Specification):	Standard	Color:	拉丝银色Lined silver/砂光Sanding/拉丝灰色Lined grey/哑黑/砂金/青古/红古/黄古/亮金
Details Description:	201 stainless steel material hinge , 201 stainless steel core, 201 screws. Flat hinge, size is 4*3*3.0-4BB		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

			
Item:	Barn Door Hardware sliding barn door roller		
Size (Specification):	2 meter length 2米长	Color:	Matt Black 哑黑
Details Description:	Material: carbon steel Surface treatment: powder coating The top position of the hardware door needs to be opened and installed on the customer's site		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Pivot door floor hinges		
Size (Specification):	Standard	Color:	砂光银色Silver
Details Description:	Material: 304 stainless steel;Max opening: 135° Width1200×2300mm; Max weight120-150kg; Location: 90° / 135° Outer size302×110×44mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.