



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Colored steel flap door		
Size (Specification):	具体看附件价格类	Color:	哑光白色Matt white; 哑光黑色Matt black.
Details Description:	Colored steel flap door, normal upturn, door panel thickness 4cm flat plate built in a reinforcing rib, including thickened adjustable spraying accessories monorail solid shaft coupling double-row hinge long roller.		
Packaging Method:	Plywood box		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class customize 304 entrance door		
Size (Specification):	定制	Color:	哑光黑Matt black
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 full thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号: 23-52#
板材: 小沙纹黑色 +8K

Item:	Stainless steel door		
Size (Specification):	定制customize	Color:	标准太空灰
Details Description:	It is made of 1.0mm thick 304 stainless steel, with silver-white decorative strips, and internal sound insulation foam, MDF material and square tubes.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item: High class customize 304 entrance door	
Size (Specification): 2100*1500*150*60mm	Color: 哑光黑Matt black
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 full thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;
Quantity In Package:	6SETS

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Steel 90-minute fire rated door flate design National Standard		
Size (Specification):	As customized	Color:	灰色Grey, 其他颜色定制customize
Details Description:	<p>Door panel thickness: 50mm, The door leaf adopts a whole piece of light fireproof heat insulation board, and the two sides are bonded with the steel plate with an adhesive and then cold pressed. The density [nominal value: (1000±100) kg/m³; before drying: 929kg/m³; drying Rear: 915kg/m³].</p> <p>Produce As Customized, with China National Standard Certificated, 1.2mm thickness galvanized steel for door frame; 0.8mm thickness galvanized steel for door leaf + steel skeleton + perlite for door core material.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Galvanized steel door		
Size (Specification):	Customize定制	Color:	黑色Black
Details Description:	Galvanized steel material for all finish, the finish with transfer printing technology, frame with 1.00 thick & door panel with 0.5mm thick, inside with honeycomb paper to fill in it.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Bamboo charcoal fiberboard door		
Size (Specification):	定制Customize	Color:	专款专色
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled with particle board/graphene. The finishing transition layer is a carbon crystal board 4mm thick, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid wood door frame, thickness 35mm. Door cover line: with plywood line. Hardware hole: open the lock hole, sink the lock piece.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



[A]炫彩灰
Colorful Grey



[B]暖白
White



[C]流光岁月深灰
Streamer Dark Grey



[D]流金岁月黄
Yellow



[E]爱马仕绿
Hermes Green



[F]爱马仕灰
Hermes Grey



[G]爱马仕橙
Hermes Orange



[H]流光岁月咖啡
Streamer Coffee

Item:	Skin-Fell Single Plate Carbon Crystal Painted Free Door		
Size (Specification):	Customize	Color:	[A]Grey[B]White; [C] D.Grey[D]Yellow; [E]Green[F] H.Grey[G]H.Orange[H] S.Coffee
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled particle board/graphene. The finishing transition layer is a 4mm thick carbon crystal plate, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid multi-layer board (i.e. plywood frame) door frame, thickness 35mm. Door cover line: with plywood line, long plywood buckle flat line. Opening hardware holes: opening lock holes, sinking lock pieces.		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Carbon crystal wall panels		
Size (Specification):	3000*1220*8mm;	Color:	Ceramic white, pink, black, red, gray, gold, blue, brown, silver;
Details Description:	Specifications: 3000*1220mm; Material technology: 8mm carbon crystal plate + PVC coating technology; Texture:Mirror; Function: waterproof and moisture-proof / flame retardant / anti-collision / environmental protection; Scope of application: wall, cabinet, background; Color: Ceramic white, pink, black, red, gray, gold, blue, brown, silver; Cutting and assembly can be carried out on site according to specific needs.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High-end aluminum clad wooden door		
Size (Specification):	Customize	Color:	Double customize color双色定制
Details Description:	Size type: door opening size Door leaf thickness: conventional 45mm±1mm; foot height: 10mm±1mm; door leaf board: 9mm fireproof board/solid wood multilayer board; door leaf structure: wall thickness 2.0 keel frame + aluminum honeycomb; edge sealing: 2.0 aluminum edge sealing; Door main line: aluminum, wall thickness 1.6 thick; plug board line: aluminum, wall thickness 1.2 thick; Gusset: wall thickness 2.0, all aluminum material.		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Wall Mount Concealed Sliding System Glass Door		
Size (Specification):	10*40*2.0	Color:	肌肤黑Dark skin
Details Description:	5mm thick single-layer tempered glass3C Certification, 2.0 thick profile, titanium magnesium aluminum alloy barn door, glass color can be selected white glass and black glass		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	50 medium narrow swing door		
Size (Specification):	Customize	Color:	颜色可选 Black黑色, White暖白
Details Description:	1.4mm profile thickness, good mute effect. Glass: 5mm+15A+5mm, double-layer tempered glass. Exposed hinges, three-prong lock cylinder. Used for kitchen and balcony sliding doors, medium narrow and stylish.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Thermal break sliding door		
Size (Specification):	As customize	Color:	颜色可选咖啡Coffe、肌肤黑 black、砂灰Sand grey、金属灰Metal gray
Details Description:	70mm heavy-duty aluminum alloy two-track sliding door, with good mute effect, anti-typhoon and waterproof. Glass: 5mm+17A+5mm, double-layer tempered glass. Mainly used for coastal balcony doors, garden villa entrance doors, sound insulation, heat insulation, good sealing, durable.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	80 Non Broken Bridge 3-Track Fix Window		
Size (Specification):	762*1372mm	Color:	星空灰Grey; 慕尼黑Black氟碳香槟金Golden
Details Description:	Type: 80 Non-Broken Bridge 3-Track Fix Window Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	80 Non Broken Bridge 3-Track Fix Window		
Size (Specification):	762*1372mm	Color:	星空灰Grey; 慕尼黑Black氟碳香槟金Golden
Details Description:	Type: 80 Non-Broken Bridge 3-Track Fix Window Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



65 Series Sliding Casement Window



Color Option



Product Accessories



Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W(m^2/K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3(m^*h) q2 \leq 1.5 m^3(m^*h)$
Sound insulation	$25 dB \leq Rm + Ctr < 30 dB$

Item:	65 series 1.4 two-track two-panel sliding door		
Size (Specification):	Customize	Color:	咖啡 金属灰 肌肤黑
Details Description:	The thickness of the aluminum alloy material is 1.4mm, the width of the door sash is 65mm, the door thickness is 42mm, and the standard frame of the two rails is 105mm (single side with casing). 65 aluminum alloy two-track push-pull door, good mute effect. Glass: 4mm+17A+4mm, double-layer tempered glass.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



65 Series Sliding Casement Window



Color Option



Product Accessories



Product Performance


Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W(m^2/K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3(m^*h) q2 \leq 1.5 m^3(m^*h)$
Sound insulation	$25 dB \leq Rm + Ctr < 30 dB$

Item:	65 series 1.4 three-track three-panel sliding door		
Size (Specification):	Customize	Color:	咖啡 金属灰 肌肤黑
Details Description:	The thickness of the aluminum alloy material is 1.4mm, the width of the door sash is 65mm, the door thickness is 42mm, and the standard frame of the three rails is 161mm (single side casing). 65 aluminum alloy three-track push-pull door, good mute effect. Glass: 4mm+17A+4mm, double-layer tempered glass.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



75 Series Broken Bridge Casement Window




Product Accessories



Color Option



Product Profile



Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W/(m^2 \cdot K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P \leq \Delta P \leq 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3/(m \cdot h) q2 \leq 1.5 m^3/(m \cdot h)$
Sound insulation	$25 dB \leq Rm + Ctr < 30 dB$

Item:	75 Series 1.4mm Broken Bridge 2-Track Sliding Window		
Size (Specification):	Customize	Color:	金属灰 砂灰 咖啡
Details Description:	Type: 75 Broken Bridge 2-Track Sliding Window Profile thickness: 1.4mm thick, hollow tempered glass 5mm+9A+5mm; Profile surface treatment: powder coating; Hardware: with full set of accessories. It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Model AK03		
Size (Specification):	430mm*55mm	Color:	黑色Black
Details Description:	Facial recognition, fingerprint, palm print, password, card, key functions TUYA WIF. Function: 3D face + electronic cat's eye + TUYA WIFI + fingerprint + password + IC card + mechanical key (7 in 1) function. Material: aluminum alloy, factory standard: 24-240MM lock body, English configuration factory.		
Quantity In Package:	6CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	50.6*41*45cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	T6 Small lock with single tongue lock body		
Size (Specification):	/	Color:	哑光黑Matt black; 金色Golden
Details Description:	Material: zinc alloy Unlock:semiconductor fingerprint + password + key + TUYA Bluetooth Door panel thickness :38-70mm Warranty period :2 years Power supply :4AAA battery Locks factory configuration: two MF cards, two mechanical keys, an instruction manual, and a hole drawing (full automatic lock with a lithium battery).		
Quantity In Package:	12CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	28*19*10.5cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



FF02-A11-B

Item:	Lock set		
Size (Specification):	Standard	Color:	砂黑Sandy black/银色
Details Description:	Finishing treatment: sanding treatment/alumina; 【需要选择】 Usage thickness range: Suitable for 35-50mm thickness Material: pure alumina 58 mute lock body / alumina lock cylinder3 brass keys		
Quantity In Package:	30CTNS		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	砂光银色Sanding silver
Details Description:	Made of top grade 304 stainless steel, right angle elbow handle 135*60*19, equipped with 5572 European standard lock body, lock core with large 70 full copper, suitable for 35-50mm door thickness.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号 / Model
8813-0808 金属灰
(一体化拉手)

Item:	Entrance door anti-theft lock		
Size (Specification):	标配	Color:	星空灰
Details Description:	<p>Lock body: A lock body protection box is formed by stamping and welding a 2.0 thick stainless steel plate with a lock edge process. The lock body and filling are inside the box, which is equivalent to an extra layer of protective armor.</p> <p>Safety: Effectively prevent prying, ensure the stability of the lock body, and extend the service life of the lock body.</p> <p>Structural research and development: Bearing + gear drive, the advantage is that the lock is very labor-saving and smooth, the unlocking sound is very small, and it is not easy to age.</p>		
Quantity In Package:	1BOX		
Packaging Size:	41*17.5*8cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	lock body		
Size (Specification):	Standard	Color:	砂光Sanding
Details Description:	Lock core: Super C-grade brand lock core, steel lock box, suitable for 90-100mm thick door leaves		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item: Long plate, lock body with upper and lower locks		
Size (Specification): /	Color: 银色Silver; 黑色Black	
Details Description:	The extra-long lock plate is connected with the upper, middle and lower lock bodies, of which the upper and lower lock bodies are linkage auxiliary lock bodies; the 95mm long pure copper lock core complies with European standards. The whole set is safer and more high-end.	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8m length squarelong handle		
Size (Specification):	25mm*38mm*L1500mm*L1800	Color:	Black
Details Description:	1.0mm steel material black color handle, the shape is sqaure type, 2 sides with 25mm and 38mm, the hole distance is 1500mm, the total length is 1800mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	2m length square long handle		
Size (Specification):	25mm*38mm*L1800mm*L2000	Color:	Black
Details Description:	0.8mm steel material black color handle, the shape is sqaure type, the hole distance is 1800, the total length is 2000, the square shape 2 sides with 25mm and 38mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.5m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Pivot door floor hinges		
Size (Specification):	盖板320*136mm	Color:	拉丝银色Silver
Details Description:	Material: 201 stainless steel Thickened 1.0 cover Suitable for door width 1200-1350 (mm), load-bearing 300kg Opening and closing angle: 90°		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Invisible (hidden) hinge		
Size (Specification):	Standard	Color:	银色Silver; 黑色Black; 金色Golden(\$19.5)
Details Description:	Zinc alloy material, the axis is a full copper core, three-dimensional adjustable concealed twist, 25*150mm, two pieces can bear 40kg.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel door hinges		
Size (Specification):	标配	Color:	Fixed color
Details Description:	Material: Stainless steel Color: Crystal black Specifications: Load-bearing surface length 10cm, single load-bearing 800KG Suitable for heavy metal doors such as stainless steel doors.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*3 102×74.5×2.5mm		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	201 stainless steel material, joint hinge, size is 4*3*3102×74.5×2.5mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door bolt		
Size (Specification):	10寸	Color:	银色Silver
Details Description:	201 stainless steel		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.