



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class solid oak wood paint door		
Size (Specification):	Customized定制	Color:	哑光黑Matt black; 定制颜色Customize color
Details Description:	Size type: wall to wall size Door panel thickness: 50mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: full natural oak solid wood with semi-solid door core, with finish painting technology; Door frame & casing: full natural oak solid wood; Design: matte black paint finish, with groove customize decoration line; Hardware hole open: will make lock hole		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Bamboo charcoal fiberboard door		
Size (Specification):	定制Customize	Color:	专款专色
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled with particle board/graphene. The finishing transition layer is a carbon crystal board 4mm thick, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid wood door frame, thickness 35mm. Door cover line: with plywood line. Hardware hole: open the lock hole, sink the lock piece.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Bamboo charcoal fiberboard door		
Size (Specification):	定制Customize	Color:	专款专色
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled with particle board/graphene. The finishing transition layer is a carbon crystal board 4mm thick, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid wood door frame, thickness 35mm. Door cover line: with plywood line. Hardware hole: open the lock hole, sink the lock piece.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	High class customize 304 entrance door		
Size (Specification):	定制	Color:	哑光黑Matt black
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 full thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Colored steel flap door		
Size (Specification):	具体看附件价格类	Color:	哑光白色Matt white; 哑光黑色Matt black.
Details Description:	Colored steel flap door, normal upturn, door panel thickness 4cm flat plate built in a reinforcing rib, including thickened adjustable spraying accessories monorail solid shaft coupling double-row hinge long roller.		
Packaging Method:	Plywood box		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Galvanized steel door		
Size (Specification):	Customize定制	Color:	黑色Black
Details Description:	Galvanized steel material for all finish, the finish with transfer printing technology, frame with 1.00 thick & door panel with 0.5mm thick, inside with honeycomb paper to fill in it.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Steel 90-minute fire rated door flate design National Standard		
Size (Specification):	As customized	Color:	灰色Grey, 其他颜色定制customize
Details Description:	Door panel thickness: 50mm, The door leaf adopts a whole piece of light fireproof heat insulation board, and the two sides are bonded with the steel plate with an adhesive and then cold pressed. The density [nominal value: (1000±100) kg/m³; before drying: 929kg/m³; drying Rear: 915kg/m³]. Produce As Customized, with China National Standard Certificated, 1.2mm thickness galvanized steel for door frame; 0.8mm thickness galvanized steel for door leaf + steel skeleton + perlite for door core material.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Thermal break sliding door		
Size (Specification):	As customize	Color:	颜色可选咖啡Coffe、闪银黑Flash silver black、砂灰 Sand grey、金属灰Metal gray
Details Description:	100 heavy-duty aluminum alloy two-track sliding door, quieter, good sound insulation and heat insulation, typhoon and waterproof. Glass, 5mm+17A+5mm, double-layer tempered glass. Can be used for coastal balcony doors and garden villa entrance doors. Sound insulation, heat insulation, good sealing, strong and durable.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum alloy frame floor-to-ceiling glass partition		
Size (Specification):	Customize定制	Color:	黑色Black
Details Description:	65 profile aluminum alloy partition frame, with partition pressure line, suitable for 8mm thick single-layer tempered glass. The door in the partition adopts 45*65mm aluminum frame, with door leaf and hardware, and the single-layer glass is 5mm thick.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.6mm thickened aluminum alloy anti-pinch folding door		
Size (Specification):	按照平方数计算	Color:	黑色black.咖啡 砂灰
Details Description:	77 Series Anti-Pinch Folding Door Thickness: 1.6mm Glass: 5mm+15A+5mm double tempered insulating glass. Profile Finish: Powder Coated		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Model AK03		
Size (Specification):	430mm*55mm	Color:	黑色Black
Details Description:	Facial recognition, fingerprint, palm print, password, card, key functions TUYA WIFI. Function: 3D face + electronic cat's eye + TUYA WIFI + fingerprint + password + IC card + mechanical key (7 in 1) function. Material: aluminum alloy, factory standard: 24-240MM lock body, English configuration factory.		
Quantity In Package:	6CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	50.6*41*45cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	T6 Small lock with single tongue lock body		
Size (Specification):	/	Color:	哑光黑Matt black; 金色Golden
Details Description:	Material: zinc alloy Unlock:semiconductor fingerprint + password + key + TUYA Bluetooth Door panel thickness :38-70mm Warranty period :2 years Power supply :4AAA battery Locks factory configuration: two MF cards, two mechanical keys, an instruction manual, and a hole drawing (full automatic lock with a lithium battery).		
Quantity In Package:	12CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	28*19*10.5cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	砂光银色Sanding silver
Details Description:	Made of top grade 304 stainless steel, right angle elbow handle 135*60*19, equipped with 5572 European standard lock body, lock core with large 70 full copper, suitable for 35-50mm door thickness.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel armor lock		
Size (Specification):	L390mm x W80m	Color:	非洲黑Black
Details Description:	Use 304 stainless steel, with 6068 specification anti-theft lock body, lock body stainless steel 201 panel, oblique tongue stainless steel 201 material, square tongue iron material, with AB key cylinder, length 75mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Fire rated lock		
Size (Specification):	Standard	Color:	银色Silver
Details Description:	Stainless steel fire rated door for full set.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel door hinges		
Size (Specification):	标配	Color:	Fixed color
Details Description:	Material: Stainless steel Color: Crystal black Specifications: Load-bearing surface length 10cm, single load-bearing 800KG Suitable for heavy metal doors such as stainless steel doors.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*3 102×74.5×2.5mm		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	201 stainless steel material, joint hinge, size is 4*3*3102×74.5×2.5mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Plastic Small Cable Clit		
Size (Specification):	定制 Customize	Color:	黑色 Black
Details Description:	Gramweight: 3.5g Product material: PE, Pure material.		
Quantity In Package:	6,000BOXES		
Packaging Method:	Paper carton packing		
Packaging Size:	48*31*33cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.