



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class customize 304 entrance door		
Size (Specification):	定制	Color:	哑光黑Matt black
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited
Recommend Product Details



Item:	Galvanized steel door		
Size (Specification):	Customize定制	Color:	黑色Black
Details Description:	Material: Zinc alloy Profile: 1.2 full thickness Door leaf thickness: 90mm+-1mm (can be made thinner) Lock core: Super C-class brand lock core; Lock body: 40x688 armored energy-saving lock body; Lock box: built-in 2.0 all-steel lock box; Door hinge: self-developed minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: paper honeycomb + medium fiber sound insulation board.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Solid color paint custom buckle simple European style wooden door		
Size (Specification):	2100*900*160mm	Color:	亚光白Matt white
Details Description:	Size type: wall to wall size, height * width * wall thickness Door panel thickness: 40mm±1mm; Door panel suspension: 10mm±1mm Door leaf (panel) structure: composite structure, solid wood is used around the door leaf, the middle is filled with particleboard semi-solid, the finish is painted; Frame & casing: frame is made of solid wood and plywood composite material, solid wood lines, finishing paint process; Design: the finish has solid wood decorative large buckle line, semi-circular convex line, simple European style, suitable for medium and high-end project. Hardware hole open: will make lock hole.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Skin-Fell Touch High End Carbon Crystal Free Door		
Size (Specification):	2100*900*150mm	Color:	[A]银杏木1号Ginkgo biloba 1[B]银杏木3号Ginkgo biloba 3-1[C]银杏木3号Ginkgo biloba 3-2
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled particle board/graphene. The finishing transition layer is a 4mm thick carbon crystal plate, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid multi-layer board (i.e. plywood frame) door frame, thickness 35mm. Door cover line: with plywood line, long plywood buckle flat line. Opening hardware holes: opening lock holes, sinking lock pieces.		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



[A]炫彩灰
Colorful Grey



[B]暖白
White



[C]流光岁月深灰
Streamer Dark Grey



[D]流金岁月黄
Yellow



[E]爱马仕绿
Hermes Green



[F]爱马仕灰
Hermes Grey



[G]爱马仕橙
Hermes Orange



[H]流光岁月咖啡
Streamer Coffee

Item:	Skin-Fell Single Plate Carbon Crystal Painted Free Door		
Size (Specification):	Customize	Color:	[A]Grey[B]White; [C] D.Grey[D]Yellow; [E]Green[F] H.Grey[G]H. Orange[H] S. Coffee
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled particle board/graphene. The finishing transition layer is a 4mm thick carbon crystal plate, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid multi-layer board (i.e. plywood frame) door frame, thickness 35mm. Door cover line: with plywood line, long plywood buckle flat line. Opening hardware holes: opening lock holes, sinking lock pieces.		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		


For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



110 Series Broken Bridge Casement Window




Product Accessories



Color Option



Product Profile



Product Performance

Insulation performance	Level 6; $2.5 \leq K \leq 3.0 W(m^2/K)$
Wind pressure performance	Level 4; $2500 \leq P \leq 3000 Pa$
Watertight performance	$500 P_{\leq} \Delta P_{\leq} 700 Pa$
Airtight performance	$q1 \leq 0.5 m^3(m^2h) q2 \leq 1.5 m^3(m^2h)$
Sound insulation	$25 dB_{\leq} R_m + C_{tr} < 30 dB$

Item:	110 Broken Bridge Casement Window		
Size (Specification):	Customize	Color:	砂灰Sand gray闪银黑silver flash black金属灰metallic gray咖啡brown(coffee color))
Details Description:	Profile: 110 broken bridge casement window; Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; Hardware: Imported German Homan full set of accessories. It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager, or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

100

50 重型推拉门
系列

Heavy duty sliding door series

产品样角 / PRODUCT SAMPLE ANGLE



产品配件 / PRODUCT ACCESSORIES



产品性能 / PRODUCT PERFORMANCE

保温性能	6 级	$2.5 \leq K < 3.0 W(m^2 \cdot K)$
抗风压性能	4 级	$2500 \leq P < 3000 Pa$
水密性能	5 级	$500 Pa \leq \Delta P < 700 Pa$
气密性能	8 级	$q_1 \leq 0.5 m^3(m \cdot h) q_2 \leq 1.5 m^3(m \cdot h)$
隔声性能	2 级	$25 dB \leq R_m + C_{tr} < 30 dB$

产品颜色 / PRODUCT COLOR



Item:	50*100 heavy duty two track sliding door		
Size (Specification):	Customize	Color:	颜色可选Golden金色, Black黑色, White暖白, Coffee咖啡色, Gray灰色
Details Description:	100mm width and 2.0mm thick heavy-duty aluminum alloy material, good mute effect. Glass: 5mm+20A+5mm, double-layer tempered glass. The second track runs on the high track with a water barrier. The standard width of the frame of the two tracks is 126mm, and the double-sided door cover line is suitable for the wall thickness of 162mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	80 Non Broken Bridge 3-Track Fix Window		
Size (Specification):	762*1372mm	Color:	星空灰Grey; 慕尼黑Black氟碳香槟金Golden
Details Description:	Type: 80 Non-Broken Bridge 3-Track Fix Window Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	110 Broken Bridge 3-Track Sliding Window		
Size (Specification):	1220*1372mm	Color:	金属灰 砂灰 咖啡
Details Description:	Type: 110 Broken Bridge 3-Track Sliding Window Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; Hardware: with full set of accessories It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	16*45 Ultra-narrow 2.0 French fixed doors and windows		
Size (Specification):	Customize	Color:	颜色可选 Black黑色, White暖白金色
Details Description:	2.0mm profile thickness, good mute effect. Glass: single layer 8mm tempered glass. Half arc: perfect arc shape Used in kitchen, balcony, restaurant, cafe, extremely narrow and stylish.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Minimalist mosquito netting		
Size (Specification):	定制	Color:	
Details Description:	Frame Material: Aluminum Alloy Mesh Material: PET Fiber Mesh (Removable and Washable) Form: Foldable, Space-Saving Function: Mosquito and Insect Repellent, Ventilation and Transmission Suitable for Windows and Balconies Without Lock		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	0.8m length squarelong handle		
Size (Specification):	25mm*38mm*L700mm*L1000	Color:	金色
Details Description:	Material: 201 stainless steel Thickness: 0.8mm Color: Gold Suitable for wooden doors and stainless steel doors		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Smart lock		
Size (Specification):	N/A	Color:	太空灰Grey; 银色Silver
Details Description:	Material: zinc aluminum alloy structural parts; Lock body: universal 6068 mechanical lock body; Locking tongue: 304 stainless steel (oblique tongue+square tongue); Lock cylinder: Class C anti-theft lock cylinder Key hole: hidden mechanical key hole		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Heavy dutu three-pole lock (without key)		
Size (Specification):	A2001BK	Color:	黑色Black; Golden金色
Details Description:	Surface treatment: nickel drawing Applicable door leaf thickness: 35-55mm Material: zinc alloy electroplating Lock body: universal three-bar lock tongue (adjustable)		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	砂光银色Sanding silver
Details Description:	Zinc alloy solid handle with 5572 holes 304 lock body, pure copper large 70 lock cylinder.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum alloy magnetic silent door lock		
Size (Specification):	Standard	Color:	灰拉丝Grey, 哑黑matt black亮金golden
Details Description:	Model 72-33, equipped with 4558 magnetic double tongue, small 70 zinc alloy copper core key lock core; suitable for door thickness 35-50mm, suitable for bathroom, room doors, etc.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	灰色/黑色Gray/black
Details Description:	72 fork lock body, zinc copper core, 3 brass key		
Quantity In Package:	30CTNS		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Electric lock		
Size (Specification):	标准	Color:	
Details Description:	Electric lock, 12V power supply Unlocking method: Power on Material: Stainless steel Applications: Suitable for framed metal doors, compatible with access control systems, building intercom systems, and video intercom systems		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door viewer		
Size (Specification):	Starndard	Color:	砂镍Sand nickel光铬Light chromium亮金Light golden青古铜Bronze; 红古铜Red bronze
Details Description:	200-degree door viewer with lid, 16mm in diameter; The material is copper and sand nickel finish.		
Quantity In Package:	1PC		
Packaging Method:	Paper carton packing		
Packaging Size:	5.5*3*3cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door closer		
Size (Specification):	Standard	Color:	喷塑Plastic spraying
Details Description:	Square back door closer, suitable for door width 450-950mm, installation size: 126*19mm, suitable door weight 25-45KG.		
Quantity In Package:	10SETS		
Packaging Method:	Paper carton packing		
Packaging Size:	43*26*17.5cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door bottom sound insulation dust sealing barrier		
Size (Specification):	915*14*28.5mm	Color:	银色Silver
Details Description:	The material is aluminum alloy, with silver oxide treatment on the surface, automatic lifting, sound insulation, light insulation, dust prevention, insect prevention and wind prevention functions. The size of the T type is 14*28.5mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*3.0-4BB		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material, flat hinge, size is 4*3*3.0-4BB The width of a single page is 3mm		

120CTNS

For the wooden door,
the default standard

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*2.5mm		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	201/304 stainless steel material, joint hinge, size is 4*3 * 2.5mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.