



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class customize 304 entrance door		
Size (Specification):	定制	Color:	哑光黑Matt black
Details Description:	Technology: Laser integrated molding structure; Profile: 1.0 full thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	aluminum door		
Size (Specification):	定制customize	Color:	如图
Details Description:	<p>Surface Treatment: Artistic baking paint, using automotive-grade paint, non-oxidizing, colorfast, and durable.</p> <p>Material: Door leaf front: finely carved aluminum plate, 3mm thick front aluminum plate, 1mm thick stainless steel back, internally filled with aluminum honeycomb + all-steel frame.</p> <p>Frame: 1.2mm thick, stainless steel.</p> <p>Sealing Strip: EPDM rubber strip, for better sound insulation.</p> <p>Lock Body: German-style all-steel integrated lock.</p> <p>Lock Box: Built-in 2.0mm all-steel lock box.</p> <p>Hinges: Minimalist anti-sagging hinges, single load capacity 800KG, concealed hinges: easy to adjust (with steel protective box).</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Colored steel flap door		
Size (Specification):	W 6430mm * H2530mmCustomized 具体看附件价格类	Color:	哑光白色Matt white; 哑光黑色Matt black.
Details Description:	Color steel flip door, built-in reinforcement, orange peel style pattern on the front, pressed line on the back, normal flip-up door opening, built-in installation in the garage, door panel thickness 40mm, single track; Thickened adjustable spray-painted black accessories, double row hinges, long rollers, solid shaft, coupling, industrial torsion spring, including 220V motor, attached rails + wire rods + top capping strips + side seals. This is a complete set of garage doors, including all required accessories.		
Packaging Method:	Plywood box		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Solid wood relief craft flat opening/off-axis door		
Size (Specification):	3000*2000 customize定制	Color:	Customize
Details Description:	<div>Size type: door opening size</div> <div>Door leaf thickness: 50mm±1mm; including the thickness of the relief part, it reaches 60mm±1mm(Single-sided relief);</div> <div>Height of hanging feet: 10mm±1mm</div> <div>Door leaf structure: Sapele solid wood splicing structure, that is, the door leaf is made of solid wood.</div> <div>Door leaf craftsmanship: paint craftsmanship, design smooth lines, make relief effect, hand-polished to smooth, the texture is the natural texture of wood</div> <div>Door frame and door cover: the door frame is made of solid wood.</div>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Solid oak wood entrance door		
Size (Specification):	2100*1500*150mm	Color:	Customize, 本身效果用了伟业色卡黑桃1#
Details Description:	<div>Dimensions: Door opening</div> <div>Door leaf thickness: 50mm ± 1mm</div> <div>Cantilever height: 10mm ± 1mm</div> <div>-----</div> <div>Door leaf interior: Solid oak infill with 8mm thick tempered glass, painted finish.</div> <div>Door frame and molding: Solid wood.</div> <div>Style: Fixed doors on both sides, center swing door.</div> <div>Hardware holes: Keyholes and handle holes.</div> <div>Design: two sides with fixed panel and glass, middle is with pivot door</div> <div>Hardware hole open: will make lock and handle hole.</div>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Painted red oak veneer grille door		
Size (Specification):	Customize定制	Color:	哑光黑色Matt black; 定制Customize
Details Description:	<p>Size type: door opening size</p> <p>Door leaf thickness: 49mm±1mm; he thickness of the door leaf including the grille is 79mm±1mm; Height of hanging feet: 10mm±1mm</p> <p>Internal structure of door leaf: composite structure, solid wood is used around the door leaf, The interior is filled with solid oak. The surface is made of red oak natural veneer texture; the grille is made of solid wood grille strips (width 30 * height 15mm), and the texture is pure color paint process.</p> <p>Door frame: The door frame is made of solid wood and plywood composite material. The surface is made of red oak natural veneer texture;</p> <p>Door frame: flat L-shaped simple style, the surface is made of red oak natural veneer texture.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Solid color paint custom buckle simple European style wooden door		
Size (Specification):	2100*900*160mm	Color:	亚光白Matt white
Details Description:	<p>Size type: wall to wall size, height * width * wall thickness</p> <p>Door panel thickness: 40mm±1mm;</p> <p>Door panel suspension: 10mm±1mm</p> <p>Door leaf (panel) structure: composite structure, solid wood is used around the door leaf, the middle is filled with particleboard semi-solid, the finish is painted;</p> <p>Frame & casing: frame is made of solid wood and plywood composite material, solid wood lines, finishing paint process;</p> <p>Design: the finish has solid wood decorative large buckle line, semi-circular convex line, simple European style, suitable for medium and high-end project.</p> <p>Hardware hole open: will make lock hole.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Oak black paint round arched entrance door		
Size (Specification):	Customize	Color:	黑色Blackor customize
Details Description:	The door leaf, frame and are all made of oak solid wood, and the interior of the door leaf is filled with oak solid wood semi-solid. The edge part of the round arch is made of plywood material (the plywood material can be made into a circular arc).		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High-end customize wood veneer paint door		
Size (Specification):	Customize	Color:	Painted as picture 油漆定制色
Details Description:	<p>Size type: wall to wall size;</p> <p>Door panel thickness: 40mm±1mm;</p> <p>Door panel suspension: 10mm±1mm</p> <p>Door leaf structure: composite structure, that is, solid wood is used around the door leaf, and the middle is filled with particleboard semi-solid, and the veneer is painted;</p> <p>Door frame & casing: made of solid wood and plywood composite material, and the veneer is painted; solid wood door casing with veneer wood paint process.</p> <p>Design: horizontal wood skin texture in the middle area of the door leaf, vertical texture on both sides.</p>		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Matt Finish HPL Wooden Door		
Size (Specification):	As Customized	Color:	9848D; or customize定制
Details Description:	Door leaf: E2 class environmental protection material, the transition layer is 5mm MDF board (50% density filling), then the finish is with HPL Material; Door frame: solid filling of composite wood core board, with HPL finish; Door casing:HPL wood plast Door panel thickness: 48mm±1mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Aluminum Frame Skin-Fell Single Plate Painted Free Invisible Door		
Size (Specification):	Customize	Color:	Double customize color双色定制
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled particle board/graphene. The finishing transition layer is a carbon crystal board 4mm thick, which has flame retardant and moisture-proof functions. Door frame: Aluminum Door cover line: with plywood line, long plywood buckle flat line. Hardware hole: lock hole, sinking lock piece		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Extra large custom carbon crystal paint-free door		
Size (Specification):	Customized定制	Color:	A=Fengya Walnut No. 2 风雅胡桃2号B=Qingya Walnut No. 1 清雅胡桃1号C=Yaoying No. 3 耀影3号D=Yaoying No. 2 耀影2号E=Yaoying No. 1 耀影1号
Details Description:	Size type: door opening size Door leaf thickness: 48mm±1mm; Suspension height: 10mm±1mm; Door leaf: solid wood frame + filled with particle board/graphene. The finishing transition layer is a carbon crystal board 4mm thick, which has flame retardant and moisture-proof functions. Thickened edge sealing, paint waterproof trimming. Door frame: solid wood door frame, thickness 35mm. Door cover line: with plywood line. Hardware hole: open the lock hole, sink the lock piece.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



[A]炫彩灰
Colorful Grey



[B]暖白
White



[C]流光岁月深灰
Streamer Dark Grey



[D]流金岁月黄
Yellow



[E]爱马仕绿
Hermes Green



[F]爱马仕灰
Hermes Grey



[G]爱马仕橙
Hermes Orange



[H]流光岁月咖啡
Streamer Coffee

Item:	[Special] BN2120 Skin-Sensitive Flat Panel with Paint-Free Door		
Size (Specification):	Customize	Color:	[A]Grey[B]White; [C] D.Grey[D]Yellow; [E]Green[F] H.Grey[G]H. Orange[H] S. Coffee
Details Description:	Size Type: Door Opening Size Door Leaf Thickness: 48mm±1mm; Hanging Leg Height: 10mm±1mm; Door Leaf: Solid wood frame + honeycomb paper filling. MDF transition layer, melamine finish. Door Frame/Mattress: 32mm, solid wood door frame. Interior has snap-on door trim; front (outside the door) does not include wainscoting and has no door trim. Hardware Holes: Lock hole, recessed lock plate.		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited
Recommend Product Details



Item:	WPC paint free finish barn door		
Size (Specification):	Customized	Color:	灰色Greyor others或其他定制
Details Description:	Size type: door panel size; Door panel thickness: 44mm±1mm; Door panel with paint free technology, all parts with WPC water proof material; with 60mm width casing.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	128 heavy-duty broken bridge three-track three-sliding door		
Size (Specification):	可定制 Customize	Color:	金属银灰 Gray; 砂纹黑Black; 咖啡色 Brown.
Details Description:	<p>72mm wide, 2.2mm thick heavy-duty aluminum alloy material, excellent sound insulation.</p> <p>Sheer fan visible surface: 72*50mm; two-track wall-mounted surface: 128mm; three-track wall-mounted surface: 193mm; profile wall thickness: 2.2mm.</p> <p>Profile: Aluminum: 6063-T5 virgin aluminum, profile wall thickness: 2.2mm.</p> <p>Glass: 1. Insulating glass: 5mm white + 20A + 5mm white; 2. Fluorocarbon black insulating aluminum strip, integrated bending process (not fixed).</p> <p>Sealing strip: PA66 thermal insulation strip, EPDM rubber strip, internal and external pressure sealing strip configuration.</p> <p>Hardware: Standard single-sided concealed lock.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	16*45 ultra narrow swing door		
Size (Specification):	Customize	Color:	颜色可选 Black黑色, White暖白
Details Description:	Profile: 2.0mm aluminum alloy Edging: Flat frame or single edging Glass: 8mm single-pane tempered glass (clear) / 5mm + 15 + 5mm double-pane glass (clear) Wall thickness: 220mm or less		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	110 series full profile fix aluminum frame door		
Size (Specification):	Customize定制	Color:	灰色grey, 黑色black, 定制customize
Details Description:	Use 110 Broken Bridge 3-Track to make. Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; It has heat insulation, sound insulation and typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	110 profile1.4mm broken bridge fixed window		
Size (Specification):	定制Customize	Color:	星空灰Grey; 慕尼黑Black氟碳香槟金Golden
Details Description:	Profile: 110 profile broken bridge fixed window; Profile thickness: 1.4mm thick, hollow temper glass 5mm + 20A +5mm; Profile surface treatment: powder coating; It has the performance of heat insulation, sound insulation and Typhoon resistance.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	110 Broken Bridge 3-Track Sliding Window		
Size (Specification):	定制customize	Color:	砂灰
Details Description:	<p>Profile: 110 thermally-insulated special-shaped fixed window;</p> <p>Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm;</p> <p>Profile surface treatment: powder coating;</p> <p>It has heat insulation, sound insulation and typhoon resistance.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Model AK03		
Size (Specification):	430mm*55mm	Color:	黑色Black
Details Description:	Facial recognition, fingerprint, palm print, password, card, key functions TUYA WIF. Function: 3D face + electronic cat's eye + TUYA WIFI + fingerprint + password + IC card + mechanical key (7 in 1) function. Material: aluminum alloy, factory standard: 24-240MM lock body, English configuration factory.		
Quantity In Package:	6CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	50.6*41*45cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel panel and handle lock		
Size (Specification):	350*70mm	Color:	黑古铜Black bronze、红古铜 Red bronze、金属灰 Metallic gray
Details Description:	Stainless steel handle/multi-functional stainless steel material, electroplating electrophoresis industry, salt spray test more than 200 hours, hw12 generation multi-functional structure, 360° direction can be automatically adjusted		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Unlabeled neutral hotel only sensor lock		
Size (Specification):	Standard	Color:	金色golden; 银色silver.
Details Description:	201# stainless steel intelligent sensor lock Scope of application: indoor door locks Card type: Temic card Specifications: Door thickness 40-55mm How to operate: hotel management system Lock body: five-tongue American standard lock body Panel size (mm): 240*78*18		
Quantity In Package:	10CTNS		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Zinc alloy Italian simple ecological door lock		
Size (Specification):	标准standard	Color:	黑色black灰拉丝grey, 金色golden白色white
Details Description:	Product material: zinc alloy + stainless steel Lock body model specifications: Italian magnetic lock body, opening the door more smoothly. Suitable door leaf thickness: 35-50mm		
Quantity In Package:	20SETS		
	1SET		
Packaging Method:	Paper carton packing		
Packaging Size:	43.5*40.5*32.5cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Aluminum alloy magnetic silent door lock		
Size (Specification):	Standard	Color:	灰拉丝Grey, 哑黑matt black亮金golden
Details Description:	Model 72-33, equipped with 4558 magnetic double tongue, small 70 zinc alloy copper core key lock core; suitable for door thickness 35-50mm, suitable for bathroom, room doors, etc.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



手工测量，如有误差敬请见谅


Item:	Aluminum Oxide Aluminum Oxide Black Split Lock		
Size (Specification):	Standard	Color:	黑色Black
Details Description:	Surface treatment: Spray coating Applicable door thickness: 35-55mm Material: Pure anodized aluminum Lock body: Stainless steel 58 silent lock body / anodized aluminum lock cylinder		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Heavy dutu three-pole lock (without key)		
Size (Specification):	A2001BK	Color:	黑色Black; Golden金色
Details Description:	Surface treatment: nickel drawing Applicable door leaf thickness: 35-55mm Material: zinc alloy electroplating Lock body: universal three-bar lock tongue (adjustable)		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	砂光银色Sanding silver
Details Description:	Use top 304 stainless steel, right angle elbow handle 135*60*19, with 5058 lock body, 70 single open BK lock cylinder, suitable for 35-50mm door thickness.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door closer		
Size (Specification):	Standard	Color:	喷塑Plastic spraying
Details Description:	Square back door closer, hole spacing 162*19mm,180 degrees without positioning.Suitable for door weight 45-65kg, suitable for maximum door width 600-1200mm.		
Quantity In Package:	10SETS		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	2.2m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		
Quantity In Package:	1SET		
Packaging Method:	Paper carton packing		
Packaging Size:	2,200*17*4cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8m length squarelong handle		
Size (Specification):	25mm*38mm*L1500mm*L1800	Color:	Black
Details Description:	1.0mm steel material black color handle, the shape is sqaure type, 2 sides with 25mm and 38mm, the hole distance is 1500mm, the total length is 1800mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.5m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*3.0-4BB		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material, flat hinge, size is 4*3*3.0-4BB The width of a single page is 3mm		

120CTNS	For the wooden door, the default standard
---------	--

Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*2.5mm		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	201/304 stainless steel material, joint hinge, size is 4*3 * 2.5mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Stainless steel door hinges		
Size (Specification):	标配	Color:	Fixed color
Details Description:	<p>Material: Stainless steel</p> <p>Color: Crystal black</p> <p>Specifications: Load-bearing surface length 10cm, single load-bearing 800KG</p> <p>Suitable for heavy metal doors such as stainless steel doors.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

		
Item:	Barn Door Hardware sliding barn door roller	
Size (Specification):	2 meter length 2米长	Color: Matt Black 哑黑
Details Description:	Material: Carbon steel Surface treatment: Powder coating; Cardboard box set For barn doors This hardware requires on-site drilling for installation at the top of the door.	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	HL-041 Invisible Wheel Rail		
Size (Specification):	1200mm length	Color:	Matt Black 哑黑
Details Description:	Material: stainless steel		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Zinc alloy horizontal door stopper		
Size (Specification):	/	Color:	银色 Silver
Details Description:	Zinc alloy material, matte nickel brushed surface treatment. Widely used with all kinds of indoor wooden doors.		


For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.




Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

产品尺寸



开槽图纸



Item:	300-350KG High-end Pivot System Hardware		
Size (Specification):	标准	Color:	拉丝银色Silver
Details Description:	<p>Material: 304 stainless steel</p> <p>This product is the most compact model in the top and bottom hinge door closer system, suitable for both single and double doors, and can rotate 360°; it does not have door stop or automatic closing functions.</p> <p>Suitable for door widths of 1500 mm, load capacity 300-350 kg.</p> <p>Suitable for single and double doors, opening angle: 180° (or 360°).</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door bottom sound insulation dust sealing barrier		
Size (Specification):	915*14*28.5mm	Color:	银色Silver
Details Description:	The material is aluminum alloy, with silver oxide treatment on the surface, automatic lifting, sound insulation, light insulation, dust prevention, insect prevention and wind prevention functions. The size of the T type is 14*28.5mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).
Standard price is for reference, the exactly price will based on your exactly size and quantity.
For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.