



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Entrance Steel Door		
Size (Specification):	As Customize	Color:	
Details Description:	All copper material, the theoretical material is 8mm thick, the actual thickness is about 0.76 feet, the middle is filled with square tube pipe for door core.		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class customize 304 entrance door		
Size (Specification):	定制	Color:	哑光黑 Matt black
Details Description:	<p>Technology: Laser integrated molding structure; Profile: 1.0 thickness Door leaf thickness: 90mm+-1mm Lock body: Armored energy-saving lock body; Door hinge: Minimalist anti-droop door hinge, single load-bearing 800KG; Internal filling: flame-retardant polyurethane;</p>		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	High class solid oak wood paint door		
Size (Specification):	Customized 定制		Color: 哑光黑 Matt black; 定制颜色 Customize color
Details Description:	<p>Size type: wall to wall size Door panel thickness: 50mm±1mm; Door panel suspension: 10mm±1mm Door leaf structure: full natural oak solid wood with semi-solid door core, with finish painting technology; Door frame & casing: full natural oak solid wood; Design: matte black paint finish, with groove customize decoration line; Hardware hole open: will make lock hole</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



[A]炫彩灰
Colorful Grey



[B]暖白
White



[C]流光岁月深灰
Streamer Dark Grey



[D]流金岁月黄
Yellow



[E]爱马仕绿
Hermes Green



[F]爱马仕灰
Hermes Grey



[G]爱马仕橙
Hermes Orange



[H]流光岁月咖啡
Streamer Coffee

Item:	[Special] BN2120 Skin-Sensitive Flat Panel with Paint-Free Door		
Size (Specification):	Customize	Color:	[A]Grey[B]White; [C] D.Grey[D]Yellow; [E]Green[F]H.Grey[G]H.Orange[H] S.Coffee
Details Description:	<p>Size Type: Door Opening Size Door Leaf Thickness: 48mm\pm1mm; Hanging Leg Height: 10mm\pm1mm; Door Leaf: Solid wood frame + honeycomb paper filling. MDF transition layer, melamine finish. Door Frame/Mattress: 32mm, solid wood door frame. Interior has snap-on door trim; front (outside the door) does not include wainscoting and has no door trim. Hardware Holes: Lock hole, recessed lock plate.</p>		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	16*45 ultra-narrow sliding door		
Size (Specification):	16*45*2.0	Color:	肌肤黑Dark skin优雅白
Details Description:	<p>Material: Titanium-magnesium-aluminum alloy Profile thickness: 2.0mm (titanium-magnesium-aluminum alloy) Railway: 4-rail push-pull (including linkage damper)</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



FF02-A11-B

Item:	Lock set		
Size (Specification):	Standard	Color:	砂黑 Sandy black/银色
Details Description:	<p>Finishing treatment: sanding treatment/alumina; 【需要选择】 Usage thickness range: Suitable for 35-50mm thickness Material: pure alumina 58 mute lock body / alumina lock cylinder3 brass keys</p>		
Quantity In Package:	30CTNS		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号 / Model
8813-0808 金属灰
(一体化拉手)

Item:	Entrance door anti-theft lock		
Size (Specification):	标配	Color:	星空灰
Details Description:	<p>Lock body: A lock body protection box is formed by stamping and welding a 2.0 thick stainless steel plate with a lock edge process. The lock body and filling are inside the box, which is equivalent to an extra layer of protective armor.</p> <p>Safety: Effectively prevent prying, ensure the stability of the lock body, and extend the service life of the lock body.</p> <p>Structural research and development: Bearing + gear drive, the advantage is that the lock is very labor-saving and smooth, the unlocking sound is very small, and it is not easy to age.</p>		
Quantity In Package:	1BOX		
Packaging Size:	41*17.5*8cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	High-end copper lock		
Size (Specification):	标准standard	Color:	黄古铜
Details Description:	<p>Product Material: Pure copper plated with K gold Craftsmanship: Hollow-out engraving cold working Panel Size (mm): 320*59.5 Lock Body Specification: 85 holes Lock Body Material: Stainless steel panel Lock Body Design: Noise-reducing bolt design, Italian silent lock body, quieter and smoother opening Lock Cylinder: Single-sided unlocking, seven-bead pure copper lock cylinder Key: Pure copper multi-layer electroplated Suitable Door Thickness: 35-50mm (Interior wooden doors) Packaging: Foam + premium cardboard box</p>		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	304 stainless steel push down buffer rebound right angle panel handle lock		
Size (Specification):	200*45mm	Color:	砂光Sanding, 哑黑matte black, 砂金dust golden, 玫瑰金rose gold
Details Description:	<p>Lock body model specification: 4558; lock cylinder specification: 70mm; suitable door thickness: 38-55mm. Product material: stainless steel, surface brushed, no rust, no fading. Solid square tongue prevents violent disassembly and reduces friction sound. Buffer spring, silent opening and closing. Copper core copper key: 6 copper beads, not easy to fade, strong and durable.</p>		
Quantity In Package:	20PCS		
Packaging Method:	Paper carton packing		
Packaging Size:	55*33.5*51cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Unlabeled neutral hotel only sensor lock	
Size (Specification):	Standard	Color: 金色golden; 银色silver.
Details Description:	<p>201# stainless steel intelligent sensor lock Scope of application: indoor door locks Card type: Temic card Specifications: Door thickness 40-55mm How to operate: hotel management system Lock body: five-tongue American standard lock body Panel size (mm): 240*78*18</p>	
Quantity In Package:	10CTNS	
Packaging Method:	Paper carton packing	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色 Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details




Item:	Door closer	
Size (Specification):	Standard	Color: 噴塑Plastic spraying
Details Description:	Square back door closer, suitable for door width 450-950mm, installation size: 126*19mm, suitable door weight 25-45KG.	
Quantity In Package:	10SETS	
Packaging Method:	Paper carton packing	
Packaging Size:	43*26*17.5cm	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	Hinge	
Size (Specification):	Standard	Color: 拉丝银色
Details Description:	201 stainless steel hinges, 201 screws. Barrier-free opening and closing hinges Suitable for door leaf thickness of 48-50	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



BLOSSOM CHEER



Item:	Hinge with 4*4*3.0-2BB		
Size (Specification):	Standard	Color:	拉丝银色 Lined silver
Details Description:	304 stainless steel material, flat hinge, size is 4*4*3.0-2BB The width of a single page is 3mm		
60CTNS	For the wooden door, the default standard		

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Stainless steel door hinges		
Size (Specification):	标配	Color:	Fixed color
Details Description:	<p>Material: Stainless steel Color: Crystal black Specifications: Load-bearing surface length 10cm, single load-bearing 800KG Suitable for heavy metal doors such as stainless steel doors.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	Thickened stainless steel joint hinge		
Size (Specification):	4 Inch	Color:	黑色 Black
Details Description:	Thickened stainless steel hinge, material: 201 stainless steel.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door bolt	
Size (Specification):	10寸	Color: 银色 Silver
Details Description:	304 stainless steel	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door bottom sound insulation dust sealing barrier		
Size (Specification):	915*14*28.5mm	Color:	银色Silver
Details Description:	The material is aluminum alloy, with silver oxide treatment on the surface, automatic lifting, sound insulation, light insulation, dust prevention, insect prevention and wind prevention functions. The size of the T type is 14*28.5mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.