



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	4mm thick aluminum finish board door		
Size (Specification):	定制customize	Color:	哑光黑Matt black定制customize
Details Description:	<p>Size type: door opening size; Whether a threshold is required: yes/no; door leaf thickness 90mm; Material: front side made of 4.0mm thick aluminum plate material, back side with 1mm thickness stainless steel material, the internal reinforced steel core is filled with sound insulation foam, matched with MDF material and steel keel frame. The glass defaults to tempered frosted glass.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



[A]炫彩灰
Colorful Grey



[B]暖白
White



[C]流光岁月深灰
Streamer Dark Grey



[D]流金岁月黄
Yellow



[E]爱马仕绿
Hermes Green



[F]爱马仕灰
Hermes Grey



[G]爱马仕橙
Hermes Orange



[H]流光岁月咖啡
Streamer Coffee

Item:	[Special] BN2120 Skin-Sensitive Flat Panel with Paint-Free Door		
Size (Specification):	Customize	Color:	[A]Grey[B]White; [C] D.Grey[D]Yellow; [E]Green[F] H.Grey[G]H.Orange[H] S.Coffee
Details Description:	<p>Size Type: Door Opening Size Door Leaf Thickness: 48mm±1mm; Hanging Leg Height: 10mm±1mm; Door Leaf: Solid wood frame + honeycomb paper filling. MDF transition layer, melamine finish. Door Frame/Mattress: 32mm, solid wood door frame. Interior has snap-on door trim; front (outside the door) does not include wainscoting and has no door trim. Hardware Holes: Lock hole, recessed lock plate.</p>		
Quantity In Package:	1PC		
Packaging Size:	2,300*950*250cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.4mm Thickness Profile 110 Broken Bridge Top Hung Window	
Size (Specification):	Customize	Color: 砂灰Sand gray 闪银silver flash black 金属灰metallic gray 咖啡brown(coffee color))
Details Description:	<p>Profile: 110 broken bridge casement window; Profile thickness: 1.4mm thick, hollow tempered glass 5mm+20A+5mm; Profile surface treatment: powder coating; Hardware: Imported German Homan full set of accessories. It has heat insulation, sound insulation and typhoon resistance.</p>	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	70Series Aluminum Alloy American Lift Window		
Size (Specification):	定制	Color:	灰色、黑色、白色
Details Description:	70 series aluminum alloy, profile thickness 1.5; default conventional double-layer 5+9A+5mm tempered glass.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	65 series fix aluminum frame hinged door		
Size (Specification):	Customize定制	Color:	氟碳香金 慕尼黑 暖白 新咖啡 星空灰 氟碳铂灰 视觉柚木 巴西胡桃木 法国梨木 法国科技木
Details Description:	<p>Profile: 1.4mm thickness; Profile thickness: 4mm thick double-layer glass. 65 aluminum alloy material, good mute effect. Glass: 4mm+15A+4mm, double glass.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	1.8m length squarelong handle		
Size (Specification):	25mm*38mm*L1500mm*L1800	Color:	Sliver拉丝银色
Details Description:	1.0mm steel material black color handle, the shape is square type, 2 sides with 25mm and 38mm the total length is 1800mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



FF02-A11-B

Item:	Lock set		
Size (Specification):	Standard	Color:	砂黑 Sandy black/银色
Details Description:	<p>Finishing treatment: sanding treatment/alumina; 【需要选择】 Usage thickness range: Suitable for 35-50mm thickness Material: pure alumina 58 mute lock body / alumina lock cylinder3 brass keys</p>		
Quantity In Package:	30CTNS		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号 / Model
8813-0808 金属灰
(一体化拉手)

Item:	Entrance door anti-theft lock		
Size (Specification):	标配	Color:	星空灰
Details Description:	<p>Lock body: A lock body protection box is formed by stamping and welding a 2.0 thick stainless steel plate with a lock edge process. The lock body and filling are inside the box, which is equivalent to an extra layer of protective armor.</p> <p>Safety: Effectively prevent prying, ensure the stability of the lock body, and extend the service life of the lock body.</p> <p>Structural research and development: Bearing + gear drive, the advantage is that the lock is very labor-saving and smooth, the unlocking sound is very small, and it is not easy to age.</p>		
Quantity In Package:	1BOX		
Packaging Size:	41*17.5*8cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	High-end copper lock		
Size (Specification):	标准standard	Color:	黄古铜
Details Description:	<p>Product Material: Pure copper plated with K gold Craftsmanship: Hollow-out engraving cold working Panel Size (mm): 320*59.5 Lock Body Specification: 85 holes Lock Body Material: Stainless steel panel Lock Body Design: Noise-reducing bolt design, Italian silent lock body, quieter and smoother opening Lock Cylinder: Single-sided unlocking, seven-bead pure copper lock cylinder Key: Pure copper multi-layer electroplated Suitable Door Thickness: 35-50mm (Interior wooden doors) Packaging: Foam + premium cardboard box</p>		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Unlabeled neutral hotel only sensor lock	
Size (Specification):	Standard	Color: 金色golden; 银色silver.
Details Description:	<p>201# stainless steel intelligent sensor lock Scope of application: indoor door locks Card type: Temic card Specifications: Door thickness 40-55mm How to operate: hotel management system Lock body: five-tongue American standard lock body Panel size (mm): 240*78*18</p>	
Quantity In Package:	10CTNS	
Packaging Method:	Paper carton packing	

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.




Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

- 1、单只液压最大承重40KG
- 2、最大开启角度180°
- 3、定位:90°定位, 90°到180°之间任意停止

- 4、二维可调: 左右±2m, 上下±4mm
- 5、不分左右安装
- 6、合页选配:



Item:	(40KG/piece) 60 types of zinc alloy hydraulic invisible hinges		
Size (Specification):	Standard	Color:	灰色黑色银色金色
Details Description:	<p>Material: Zinc Alloy Door Weight: 120kg (three doors) Applicable to: Lumu, wooden, concealed, folding doors, etc. Screws: 304 stainless steel Recommended door thickness: 36mm-55mm</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Model No.	Dimension(H×W×T)
RDH-10-SS-3"	4.0" ×3.0" ×3.0mm
RDH-10-SS-4"	4.0" ×4.0" ×3.0mm
Recommendation:3 pieces pairs per door	
3.0mm Thickness Hinges:60~80kgs per door	

Item:	hinge with spring		
Size (Specification):	Standard	Color:	拉丝银色 Lined silver 电镀黑色 Black(需加钱)
Details Description:	304 stainless steel material, size is 4*3*3, with spring closing function, 3 load-bearing 40-60KG		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum panel door armor process hinge		
Size (Specification):	标配	Color:	Fixed color
Details Description:	<p>Material: Stainless steel Color: Silver grayblack Specifications: Load-bearing surface length 10cm, single load capacity 800KG Suitable for heavy metal doors such as aluminum panels.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door closer		
Size (Specification):	Standard	Color:	噴塑Plastic spraying
Details Description:	Square back door closer, suitable for door width 450-950mm, installation size: 126*19mm, suitable door weight 25-45KG.		
Quantity In Package:	10SETS		
Packaging Method:	Paper carton packing		
Packaging Size:	43*26*17.5cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Item:	Door bottom sound insulation dust sealing barrier		
Size (Specification):	915*14*28.5mm	Color:	银色Silver
Details Description:	The material is aluminum alloy, with silver oxide treatment on the surface, automatic lifting, sound insulation, light insulation, dust prevention, insect prevention and wind prevention functions. The size of the T type is 14*28.5mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.