



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Entrance Steel Door		
Size (Specification):	As Customize	Color:	
Details Description:	All copper material, the theoretical material is 8mm thick, the actual thickness is about 0.76 feet, the middle is filled with square tube pipe for door core.		
Quantity In Package:	6SETS		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).


Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号:GZ-6F6801

Item:	aluminum door		
Size (Specification):	定制customize	Color:	哑光黑Matt black定制customize
Details Description:	Surface Treatment: Artistic baking paint, using automotive-grade paint, non-oxidizing, colorfast, and durable. Material: Door leaf front is made of finely carved aluminum plate, 6mm thick; back is carved wood(Door frame painted in starry gray + door panel with artistic red copper brushed finish + blue, 6mm on the front and 3mm on the back with solid wood carving); internal filling is flame-retardant polyurethane. Frame: 1.2mm thick, aluminum material. Lock Body: German-style all-steel integrated lock. Lock Box: Built-in 2.0mm all-steel lock box. Hinges: Self-developed minimalist anti-sagging hinges, single hinge can bear 800KG; concealed hinges: easy to adjust.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号:GZ-4T0801

材质:全铝

Item:	aluminum door		
Size (Specification):	定制customize	Color:	如图
Details Description:	<p>Surface Treatment: Artistic baking paint, using automotive-grade paint, non-oxidizing, colorfast, and durable.</p> <p>Material: Door leaf front is made of finely carved aluminum plate, 4mm thick on the front and 2mm thick on the back, internally filled with aluminum honeycomb + all-steel frame.</p> <p>Frame: 3.0mm thick, aluminum plate material.</p> <p>Sealing Strips: EPDM rubber strips for better sound insulation.</p> <p>Lock Body: German-style all-steel integrated lock.</p> <p>Lock Box: Built-in 2.0mm all-steel lock box.</p> <p>Hinges: Minimalist anti-sagging hinges, single load capacity 800KG, concealed hinges: easy to adjust (with steel protective box).</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号:GZ-4T0802

材质:铝雕 + 不锈钢

Item:	aluminum door		
Size (Specification):	定制customize	Color:	如图
Details Description:	Surface Treatment: Artistic baking paint, using automotive-grade paint, non-oxidizing, colorfast, and durable. Material: Door leaf front: finely carved aluminum plate, 4mm thick front aluminum plate, 1mm thick stainless steel back, internally filled with aluminum honeycomb + all-steel frame. Frame: 1.2mm thick, stainless steel. Sealing Strip: EPDM rubber strip, for better sound insulation. Lock Body: German-style all-steel integrated lock. Lock Box: Built-in 2.0mm all-steel lock box. Hinges: Minimalist anti-sagging hinges, single load capacity 800KG, concealed hinges: easy to adjust (with steel protective box).		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	High class solid oak wood paint door		
Size (Specification):	Customized定制	Color:	哑光黑Matt black; 定制颜色Customize color
Details Description:	<p>Oak mortise and tenon joint wooden door: Default door leaf thickness: 45±1mm Frame: 50*35 oak timber Core material: 34*18 oak Panel: 8mm oak Door frame: 20mm oak base, 20mm oak panel Margins: Oak painted Dimensions: 70*12 (flat) Paint: GB 18581-2020 "Limits of Hazardous Substances in Wood Coatings" (Soluble-based Coatings, Polyurethane Primers) Judgment Basis GB/T 23997-2009 "Soluble-based Polyurethane Wood Coatings for Interior Decoration and Renovation" (General Primers) Judgment Basis A total of 15 items were tested, and all tested items met the requirements of the standards.</p>		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Black frame glass barn door		
Size (Specification):	16*45*2.0	Color:	肌肤黑Dark skin
Details Description:	8mm thick single-layer tempered glass3C Certification, 2.0 thick profile, titanium magnesium aluminum alloy barn door, glass color can be selected white glass and black glass		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8mm load-bearing PT door		
Size (Specification):	按照平方数计算	Color:	黑色black.
Details Description:	1.8mm thick load-bearing aluminum alloy profiles; tempered clear glass or tempered frosted glass options available; hardware required for these doors included. Glass: 5mm tempered glass. Profile surface treatment: powder coating.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item: 50*70mm aluminum profile pivot door	
Size (Specification): Customize定制	Color: 灰色grey, 黑色black, 定制customize
Details Description:	Profile thickness: 1.4 thick, hollow tempered glass 5mm+20A+5mm; Use 50*70mm heavy duty door material to make the pivot door. Profile surface treatment: powder coating; It has heat insulation, sound insulation and typhoon resistance.

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	T6 Small lock with single tongue lock body		
Size (Specification):	/	Color:	哑光黑Matt black; 金色Golden
Details Description:	Material: zinc alloy Unlock:semiconductor fingerprint + password + key + TUYA Bluetooth Door panel thickness :38-70mm Warranty period :2 years Power supply :4AAA battery Locks factory configuration: two MF cards, two mechanical keys, an instruction manual, and a hole drawing (full automatic lock with a lithium battery).		
Quantity In Package:	12CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	28*19*10.5cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit webite www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



FF02-A11-B

Item:	Lock set		
Size (Specification):	Standard	Color:	砂黑Sandy black
Details Description:	Finishing treatment: sanding treatment; Usage thickness range: Suitable for 35-50mm thickness Material: pure alumina Lock body: stainless steel, 3 copper keys		
Quantity In Package:	30CTNS		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	砂白 Sandy silver
Details Description:	Finishing treatment: sanding treatment; Usage thickness range: Suitable for 35-50mm thickness Material: pure alumina 58 mute lock body / alumina lock cylinder 3 brass keys		
Quantity In Package:	30CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Lock set		
Size (Specification):	Standard	Color:	黑色/灰色
Details Description:	Zinc alloy72 fork lock body, zinc copper core, 3 brass key		
Quantity In Package:	30CTNS		
Packaging Method:	Paper carton packing		
Packaging Size:	79.2*32.2*39.2cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Modern Style Lock BK Type		
Size (Specification):	909-150	Color:	Black黑色 Gray brushed灰拉丝
Details Description:	Zinc alloy solid handle with 5572 holes, 304 lock body, pure copper large 70 lock cylinder. BK keyless type, suitable for toilets, kitchens, etc.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	304 stainless steel push down buffer rebound right angle panel handle lock		
Size (Specification):	200*45mm	Color:	砂光Sanding, 哑黑matte black, 砂金dust golden, 玫瑰金 rose gold
Details Description:	Lock body model specification: 4558; lock cylinder specification: 70mm; suitable door thickness: 38-55mm. Product material: stainless steel, surface brushed, no rust, no fading. Solid square tongue prevents violent disassembly and reduces friction sound. Buffer spring, silent opening and closing. Copper core copper key: 6 copper beads, not easy to fade, strong and durable.		
Quantity In Package:	20PCS		
Packaging Method:	Paper carton packing		
Packaging Size:	55*33.5*51cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aisle lock		
Size (Specification):	Standard	Color:	砂光银色Sanding silver
Details Description:	304 stainless steel, corridor Channel Lock, handle with 5572ZL single oblique tongue lock body, no reverse lock function.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



型号 / Model
8813-0808 金属灰
(一体化拉手)

Item:	Entrance door anti-theft lock		
Size (Specification):	标配	Color:	星空灰
Details Description:	Lock body: A lock body protection box is formed by stamping and welding a 2.0 thick stainless steel plate with a lock edge process. The lock body and filling are inside the box, which is equivalent to an extra layer of protective armor. Safety: Effectively prevent prying, ensure the stability of the lock body, and extend the service life of the lock body. Structural research and development: Bearing + gear drive, the advantage is that the lock is very labor-saving and smooth, the unlocking sound is very small, and it is not easy to age.		
Quantity In Package:	1BOX		
Packaging Size:	41*17.5*8cm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.8m stainless steel long handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material thickness 0.8mm, the outer diameter is 38mm, rust-proof and durable, easy to clean. Bright surface on both ends, brushed face in the middle, bright and beautiful.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).



Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



RTH-22

Item:	Round handle		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material, stainless steel hollow round handle.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	1.5m length squarelong handle		
Size (Specification):	25mm*38mm*L1200mm*L1500	Color:	Black
Details Description:	0.7mm steel material black color handle, the shape is square type, 2 sides with 25mm and 38mm, the hole distance is 1200mm, the total length is 1500mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Folding door wooden door hardware suit		
Size (Specification):	Standard	Color:	银色Silver
Details Description:	It is composed of 1 hanging wheel, 2 invisible hinges, 1 pair of upper and lower fixed rotating bolts and 1 set of screws; 1 set for 1 folding door (2 door panels); The material is zinc alloy and nylon wheel, and the load is 60-100kg. Maximum side size of lifting wheel: 112 * 26mm; Wheel diameter 22mm; Invisible hinge size 70 * 16mm		
Quantity In Package:	1SET		
Packaging Method:	Paper carton packing		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hanging rail		
Size (Specification):	Standard	Color:	氧化铝Alumina
Details Description:	Aluminum material, supporting hanging rail 33.4*31.9*3mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Aluminum panel door armor process hinge		
Size (Specification):	标配	Color:	Fixed color
Details Description:	Material: Stainless steel Color: Silver grayblack Specifications: Load-bearing surface length 10cm, single load capacity 800KG Suitable for heavy metal doors such as aluminum panels.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Pivot door floor hinges		
Size (Specification):	Standard	Color:	砂光银色Silver
Details Description:	Material: 304 stainless steel;Max opening: 135° Width1200×2300mm; Max weight120-150kg; Location: 90° / 135° Outer size302×110×44mm.		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge		
Size (Specification):	4*3*3mm	Color:	亮金 gold
Details Description:	Material: Stainless steel Load-bearing: 45-60kg Applicable door width: ≤940mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Hinge with 4*3*2.55		
Size (Specification):	Standard	Color:	拉丝银色
Details Description:	201 stainless steel material hinge , 201 stainless steel core, 201 screws. Flat hinge, size is 4*3*2.55 The width of a single page is 2.6mm		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	5-inch pure copper hinge		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	Pure copper material; casement bearing hinge; dimensions: 140*80*4 mm; single-sided page width: 4.0 mm.		

120CTNS

For the wooden door,
the default standard

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details

BLOSSOM CHEER



Item:	Hinge with 4*4*3.0-2BB		
Size (Specification):	Standard	Color:	拉丝银色Lined silver
Details Description:	304 stainless steel material, flat hinge, size is 4*4*3.0-2BB The width of a single page is 3mm		

60CTNS

For the wooden door,
the default standard

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.



Guangdong BLOSSOM CHEER Holdings Limited

Recommend Product Details



Item:	Door bolt		
Size (Specification):	10寸	Color:	银色Silver
Details Description:	304 stainless steel		

For the wooden door, the default standard specification for door is wall to wall size 2100*900*150mm(=82.6*35.4*5.9in).

Standard price is for reference, the exactly price will based on your exactly size and quantity.

For more details, you can please kindly contact our KA manager; or visit website www.blossomcheer.com for further project details.