

Pick to Light SETP_Label_V43 Specification

DALIAN SERTAG TECHNOLOGY CO., LTD

Sertag


Pick to Light SETP_Label_V43

SETP_Label_V43



Product Model	SETP_Label_v43
Dimension (mm)	140*30*23.1
Screen	TFT color screen
Display Area (mm)	32(H) * 17(V)
Resolution (pixels)	320*172
Screen Size (mm)	1.47"
Appearance Color	Grey
Key Press	3
Illuminated Button	1 color headlight button (Support bright colors)
Indicator light	Two LED indicator lights (one for power and one for status)
Light Color	Seven Colors (red/green/blue/yellow/purple/white/light blue)
Power Supply Mode	DC 24V
Communication	Wireless communication
Working Temperature	-30~80 °C
Working Frequency Band	868MHz
Wireless Firmware Update	Yes
Installation Method	Bracket wire clamping/track installation
Communication Equipment	Gateway: SETP_Router_V1.5 / SETP_Router_V1.3


Appearance Specification



Actual Product Photos




System Structure



SETP_Router_V1.3+ Server + SETP_Label_v43


The electronic tag picking system sends instructions through a PC or scanner, which are then forwarded by a router to control the LED lights or screens on the electronic tags to guide pickers accurately and quickly to the designated locations to pick up the corresponding goods.



SETP_Router_V1.5 + SETP_Label_v43

Installation Method

1. Bracket wire clamping + cable tie fixation (screws or rolled tape fixed to the shelf, rolled tape fixed to the steel pipe)



2. Track installation

