

# General Catalog Pipe Tools

2023



## Dedicated to pipe tools



# **Company Introduction**

Since 2005, Hangzhou Weiping Machinery Equipment Co., Ltd. has been focusing on the development, manufacturing and sales of pipe tool equipment. Our goal is to combine industrial-level design, performance and quality to create a machine that will become your first choice.

Our products can beused in municipal drainage, natural gas, sewage, chemical, agricultural irrigation and so on.Our products sell well at home and abroad by virtue of high quality and competitive price.They are mainly distributed in India, South Africa, Sri Lanka, Russia, Germany and so on.

To suit different pipe applications and market requirements, we are offering different level tools represented by brand WELPING, YOVIDA, Doweld and Volkir. Brand WELPING enjoys a high reputation in the market of China and Russia, benefiting from the steady quality and performance. Thanks to our experienced engineers, WELPING can help you to quickly decide OEM and ODM requirements. At the same time, we are improving and updating products line to better suit field requirements.

WELPING takes the advantages of our full line production capacity, form laser cutting, die casting, metal fabrication and machining,powder coating and assembly. We can always provide competitive pricing and optimal production time. Standard items and light-OEM items, WELPING can finish within 10 days.

As the leading integrated supplier of pipetool solutions, WELPING has been expanding from manufacturing butt welding equipment, pipe bender , drain cleaning and other hydraulic tools apply to any kind of pipes .We intend to bring industrial level design, performance and quality together, to help you build reputation in the field of pipe jointing.











# **Pipe Vise & Stand**

## Pipe vise & stand

## Product features

- Crank handle anchored to base.
- For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications, like pipe threading, cutting, grooving etc.
- Toothed jaws are for pipe clamping securely.
- Cast-iron base with handy pipe rest and bender.

| Catalog No. | Model No. | Description      | Pipe Capacity |       | Wei  | ght | Package      |
|-------------|-----------|------------------|---------------|-------|------|-----|--------------|
|             |           | '                | Inch          | mm    | lb.  | kg  | (cm)         |
| 750020      | H402      | Bench chain vise | 1/8"-6        | 3-150 | 15.4 | 7   | 25.5*25*15.5 |

## **Product features**

- Crank handle anchored to base.
- For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications, like pipe threading, cutting, grooving etc.
- Toothed jaws are for pipe clamping securely.
- Die casting aluminum solid base, light-weight, durable and impact resistant.
- Built-in tool tray, tool hanging slot, pipe rest and bender.
- Foldable structure, easy for transportation and stock.

| Catalog<br>No. | Model No. | Description         | Pipe Capacity |       | Max weight |     | Weight |    | Package   |
|----------------|-----------|---------------------|---------------|-------|------------|-----|--------|----|-----------|
| No.            |           |                     | in.           | mm    | lb.        | kg  | lb.    | kg | (cm)      |
| 750010         | H401      | Tristand chain vise | 1/8"-6        | 3-150 | 1322       | 600 | 44     | 20 | 110*48*22 |

## **Product features**

- Crank handle anchored to base.
- For pipe support from 1/8"-6" (3mm-150mm), suitable in many applications, like pipe threading, cutting, grooving etc.
- Toothed jaws are for pipe clamping securely.
- Detachable design, the chain clamp and the bracket can be separated.
- Foldable structure, easy for transportation and stock.

| Catalog | Model No. | 1odel No. Description |        | Pipe Capacity |     | Max weight |     | eight | Package   |  |
|---------|-----------|-----------------------|--------|---------------|-----|------------|-----|-------|-----------|--|
| No.     |           | '                     | in.    | mm            | lb. | kg         | lb. | kg    | (cm)      |  |
| 750030  | H40-A     | Tripod chain vise     | 1/8"-6 | 3-150         | 882 | 400        | 46  | 20.8  | 121*37*30 |  |









## **Product features**

- •S, M and L stands for different height, A and B ball head can mount 1107 stand.
- •1107 series pipe stands equip lock ring allowing quick height adjustment.
- Foldable structure, easy for transportation and stock.
- Durable V-head, easy to install, for 1/8"-12"(3mm-300mm), suitable in many applications,Like pipe threading, cutting, grooving etc.
- A portable handle wrapped by rubber is also a highlight. Easy carrying and storage.





ball head

### V head pipe stands

| Catalog<br>No. | Model No. | Description       | Height ad<br>LOW- |           | M<br>pipe ca | ax<br>apacity | Max<br>workingcapacity |      | Weight |
|----------------|-----------|-------------------|-------------------|-----------|--------------|---------------|------------------------|------|--------|
|                |           |                   | in.               | cm        | in.          | cm            | lb.                    | kg   | kg     |
| 730010         | 1107-S    | V head pipe stand | 20-36 ½           | 50.5-93.5 | 12           | 30            | 2500                   | 1134 | 12.9   |
| 730020         | 1107-M    | V head pipe stand | 23-42 ½           | 60-108    | 12           | 30            | 2500                   | 1134 | 14.1   |
| 730030         | 1107-L    | V head pipe stand | 28-52             | 71-132    | 12           | 30            | 2500                   | 1134 | 15.9   |

#### Ball head for 1107

| Catalog No. | Model No. | Description        | Max pipe | capacity | Max weight | t capacity | Weight |
|-------------|-----------|--------------------|----------|----------|------------|------------|--------|
|             |           |                    | in.      | cm       | lb.        | kg         | kg     |
| 730131      | А         | Ball head for 1107 | 12       | 30       | 1000       | 454        | 1.5    |
| 730132      | В         | Ball head for 1107 | 12       | 30       | 2000       | 900        | 2.8    |





## Ball head with fold pipe stand



### **Product features**

- •S, M and L stands for different height, A and B ball head can mount 1107 stand.
- •1107 series pipe stands equip lock ring allowing quick height adjustment.
- Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
- •Welding of heavy pipes, shapes, solids and rounds. Support pipe during pipe threading, pipe hole cutting, roll grooving, etc

### V head pipe stands with A ball head

| Catalog<br>No. | Model No. | Description                        |         | Height adjustment<br>LOW-High |    | ax<br>apacity | Max<br>workingcapacity |     | Weight |
|----------------|-----------|------------------------------------|---------|-------------------------------|----|---------------|------------------------|-----|--------|
|                |           | in.                                | cm      | in.                           | cm | lb.           | kg                     | kg  |        |
| 730040         | 1107A-S   | V head pipe stand with A ball head | 20-36 ½ | 50.5-93.5                     | 12 | 30            | 1000                   | 454 | 12.9   |
| 730050         | 1107A-M   | V head pipe stand with A ball head | 23-42 ½ | 60-108                        | 12 | 30            | 1000                   | 454 | 14.1   |
| 730060         | 1107A-L   | V head pipe stand with A ball head | 28-52   | 71-132                        | 12 | 30            | 1000                   | 454 | 15.9   |

#### V head pipe stands with B ball head

| Catalog<br>No. | Model No. | el No. Description                 |         | Height adjustment<br>LOW-High |     | ax<br>apacity | Max<br>workingcapacity |     | Weight |
|----------------|-----------|------------------------------------|---------|-------------------------------|-----|---------------|------------------------|-----|--------|
|                |           |                                    | in.     | cm                            | in. | cm            | lb.                    | kg  | kg     |
| 730070         | 1107B-S   | V head pipe stand with B ball head | 20-36 ½ | 50.5-93.5                     | 12  | 30            | 2000                   | 900 | 14.2   |
| 730080         | 1107B-M   | V head pipe stand with B ball head | 23-42 ½ | 60-108                        | 12  | 30            | 2000                   | 900 | 15.4   |
| 730090         | 1107B-L   | V head pipe stand with B ball head | 28-52   | 71-132                        | 12  | 30            | 2000                   | 900 | 17.2   |







## **Product features**

- •XS, XM and XL stands for different height, A and B ball head can mount 1107 stand.
- •1107 series pipe stands equip lock ring allowing quick height adjustment.
- Fixed structure, more heavy duty and steady.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications, Like pipe threading, cutting, grooving etc.
- The rounded foot pads of this stand is widened. The strut tension plate for superior lateral support.

Stability is enhanced when you are working in the uneven place.



ball head



ball head

## V head pipe stands

| Catalog<br>No. |         | Description       | Height ad<br>LOW- |           | M<br>pipe ca | ax<br>apacity | Ma<br>working |      | Weight |
|----------------|---------|-------------------|-------------------|-----------|--------------|---------------|---------------|------|--------|
|                |         |                   | in.               | cm        | in.          | cm            | lb.           | kg   | kg     |
| 730130         | 1107X-S | V head pipe stand | 20-36 ½           | 50.5-93.5 | 12           | 30            | 3300          | 1496 | 12.9   |
| 730140         | 1107X-M | V head pipe stand | 23-42 ½           | 60-108    | 12           | 30            | 3300          | 1496 | 14.1   |
| 730150         | 1107X-L | V head pipe stand | 28-52             | 71-132    | 12           | 30            | 3300          | 1496 | 15.9   |

#### Ball head for 1107

| Catalog No. | Model No. | Description        | Max pipe | capacity | Max weight | t capacity | Weight |
|-------------|-----------|--------------------|----------|----------|------------|------------|--------|
|             |           |                    | in.      | cm       | lb.        | kg         | kg     |
| 730131      | A         | Ball head for 1107 | 12       | 30       | 1000       | 454        | 1.5    |
| 730132      | В         | Ball head for 1107 | 12       | 30       | 2000       | 900        | 2.8    |





## Ball head with fixed pipe stand



## **Product features**

- •XAS, XAM and XAL stands for different height, A and B ball head can mount 1107 stand.
- •1107 series pipe stands equip lock ring allowing quick height adjustment.
- Fixed structure, more heavy duty and steady.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications. Like pipe threading, cutting, grooving etc.

## V head pipe stands with A ball head

| Catalog<br>No. | Model No. | Description                        | Height a<br>LOW |           | ax<br>apacity | Ma<br>workingo |      | Weight |      |
|----------------|-----------|------------------------------------|-----------------|-----------|---------------|----------------|------|--------|------|
|                |           |                                    | in.             | cm        | in.           | cm             | lb.  | kg     | kg   |
| 731060         | 1107XA-S  | V head pipe stand with A ball head | 20-36 ½         | 50.5-93.5 | 12            | 30             | 1000 | 454    | 12.9 |
| 731070         | 1107XA-M  | V head pipe stand with A ball head | 23-42 1⁄2       | 60-108    | 12            | 30             | 1000 | 454    | 14.1 |
| 731080         | 1107XA-L  | V head pipe stand with A ball head | 28-52           | 71-132    | 12            | 30             | 1000 | 454    | 15.9 |

### V head pipe stands with B ball head

| Catalog<br>No. Model No. |          | el No. Description                 |           | djustment<br>/-High | M<br>pipe ca | ax<br>apacity | Ma<br>workingo | Weight |      |
|--------------------------|----------|------------------------------------|-----------|---------------------|--------------|---------------|----------------|--------|------|
|                          |          |                                    | in.       | cm                  | in.          | cm            | lb.            | kg     | kg   |
| 731090                   | 1107XB-S | V head pipe stand with B ball head | 20-36 ½   | 50.5-93.5           | 12           | 30            | 2000           | 900    | 14.2 |
| 731100                   | 1107XB-M | V head pipe stand with B ball head | 23-42 1⁄2 | 60-108              | 12           | 30            | 2000           | 900    | 15.4 |
| 731110                   | 1107XB-L | V head pipe stand with B ball head | 28-52     | 71-132              | 12           | 30            | 2000           | 900    | 17.2 |





## Fold pipe stand with wheel





**Product features** 

- •CS, CM and CL stands for different height, A and B ball head can mount 1107 stand.
- ●1107 series pipe stands equip lock ring allowing quick height adjustment.
- Stable, collapsible steel tube frame with the smallest of dimensions, Portable, handy, and practical.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
- •Like pipe threading, cutting, grooving etc.
- Equip with wheel easy to move save labor.

### V head pipe stands with wheel

| Catalog<br>No. | Model No. | Model No. Description        |         | Height adjustment<br>LOW-High |    | ax<br>apacity | Max<br>workingcapacity |     | Weight |
|----------------|-----------|------------------------------|---------|-------------------------------|----|---------------|------------------------|-----|--------|
|                |           | in.                          | cm      | in.                           | cm | lb.           | kg                     | kg  |        |
| 730100         | 1107C-S   | V head pipe stand with wheel | 20-36 ½ | 50.5-93.5                     | 12 | 30            | 880                    | 400 | 13.2   |
| 730110         | 1107C-M   | V head pipe stand with wheel | 23-42 ½ | 60-108                        | 12 | 30            | 880                    | 400 | 14.4   |
| 730120         | 1107C-L   | V head pipe stand with wheel | 28-52   | 71-132                        | 12 | 30            | 880                    | 400 | 16.2   |

### Ball head for 1107

| Catalog No. | Model No. | Description        | Max pipe | capacity | Max weight | t capacity | Weight |
|-------------|-----------|--------------------|----------|----------|------------|------------|--------|
|             |           |                    | in.      | cm       | lb.        | kg         | kg     |
| 730131      | А         | Ball head for 1107 | 12       | 30       | 1000       | 454        | 1.5    |
| 730132      | В         | Ball head for 1107 | 12       | 30       | 2000       | 900        | 2.8    |



A ball head



B ball head





## Ball head with fixed pipe stand



## **Product features**

•CS, CM and CL stands for different height, A and B ball head can mount 1107 stand.

•1107 series pipe stands equip lock ring allowing quick height adjustment.

- Stable, collapsible steel tube frame with the smallest of dimensions, Portable, handy, and practical.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
- Like pipe threading, cutting, grooving etc.
- $\bullet \mathsf{Equip}$  with wheel easy to move save labor.

## V head pipe stands with wheel and A ball head

| Catalog<br>No. | Model No. | Description                        | 0       | djustment<br>-High | M<br>pipe ca | ax<br>apacity | Ma<br>workingo |     | Weight |
|----------------|-----------|------------------------------------|---------|--------------------|--------------|---------------|----------------|-----|--------|
|                |           |                                    | in.     | cm                 | in.          | cm            | lb.            | kg  | kg     |
| 730130         | 1107CA-S  | V head pipe stand with A ball head | 20-36 ½ | 50.5-93.5          | 12           | 30            | 880            | 400 | 14.4   |
| 730140         | 1107CA-M  | V head pipe stand with A ball head | 23-42 ½ | 60-108             | 12           | 30            | 880            | 400 | 15.6   |
| 730150         | 1107CA-L  | V head pipe stand with A ball head | 28-52   | 71-132             | 12           | 30            | 880            | 400 | 17.4   |

### V head pipe stands with with wheel and B ball head

| Catalog<br>No. | Model No. | Description                        |         | djustment<br>-High | M<br>pipe ca | ax<br>apacity | Ma<br>workingo |     | Weight |
|----------------|-----------|------------------------------------|---------|--------------------|--------------|---------------|----------------|-----|--------|
|                |           |                                    | in.     | cm                 | in.          | cm            | lb.            | kg  | kg     |
| 730160         | 1107CB-S  | V head pipe stand with B ball head | 20-36 ½ | 50.5-93.5          | 12           | 30            | 880            | 400 | 15.7   |
| 730170         | 1107CB-M  | V head pipe stand with B ball head | 23-42 ½ | 60-108             | 12           | 30            | 880            | 400 | 16.9   |
| 730830         | 1107CB-L  | V head pipe stand with B ball head | 28-52   | 71-132             | 12           | 30            | 880            | 400 | 18.7   |





## Pipe stand

## **Product features**

- •With Stainless steel crucifix structure ,more solidity.
- •1107E can Foldable structure, easy for transportation and stock.
- •For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications, like pipe threading, cutting, grooving etc.



## Roller head pipe stand

| Catalog<br>No. | Model No. | Description                       | <b>J</b> | djustment<br>-High | Max<br>pipe capacity |    | Max<br>workingcapacity |      | Weight |
|----------------|-----------|-----------------------------------|----------|--------------------|----------------------|----|------------------------|------|--------|
|                |           |                                   | in.      | cm                 | in.                  | cm | lb.                    | kg   | kg     |
| 730200         | 1107E     | Stainless X Shape head pipe stand | 28-52    | 71-132             | 12                   | 30 | 2500                   | 1134 | 13.5   |

## Product features

- •Locking ring allows for quick vertical height adjustments.
- •1107F can Foldable structure, easy for transportation and stock.
- •For pipe support from 1/8"-12" (3mm-300mm), designed to support pipe for a variety of uses on the job site like pipe threading, cutting, grooving etc.





| Catalog<br>No. | Model No. | Description       | Height adjustment<br>LOW-High |        | Max<br>pipe capacity |    | Max<br>workingcapacity |      | Weight |
|----------------|-----------|-------------------|-------------------------------|--------|----------------------|----|------------------------|------|--------|
|                |           |                   | in.                           | cm     | in.                  | cm | lb.                    | kg   | kg     |
| 730210         | 1107F     | V head pipe stand | 28-52                         | 71-132 | 12                   | 30 | 2645                   | 1200 | 13.3   |

## **Product features**

- •Roller bracket are available in varying configurations with capacity up to 36".
- •1107R can Foldable structure, easy for transportation and stock.
- •The rounded foot pads of this stand is widened. The strut tension plate for superior lateral support.





## Roller head pipe stand

| Catalog<br>No. | Model No. | Description                 |       | djustment<br>-High | Max<br>pipe capacity |    | Max<br>workingcapacity |      | Weight |
|----------------|-----------|-----------------------------|-------|--------------------|----------------------|----|------------------------|------|--------|
|                |           |                             | in.   | cm                 | in.                  | cm | lb.                    | kg   | kg     |
| 730220         | 1107R     | Fold roller head pipe stand | 25-50 | 71-132             | 36                   | 91 | 2500                   | 1134 | 21     |





## Pipe stand

## Product features

- •1109 series pipe stands equip lock ring allowing quick height adjustment.
- •1109 can Foldable structure, easy for transportation and stock.
- For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications. like pipe threading, cutting, grooving etc.





## Roller head pipe stand

| Catalog<br>No. | Model No. | Description                 | J J   | djustment<br>-High | Max<br>pipe capacity |     | Max<br>workingcapacity |     | Weight |
|----------------|-----------|-----------------------------|-------|--------------------|----------------------|-----|------------------------|-----|--------|
|                |           |                             | in.   | cm                 | in.                  | mm  | lb.                    | kg  | kg     |
| 730230         | 1109      | Fold roller head pipe stand | 32-55 | 92-140             | 12                   | 300 | 1000                   | 454 | 16.5   |

## **Product features**

- •1109 series pipe stands equip lock ring allowing quick height adjustment.
- Fixed structure, more heavy duty and steady.
- •For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications. like pipe threading, cutting, grooving etc.



## Roller head pipe stand

| Catalog<br>No. | Model No. | . Description                | 0     | djustment<br>-High | Max<br>pipe capacity |    | Max<br>workingcapacity |     | Weight |
|----------------|-----------|------------------------------|-------|--------------------|----------------------|----|------------------------|-----|--------|
|                |           |                              | in.   | m                  | in.                  | cm | lb.                    |     | kg     |
| 730240         | 1109-B    | Fixed roller head pipe stand | 32-55 | 92-140             | 12                   | 30 | 1000                   | 454 | 16.5   |

### Product features

- •1109 series pipe stands equip lock ring allowing quick height adjustment.
- $\bullet$ 1109 can Foldable structure, easy for transportation and stock.
- •For pipe support from 1/8"-12" (3mm-300mm), suitable in many applications.
- like pipe threading, cutting, grooving etc.





## Roller head pipe stand

| Catalog<br>No. | Model No. | Description                 |       | djustment<br>-High | Max<br>pipe capacity |    | Max<br>workingcapacity |     | Weight |
|----------------|-----------|-----------------------------|-------|--------------------|----------------------|----|------------------------|-----|--------|
|                |           |                             | in.   | cm                 | in.                  | cm | lb.                    | kg  | kg     |
| 730250         | 1109-C    | Fold roller head pipe stand | 32-55 | 92-140             | 12                   | 30 | 1000                   | 454 | 16.5   |



## Pipe vise & stand

## **Product features**

- •Pipe Jack Stand with roller bracket are available in varying configurations with capacity up to 36".
- •H405 Pipe Jack Stand with outward roller is easy to move.
- •H405 Pipe Jack Stand height is adjustable.
- •The material of support frame is solid and durable, impact resistant.
- •Double Handle is adjustable. 4 wheels is lockable. for easy carrying and setup.
- •Suitable for use with threading machine, roll grooving machine, etc.





## Pipe jack stand

| Catalog<br>No. | Model<br>No. | Description     | Pipe<br>claming<br>rang | Maximum load<br>Bearing with wheels<br>and casters | Height<br>adjustable<br>with casters | Maximum load<br>Bearing without<br>wheels and<br>casters | Height<br>adjustable<br>without<br>casters | Weight<br>(kg) |
|----------------|--------------|-----------------|-------------------------|--|--------------------------------------|--|--|----------------|
| 770010         | H405         | Pipe jack stand | up to 36"               | 2204 lbs<br>(1000 kgs)                             | 32"(82cm)-39"<br>(100cm)             | 5000 lbs<br>(2268 kgs)                                   | 23″(59cm)<br>-30″(77cm)                    | 33             |

### **Product features**

- •Pipe Jack Stand with roller bracket are available in varying configurations with capacity up to 40".
- •H405 MAX Pipe Jack Stand with outward roller is easy to move.
- •H405 MAX Pipe Jack Stand height is adjustable.
- •The material of support frame is solid and durable, impact resistant.
- •Double Handle is adjustable. 5 wheels is lockable. for easy carrying and setup.
- •Suitable for use with threading machine, roll grooving machine, etc.



Pipe jack stand

| Catalo<br>No. | g Model<br>No. | Description     | Pipe<br>claming<br>rang | Maximum load<br>Bearing with wheels<br>and casters | Height<br>adjustable<br>with casters | Maximum load<br>Bearing without<br>wheels and<br>casters | Height<br>adjustable<br>without<br>casters | Weight<br>(kg) |
|---------------|----------------|-----------------|-------------------------|--|--------------------------------------|--|--|----------------|
| 77002         | H405<br>MAX    | Pipe jack stand | up to 40"               | 5070 lbs<br>(2300 kgs)                             | 32"(82cm)-39"<br>(100cm)             | 5561 lbs<br>(2568 kgs)                                   | 23"(59cm)<br>-30"(77cm)                    | 47             |





## Pipe vise & stand

### **Product features**

- •Roller bracket are available in varying configurations with capacity up to 43".
- •Stand with Steel Rollers is ideal for use with threading machines, roll grooving or other pipe working applications. Rollers can be locked to prohibit rotation. Feed screw quickly adjusts sizes and keeps pipe centered on stand.





## Pipe jack stand

| Catalog<br>No. | Catalog<br>No. Model No. | Description                 |       | djustment<br>-High | Max<br>pipe capacity |    | Max<br>workingcapacity |      | Weight |
|----------------|--------------------------|-----------------------------|-------|--------------------|----------------------|----|------------------------|------|--------|
|                |                          |                             | in.   | cm                 | in.                  | cm | lb.                    | kg   | kg     |
| 780010         | H406                     | Fold roller head pipe stand | 29-43 | 74-109             | 43                   | 91 | 2500                   | 1134 | 27.5   |

## **Product features**

- •Roller bracket are available in varying configurations with capacity up to 43".
- Stand with Steel Rollers is ideal for use with threading machines, roll grooving or other pipe working applications. Rollers can be locked to prohibit rotation.
  Feed screw quickly adjusts sizes and keeps pipe centered on stand.





## Pipe jack stand

| Catalog<br>No. | Model No. | Description                 | Height adjustment<br>LOW-High |    | Max<br>pipe capacity |    | Max<br>workingcapacity |      | Weight |
|----------------|-----------|-----------------------------|-------------------------------|----|----------------------|----|------------------------|------|--------|
|                |           |                             | in.                           | cm | in.                  | cm | lb.                    | kg   | kg     |
| 790010         | H407      | Fold roller head pipe stand | 35                            | 90 | 43                   | 91 | 2500                   | 1134 | 23.6   |





## **Work Bench**

## work bench

#### **Product features**

- •Stable and strong, easy to transport, foldable tubular frame
- Optimum work surface: plate made of processed beech wood
- ●22mm -25mm thick wood plate or plywood case
- •Versatile, ideal for vice machining



| Catalog<br>No. | Model<br>No. | Size of face | Working Height<br>(mm) | Capacity<br>(Kg) | Wood board<br>thickness(mm) | Steel<br>material | Weight<br>(kg) | Package Size<br>(cm) |
|----------------|--------------|--------------|------------------------|------------------|-----------------------------|-------------------|----------------|----------------------|
| 760010         | H403-1       | 120*62.5     | 825                    | up to 500        | 22                          | A3 steel          | 25             | 120*62.5*82          |
| 760011         | H403-2       | 108*62.5     | 800                    | up to 500        | 22                          | A3 steel          | 24             | 112*68*16            |
| 760012         | H403-3       | 80*62        | 800                    | up to 400        | 22                          | A3 steel          | 19             | 102*69*20            |
| 760013         | H403-4       | 81*50        | 620                    | up to 400        | 2.5                         | A3 steel          | 16             | 102*65*19            |







## Hangzhou Welping Machinery Equipment Co., Ltd

Phone: 00 86 571 89332538 E-mail: top@welping.cn Web: www.welpingtool.com Office address: Room 1904 Building 1, Taifu Plaza, No. 1 Tonghui Middle Road, Xiaoshan District, Hangzhou Factory address: No. 2 Jinyuan Road, Puyang Town, Xiaoshan District, Hangzhou, China