



Product Service

Attestation of Conformity

No. E8A 104143 0002 Rev. 00

Holder of Attestation: Dongguan Dadi Electronic Technology Co.,Ltd.

3/F, No.10 Sanjiang Industrial Area, Hengli Town
523460 Dongguan City, Guangdong Province
PEOPLE'S REPUBLIC OF CHINA

Name of Object: Switches

(Safety interlock)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuv-sud.com/ps-cert

Test report no.: 64713243006901

Date, 2024-03-25

(Tony Liu)

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. E8A 104143 0002 Rev. 00

Model(s):

OX-W2-CO/CO-GD-J, OX-W2-CO/CO-GC-J,
OX-W2-CO/2C-GD-J, OX-W2-CO/2C-GC-J,
OX-W2-2C/CO-GD-J, OX-W2-2C/CO-GC-J,
OX-W2-2C/2C-GD-J, OX-W2-2C/2C-GC-J,
OX-W2-C2O/C-GD-J, OX-W2-C2O/C-GC-J,
OX-W2-3C/C-GD-J, OX-W2-3C/C-GC-J,
OX-W2-2CO/C-GD-J, OX-W2-2CO/C-GC-J,
OX-W2-C/3C-GD-J, OX-W2-C/3C-GC-J,
OX-W2-C/C2O-GD-J, OX-W2-C/C2O-GC-J,
OX-W2-C/2CO-GD-J, OX-W2-C/2CO-GC-J,
OX-W2-O/3C-GD-J, OX-W2-O/3C-GC-J,
OX-W2-O/2CO-GD-J, OX-W2-O/2CO-GC-J,
OX-W2-2C/2O-GD-J, OX-W2-2C/2O-GC-J,
OX-W2-2O/2C-GD-J, OX-W2-2O/2C-GC-J,
OX-W2-CO/CO-GD-S, OX-W2-CO/CO-GC-S,
OX-W2-CO/2C-GD-S, OX-W2-CO/2C-GC-S,
OX-W2-2C/CO-GD-S, OX-W2-2C/CO-GC-S,
OX-W2-2C/2C-GD-S, OX-W2-2C/2C-GC-S,
OX-W2-C2O/C-GD-S, OX-W2-C2O/C-GC-S,
OX-W2-3C/C-GD-S, OX-W2-3C/C-GC-S,
OX-W2-2CO/C-GD-S, OX-W2-2CO/C-GC-S,
OX-W2-C/3C-GD-S, OX-W2-C/3C-GC-S,
OX-W2-C/C2O-GD-S, OX-W2-C/C2O-GC-S,
OX-W2-C/2CO-GD-S, OX-W2-C/2CO-GC-S,
OX-W2-O/3C-GD-S, OX-W2-O/3C-GC-S,
OX-W2-O/2CO-GD-S, OX-W2-O/2CO-GC-S,
OX-W2-2C/2O-GD-S, OX-W2-2C/2O-GC-S,
OX-W2-2O/2C-GD-S, OX-W2-2O/2C-GC-S,
OX-W2-CO/CO-GD-J-B, OX-W2-CO/CO-GC-J-B,
OX-W2-CO/2C-GD-J-B, OX-W2-CO/2C-GC-J-B,
OX-W2-2C/CO-GD-J-B, OX-W2-2C/CO-GC-J-B,
OX-W2-2C/2C-GD-J-B, OX-W2-2C/2C-GC-J-B,
OX-W2-C2O/C-GD-J-B, OX-W2-C2O/C-GC-J-B,
OX-W2-3C/C-GD-J-B, OX-W2-3C/C-GC-J-B,
OX-W2-2CO/C-GD-J-B, OX-W2-2CO/C-GC-J-B,
OX-W2-C/3C-GD-J-B, OX-W2-C/3C-GC-J-B,
OX-W2-C/C2O-GD-J-B, OX-W2-C/C2O-GC-J-B,
OX-W2-C/2CO-GD-J-B, OX-W2-C/2CO-GC-J-B,
OX-W2-O/3C-GD-J-B, OX-W2-O/3C-GC-J-B,
OX-W2-O/2CO-GD-J-B, OX-W2-O/2CO-GC-J-B,
OX-W2-2C/2O-GD-J-B, OX-W2-2C/2O-GC-J-B,
OX-W2-2O/2C-GD-J-B, OX-W2-2O/2C-GC-J-B,
OX-W2-CO/CO-GD-S-B, OX-W2-CO/CO-GC-S-B,
OX-W2-CO/2C-GD-S-B, OX-W2-CO/2C-GC-S-B,
OX-W2-2C/CO-GD-S-B, OX-W2-2C/CO-GC-S-B,

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TÜV®



Product Service

Attestation of Conformity

No. E8A 104143 0002 Rev. 00

OX-W2-2C/2C-GD-S-B, OX-W2-2C/2C-GC-S-B,
 OX-W2-C2O/C-GD-S-B, OX-W2-C2O/C-GC-S-B,
 OX-W2-3C/C-GD-S-B, OX-W2-3C/C-GC-S-B,
 OX-W2-2CO/C-GD-S-B, OX-W2-2CO/C-GC-S-B,
 OX-W2-C/3C-GD-S-B, OX-W2-C/3C-GC-S-B,
 OX-W2-C/C2O-GD-S-B, OX-W2-C/C2O-GC-S-B,
 OX-W2-C/2CO-GD-S-B, OX-W2-C/2CO-GC-S-B,
 OX-W2-O/3C-GDB-S-B, OX-W2-O/3C-GC-S-B,
 OX-W2-O/2CO-GD-S-B, OX-W2-O/2CO-GC-S-B,
 OX-W2-2C/2O-GD-S-B, OX-W2-2C/2O-GC-S-B,
 OX-W2-2O/2C-GD-S-B, OX-W2-2O/2C-GC-S-B,
 OX-W3-C/C-GD-J, OX-W3-C/C-GC-J,
 OX-W3-/2C-GD-J, OX-W3-/2C-GC-J,
 OX-W3-2C/-GD-J, OX-W3-2C/-GC-J,
 OX-W3-CO/-GD-J, OX-W3-CO/-GC-J,
 OX-W3-O/C-GD-J, OX-W3-O/C-GC-J,
 OX-W3-/CO-GD-J, OX-W3-/CO-GC-J,
 OX-W3-C/C-GD-S, OX-W3-C/C-GC-S,
 OX-W3-/2C-GD-S, OX-W3-/2C-GC-S,
 OX-W3-2C/-GD-S, OX-W3-2C/-GC-S,
 OX-W3-CO/-GD-S, OX-W3-CO/-GC-S,
 OX-W3-O/C-GD-S, OX-W3-O/C-GC-S,
 OX-W3-/CO-GD-S, OX-W3-/CO-GC-S,
 OX-W3-C/C-GD-J-B, OX-W3-C/C-GCB-J-B,
 OX-W3-/2C-GD-J-B, OX-W3-/2C-GCB-J-B,
 OX-W3-2C/-GD-J-B, OX-W3-2C/-GCB-J-B,
 OX-W3-CO/-GD-J-B, OX-W3-CO/-GCB-J-B,
 OX-W3-O/C-GD-J-B, OX-W3-O/C-GCB-J-B,
 OX-W3-/CO-GD-J-B, OX-W3-/CO-GCB-J-B,
 OX-W3-C/C-GD-S-B, OX-W3-C/C-GCB-S-B,
 OX-W3-/2C-GD-S-B, OX-W3-/2C-GCB-S-B,
 OX-W3-2C/-GD-S-B, OX-W3-2C/-GCB-S-B,
 OX-W3-CO/-GD-S-B, OX-W3-CO/-GCB-S-B,
 OX-W3-O/C-GD-S-B, OX-W3-O/C-GCB-S-B,
 OX-W3-/CO-GD-S-B, OX-W3-/CO-GCB-S-B,
 OX-W5-2CO/2CO-GD-J, OX-W5-2CO/2CO-GC-J,
 OX-W5-3C/2CO-GD-J, OX-W5-3C/2CO-GC-J,
 OX-W5-2CO/3C-GD-J, OX-W5-2CO/3C-GC-J,
 OX-W5-3C/3C-GD-J, OX-W5-3C/3C-GC-J,
 OX-W5-2CO/2CO-GD-S, OX-W5-2CO/2CO-GC-S,
 OX-W5-3C/2CO-GD-S, OX-W5-3C/2CO-GC-S,
 OX-W5-2CO/3C-GD-S, OX-W5-2CO/3C-GC-S,
 OX-W5-3C/3C-GD-S, OX-W5-3C/3C-GC-S,
 OX-W5-2CO/2CO-GD-J-Z, OX-W5-2CO/2CO-GC-J-Z,
 OX-W5-3C/2CO-GD-J-Z, OX-W5-3C/2CO-GC-J-Z,

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TÜV®



Product Service

Attestation of Conformity

No. E8A 104143 0002 Rev. 00

OX-W5-2CO/3C-GD-J-Z, OX-W5-2CO/3C-GC-J-Z,
 OX-W5-3C/3C-GDZ-J-Z, OX-W5-3C/3C-GC-J-Z,
 OX-W5-2CO/2CO-GD-S-Z, OX-W5-2CO/2CO-GC-S-Z,
 OX-W5-3C/2CO-GD-S-Z, OX-W5-3C/2CO-GC-S-Z,
 OX-W5-2CO/3C-GD-S-Z, OX-W5-2CO/3C-GC-S-Z,
 OX-W5-3C/3C-GD-S-Z, OX-W5-3C/3C-GC-S-Z,
 OX-W5-2CO/2CO-GD-J-C, OX-W5-2CO/2CO-GC-J-C,
 OX-W5-3C/2CO-GD-J-C, OX-W5-3C/2CO-GC-J-C,
 OX-W5-2CO/3C-GD-J-C, OX-W5-2CO/3C-GC-J-C,
 OX-W5-3C/3C-GD-J-C, OX-W5-3C/3C-GC-J-C,
 OX-W5-2CO/2CO-GD-S-C, OX-W5-2CO/2CO-GC-S-C,
 OX-W5-3C/2CO-GD-S-C, OX-W5-3C/2CO-GC-S-C,
 OX-W5-2CO/3C-GD-S-C, OX-W5-2CO/3C-GC-S-C,
 OX-W5-3C/3C-GD-S-C, OX-W5-3C/3C-GC-S-C,
 OX-W5-2CO/2CO-PD-J-Z, OX-W5-2CO/2CO-PC-J-Z,
 OX-W5-3C/2CO-PD-J-Z, OX-W5-3C/2CO-PC-J-Z,
 OX-W5-2CO/3C-PD-J-Z, OX-W5-2CO/3C-PC-J-Z,
 OX-W5-3C/3C-PD-J-Z, OX-W5-3C/3C-PC-J-Z,
 OX-W5-2CO/2CO-PD-S-Z, OX-W5-2CO/2CO-PC-S-Z,
 OX-W5-3C/2CO-PD-S-Z, OX-W5-3C/2CO-PC-S-Z,
 OX-W5-2CO/3C-PD-S-Z, OX-W5-2CO/3C-PC-S-Z,
 OX-W5-3C/3C-PD-S-Z, OX-W5-3C/3C-PC-S-Z,
 OX-W5-2CO/2CO-PD-J-C, OX-W5-2CO/2CO-PC-J-C,
 OX-W5-3C/2CO-PD-J-C, OX-W5-3C/2CO-PC-J-C,
 OX-W5-2CO/3C-PD-J-C, OX-W5-2CO/3C-PC-J-C,
 OX-W5-3C/3C-PD-J-C, OX-W5-3C/3C-PC-J-C,
 OX-W5-2CO/2CO-PD-S-C, OX-W5-2CO/2CO-PC-S-C,
 OX-W5-3C/2CO-PD-S-C, OX-W5-3C/2CO-PC-S-C,
 OX-W5-2CO/3C-PD-S-C, OX-W5-2CO/3C-PC-S-C,
 OX-W5-3C/3C-PD-S-C, OX-W5-3C/3C-PC-S-C

Description of Object:

Rated voltage: 24VDC
 Rated current: 200mA
 Protection class: III

Tested according to:

EN IEC 60947-1:2021
 EN 60947-5-1:2017

Page 4 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.