

CEMOTO

2026 ELECTRIC BIKE

Nothing is impossible if you found the right partner



ABOUT *CEMOTO*

Founded in 2008, CEMOTO LTD specializes in the manufacturing of electric bikes, electric scooters, electric tricycles, mobility scooters, and wheelchairs. With a commitment to quality and innovation, we serve customers by providing reliable and eco-friendly mobility solutions.

Our state-of-the-art facility spans 8,000 square meters and includes modern offices, standard workrooms, production lines, and advanced testing equipment. This allows us to maintain high standards of product performance and ensure customer satisfaction.

We have a dedicated team of 80 employees who are passionate about delivering high-quality products and exceptional service. Our team works tirelessly to push the boundaries of innovation and efficiency in the e-mobility sector.

At CEMOTO, we believe in a customer-centric approach, which drives us to continuously improve our products and services. Our goal is to offer sustainable mobility solutions that make a positive impact on the environment and enhance the lives of our customers.

With a presence in major markets such as the USA, Europe, and Canada, we are well-positioned to meet the growing demand for e-mobility products. Our extensive network ensures that we can deliver our products quickly and efficiently to our customers.

17+years

OEM/ODM experience

8,000 m²

Factory 8000+m²

30,000+

Electric Bike/scooter Capacity

10,000+

Mobility/Wheelchair Capacity

CONTENTS

- 01** • *Cargo Electrck bike*
- 02** • *Dirt Electrck bike*
- 04** • *20" Fat Electrck bike*
- 08** • *MINI Electric Bike*
- 09** • *26" Fat Electrck bike*
- 11** • *CITY Electric Bike*
- 13** • *MTB Electric Bike*
- 15** • *Electric tricycle*





CEM-AEB68

- Motor: 750W BLDC
- Battery: 48V15Ah*2 Li-ion
- Gears: Shimano 7-speed
- Brakes: Tektro hydraulic disc
- Tire: 20*3.0"
- Max.speed: 25mph
- Distance (PAS): 100km
- Load capacity: 170kgs
- Frame: Aluminum 6061
- N.W/G.W: 33kg/38kg
- Carton size: 160*26*78cm
- FCL: 78pcs/20ft;200pcs/40HQ



CEM-AEB69

- Motor: 750W BLDC
- Battery: 48V20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Hydraulic Disc XOD
- Tire: 20*3.0"
- Max.speed: 28mph
- Distance (PAS): 100km
- Load capacity: 150kgs
- Frame: Aluminum 6061
- N.W/G.W: 32kg/35kg
- Carton size: 145*28*80cm
- FCL: 84pcs/20ft;210pcs/40HQ



3000W-6000W

37-50^{mph}
Max.speed

72V 30AH
Li-ion Battery

Dirt E-bike




CEM-ED03

- Motor: 3000W-6000W
- Battery: 48V21Ah/72V30Ah
- Brakes: Hydraulic Heavy Duty
- Tire: 14*2.5"/12*3.0"
- Max.speed: 37-50mph
- Frame: Carbon Steel
- Load capacity: 120kgs
- N.W./G.W.:56kg/65kg
- Carton size: 137*32*64cm
- FCL: 92pcs/20ft;238pcs/40HQ


CEM-ED05

- Motor: 2000W
- Battery: 48V30Ah Li-ion
- Brakes: Hydraulic Disc
- Tire: 24*2.5 off road
- Max.speed: 37mph
- Frame: Carbon Steel
- Load capacity: 150kgs
- N.W./G.W.:50kg/60kg
- Carton size: 158*28.5*88cm
- FCL: 66pcs/20ft;178pcs/40HQ


CEM-ED07

- Motor: 6000W
- Battery: 72V36Ah Li-ion
- Brakes: Double hydraulic disc
- Tire: 17*2.76"/14*3.54"
- Max.speed: 47mph
- Frame: Carbon Steel
- Load capacity: 80kgs
- N.W.:74.5kg
- Carton size: 150*41*89cm
- FCL: 40pcs/20ft;126pcs/40HQ


CEM-ED08

- Motor: 7000W
- Battery: 72V50Ah Li-ion
- Brakes: Double hydraulic disc
- Tire: 21*3.15"-18*4.33"
- Max.speed: 62mph
- Frame: Carbon Steel
- Load capacity: 150kgs
- N.W.:130kg
- Carton size: 168*56*85cm
- FCL: 34pcs/20ft;83pcs/40HQ


CEM-ED06

- Motor: 3000W-6000W
- Battery: 48V21Ah/72V30Ah
- Brakes: Hydraulic Heavy Duty
- Tire: 14*2.5"/12*3.0"
- Max.speed: 37-50mph
- Frame: Aluminum
- Load capacity: 120kgs
- N.W./G.W.:46kg/55kg
- Carton size: 137*32*64cm
- FCL: 92pcs/20ft;238pcs/40HQ



CEM-AEB44A

- Motor: 500W-1000W
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 40km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W/G.W: 35kg/42kg
- Carton size: 148*28*86cm
- FCL: 70pcs/20GP;150pcs/40HQ



CEM-AEB49

- Motor: 500W-1000W BLDC
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W/G.W: 35kg/42kg
- Carton size: 148*28*86cm
- FCL: 70pcs/20GP;150pcs/40HQ



CEM-AEB64

- Motor: 500W-750W BLDC
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: Carbon steel
- N.W/G.W: 38kg/46kg
- Carton size: 148*28*86cm
- FCL: 70pcs/20ft;150pcs/40HQ



CEM-AEB66

- Motor: 750W
- Battery: 48V15Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 25mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: Carbon steel
- N.W/G.W: 41kg/48kg
- Carton size: 145*28*80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB66X

- Motor: 750W
- Battery: 48V15Ah*2 Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 25mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: Carbon steel
- N.W/G.W: 41kg/48kg
- Carton size: 145*28*80cm
- FCL: 76pcs/20ft;176pcs/40HQ

48V15Ah*2 Li-ion

25 mph
Max.speed

7-speed
Shimano Gears

20" Fat E-bike





CEM-AEB53A

- Motor: 1000W rear hub BLDC, Bafang
- Battery: 48V30Ah Samsung
- Gears: Shimano 7-speed
- Brakes: Tekro Hydraulic disc
- Tire: 26*4.0" MAXXIS
- Max.speed: 40mph
- Distance (PAS): 100km
- Load capacity: 150kgs
- Frame: 6061 al alloy
- N.W./G.W: 35kg/41kg
- Carton size: 155*32*85cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB57A

- Motor: 250W-750W Alloy
- Battery: 48V10Ah-14Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0" VEE White side
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 29kg/34kg
- Carton size: 140*28*68cm
- FCL: 110pcs/20ft;220pcs/40HQ



CEM-AEB60AX

- Motor: 500W-1000W
- Battery: 48V15Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 29kg/34kg
- Carton Size: 140x28x68cm
- FCL: 110pcs/20ft;210pcs/40HQ



CEM-AEB20AS

- Motor: 500W-750W
- Battery: 48V10Ah-17.5Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 33kg/38kg
- Carton Size: 140x28x68cm
- FCL: 110pcs/20ft;240pcs/40HQ



CEM-AEB20AX

- Motor: 500W-750W
- Battery: 48V10Ah-17.5Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 29kg/35kg
- Carton size: 140*28*68cm
- FCL: 112pcs/20ft;266pcs/40HQ



CEM-AEB37ASXX

- Motor: 500W-1000W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 33kg/39kg
- Carton size: 142*28*68cm
- FCL: 100pcs/20ft;230pcs/40HQ



CEM-AEB08A

- Motor: 500W-1000W BLDC
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20"4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 28kg/32kg
- Carton size: 138*28*68cm
- FCL: 110pcs/20ft;260pcs/40HQ



CEM-AEB09A

- Motor: 500W-1000W BLDC
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20"4.0"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 28kg/33kg
- Carton size: 138*28*68cm
- FCL: 110pcs/20ft;260pcs/40HQ



CEM-AEB16AX

- Motor: 500W-1000W BLDC
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20"4.0"
- Max.speed: 20mph
- Distance (PAS): 120km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 29kg/35kg
- Carton size: 140*28*68cm
- FCL: 100pcs/20ft;240pcs/40HQ



CEM-AEB01S

- Motor: 350W Mag wheel
- Battery: 36V10Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20"2.125"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 26kg/29kg
- Carton size: 135*22*65cm
- FCL: 125pcs/20ft;312pcs/40HQ



CEM-AEB08D

- Motor: 250W alu wheels
- Battery: 48V10Ah Li-ion
- Gears: Single
- Brakes: Disc/Disc
- Tire: 14"2.125"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 18kg/21kg
- Carton Size: 132*22*63cm
- FCL: 125pcs/20ft;312pcs/40HQ



CEM-AEB08S

- Motor: 350W Alloy wheel
- Battery: 36V10Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20"2.125"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 26kg/29kg
- Carton size: 132*22*63cm
- FCL: 125pcs/20ft;312pcs/40HQ



CEM-AEB08M3X

- Motor: 350W Mag wheels
- Battery: 36V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*3.0"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W.: 26kg/29kg
- Carton Size: 136*23*66cm
- FCL:120pcs/20ft;312pcs/40HQ



CEM-AEB09

- Motor: 350W BLDC
- Battery: 36V10Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*2.125"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 26kg/29kg
- Carton size: 132*22*63cm
- FCL: 125pcs/20ft;312pcs/40HQ



CEM-AEB26B

- Motor: 350W mid-drive Bafang
- Battery: 36V13Ah
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*2.125"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 26kg/29kg
- Carton Size: 132*22*63cm
- FCL: 125pcs/20ft;312pcs/40HQ



CEM-AEB36S

- Motor: 350W alu wheels
- Battery: 36V7.5Ah in seatpost
- Gears: Single
- Brakes: Single gear
- Tire: 16*2.125"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 14kg/18kg
- Carton size: 120*22*50cm
- FCL: 150pcs/20ft;400pcs/40HQ



CEM-AEB37

- Motor: 350W hub
- Battery: 36V10Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*2.125"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W: 26kg/29kg
- Carton Size: 132*22*63cm
- FCL: 125pcs/20ft;312pcs/40HQ



CEM-AEB57

- Motor: 350W
- Battery: 36V10Ah-13Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 20*2.125"
- Max.speed: 20mph
- Distance (PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 Alu,folding
- N.W./G.W.: 26kg/29kg
- Carton Size: 136*23*66cm
- FCL:120pcs/20ft;312pcs/40HQ



CEM-AEB52A

- Motor: 500W-1000W BLDC
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W.:29kg/35kg
- Carton Size: 145x28x80cm
- FCL:76pcs/20ft;176pcs/40HQ



CEM-AEB52AX

- Motor: 750 mid-drive BAFANG
- Battery: 48V15Ah-20Ah
- Gears: Shimano decore 9-speed
- Brakes: Tektro hydraulic disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W.: 30kg/35kg
- Carton size: 145"28"80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB55

- Motor: 500W-750W
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano Altas 9-speed
- Brakes: Hydraulic Disc/Disc
- Tire: 26"4.0"
- Max.speed: 30mph
- Distance(PAS): 80km
- Load capacity:120kgs
- Frame: Carbon fiber
- N.W./G.W.: 30kg/35kg
- Carton size: 145x28x86cm
- FCL: 70pcs/20ft;150pcs/40HQ



CEM-AEB56X

- Motor: 2*750W Dual
- Battery: 2*48V20AH Li-ion Dual
- Gears: Shimano 9-speed
- Brakes:Hydraulic Disc/disc Tektro
- Tire: 26"4.0"
- Max.speed: 37mph
- Display: LCD XCW
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W: 38kg/45kg
- Carton size: 145x28x80cm
- FCL: 70pcs/20ft;150pcs/40HQ



CEM-AEB58A

- Motor: 750W-1000W
- Battery: 48V15Ah-20Ah Li-ion
- Gears: Shimano 9-speed
- Brakes: Tektro hydraulic disc
- Tire: 26"4.0"
- Max.speed: 25mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W: 35kg/42kg
- Carton size: 145"35"80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB59A

- Motor: 500W-750W
- Battery: 2*48V15.6Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26"4.0"
- Max. speed: 30mph
- Distance(PAS):120km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W: 35kg/40kg
- Carton size: 189x28x110cm
- FCL: 70pcs/20ft;150pcs/40HQ



CEM-AEB28A

- Motor: 500W-1000W BLDC
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 29kg/33kg
- Carton size: 145x28x80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB28D

- Motor: 500W-1000W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 30kg/35kg
- Carton size: 145x28x80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB28MX

- Motor: 2"500W
- Battery: 2"48V15.6Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Hydraulic Disc/Disc
- Tire: 26"4.0"
- Max. speed: 30mph
- Distance(PAS):120km
- Load capacity:120kgs
- Frame: Steel
- N.W/G.W: 40kg/49kg
- Carton size: 189x28x110cm
- FCL: 50pcs/20ft;100pcs/40HQ



CEM-AEB28T

- Motor: 500W-1000W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W.:38kg/45kg
- Carton Size: 223x26x76cm
- FCL:50pcs/20ft;120pcs/40HQ



CEM-AEB31A

- Motor: 500W-1000W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 29kg/33kg
- Carton size: 145x28x80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB33A

- Motor: 750 mid-drive BAFANG
- Battery: 48V15Ah-20Ah Li-ion
- Gears: Shimano deore11-speed
- Brakes: Tektro hydraulic disc
- Tire: 26"4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 30kg/35kg
- Carton size: 145x28x80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-AEB60A

- Motor: 500W-1000W
- Battery: 48V15Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 24*4.0"
- Max.speed: 20mph
- Distance(PAS): 100km
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W: 29kg/34kg
- Carton size: 140*28*68cm
- FCL: 80pcs/20ft;180pcs/40HQ



CEM-AEB62A

- Motor: 500W-1000W
- Battery: 48V30Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 27.5*4.0"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W: 33kg/39kg
- Carton size: 140x28x80cm
- FCL: 76pcs/20ft;176pcs/40HQ



CEM-EDA01

- Motor: 500W*2-750W*2 BLDC
- Battery: 48V20Ah-40Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Tektro hydraulic disc
- Tire: 26*4.0"
- Max.speed: 30mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: Carbon Steel
- N.W./G.W.: 50kg/60kg
- Carton Size: 145*48*80cm
- FCL:60pcs/20ft;120pcs/40HQ



CEM-AEB11B

- Motor: 350W Magnesium wheels
- Battery: 36V13Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26*2.35" Road
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity:120kgs
- Frame: 6061 al alloy T6
- N.W./G.W: 29kg/34kg
- Carton size: 138*23*70cm
- FCL: 96pcs/20ft;300pcs/40HQ



CEM-AEB11M

- Motor: 350W
- Battery: 36V13Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26*2.1" road
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W.: 26kg/29kg
- Carton Size: 138*22*82cm
- FCL: 96pcs/20ft;240pcs/40HQ



CEM-AEB28

- Motor: 250W-500W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26*1.95"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W./G.W: 26kg/29kg
- Carton size: 147*23*80cm
- FCL: 76pcs/20ft;176pcs/40HQ


CEM-AEB30B

- Motor: 350W mid-drive BAFANG
- Battery: 48V10.5Ah Li-ion
- Gears: Shimano Altus 7-speed
- Brakes: Disc/Disc
- Tire: 26*2.35" Road
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W.: 26kg/29kgs
- Carton Size: 138*23*70cm
- FCL: 96pcs/20ft;230pcs/40HQ


CEM-AEB31

- Motor: 250W-500W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26*1.95"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W.: 26kg/29kg
- Carton size: 145*23*84cm
- FCL: 76pcs/20ft;176pcs/40HQ


CEM-AEB39

- Motor: 500W-1000W BLDC
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano Altus 7-speed
- Brakes: Disc/Disc
- Tire: 26*2.35"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy T6
- N.W./G.W.: 26kg/29kg
- Carton size: 139*23*83cm
- FCL: 90pcs/20ft;220pcs/40HQ


CEM-AEB40

- Motor: 500W-750W BLDC
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 26*2.35"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy T6
- N.W./G.W.: 26kg/29kg
- Carton size: 148*23*83cm
- FCL: 96pcs/20ft;230pcs/40HQ


CEM-AEB53

- Motor: 250W-1000W Mid-drive
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Shimano 9-speed
- Brakes: Disc/Disc
- Tire: 27.5*3.0"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W.: 26kg/29kg
- Carton size: 145*23*84cm
- FCL: 100pcs/20ft;300pcs/40HQ

CEMOTO

750W-1000W BLDC

20^{MPH}
Max.speed

9-speed
Shimano Gears



MTB E-bike



CEM-AEB28X

- Motor: 350W-500W Rear hub
- Battery: 48V15Ah*2 Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 27.5*3.0"
- Max.speed: 25mph
- Distance(PAS):150km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 32kg/37kg
- Carton size: 148x23x83cm
- FCL: 90pcs/20ft;220pcs/40HQ



CEM-AEB32

- Motor: 350W G330 Bafang
- Battery: 36V13Ah Li-ion
- Gears: Shimano 9-speed
- Brake: Tektro Hydraulic Disc
- Tire: 29*2.35"
- Max.speed: 20mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W./G.W.: 26kg/29kg
- Carton Size: 138*22*76cm
- FCL:110pcs/20ft;280pcs/40HQ



CEM-AEB33

- Motor: 350W mid-drive Bafang
- Battery: 36V13AH Li-ion
- Gears: Shimano 9-speed
- Brakes: Tektro hydraulic disc
- Tire: 27.5*2.35"
- Max.speed: 20 mph
- Charger: 42V2A UL
- Load capacity: 120kgs
- Frame: 6061 al alloy
- N.W/G.W: 26kg/29kg
- Carton size: 138*22*76cm
- FCL: 110pcs/20ft;280pcs/40HQ



CEM-AEB52

- Motor: 350W-750W BLDC
- Battery: 48V13Ah-20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 27.5*2.35"
- Max.speed: 20mph
- Distance(PAS):100km
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 28kg/33kg
- Carton size: 145*28*80cm
- FCL: 90pcs/20ft;220pcs/40HQ



CEM-AEB52X

- Motor: 750W-1000W
- Battery: 48V15Ah-20Ah Li-ion
- Gears: Shimano 9-speed
- Brakes: Disc/Disc
- Tire: 27.5*2.35"
- Max.speed: 20mph
- Charger: 54.6V2A UL
- Load capacity:120kgs
- Frame: 6061 al alloy
- N.W/G.W: 28kg/33kg
- Carton size: 153*24*82cm
- FCL: 90pcs/20ft;220pcs/40HQ



CEM-DB01

- Motor: 500W*2 BLDC
- Battery: 48V20Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Tektro hydraulic disc
- Tire: 26*3.0"
- Max.speed: 30 mph
- Charger: 54.6V3A UL
- Load capacity:120kgs
- Frame: Carbon Steel
- N.W/G.W: 50kg/60kg
- Carton size: 145*48*80cm
- FCL: 60pcs/20ft;120pcs/40HQ

CEMOTO

500W-1000W BLDC

28 MPH
Max.speed

7-speed
Shimano Gears




CEM-ET01C

- Motor: 250W-350W
- Battery: 48V10Ah-20Ah Li-ion
- Gears: Single Speed
- Brakes: Disc/Disc
- Tire: 24*2.125"
- Max.speed: 18mph
- Frame: Carbon Steel
- Load capacity: 200kgs
- Carton size: 150*73*70cm
- FCL: 40pcs/20ft;80pcs/40HQ


CEM-ET05

- Motor: 350W BLDC
- Battery: 48V 12AH SLA
- Gears: Shimano 7-speed
- Brakes: V/Expend
- Tire: 22*1.75"
- Max.speed: 15mph
- Frame: Carbon Steel
- Load capacity: 200kgs
- Carton size: 140*73*60cm
- FCL: 36pcs/20ft;100pcs/40HQ


CEM-ET04

- Motor: 500W BLDC
- Battery: 48V 13AH Li-ion
- Gears: Shimano Altus 7-speed
- Brakes: Disc/Dual discs
- Tire: 24/20*4.0*2"
- Max.speed: 28mph
- Frame: Alu 6061 T6
- Load capacity: 200kgs
- Carton size: 155*83*72cm
- FCL: 30pcs/20ft;70pcs/40HQ


CEM-ET06

- Motor: 500W BLDC
- Battery: 48V13Ah Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Dual discs
- Tire: 24/20*4.0*2"
- Max.speed: 20mph
- Frame: Alu 6061 T6
- Load capacity: 200kgs
- Carton size: 155*83*72cm
- FCL: 30pcs/20ft;70pcs/40HQ



CEM-ET07

- Motor: 500W BLDC
- Battery: 48V 13AH Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Disc
- Tire: 24/20*4.0"
- Max.speed: 20mph
- Frame: Alu 6061 T6
- Load capacity: 200kgs
- Carton size: 155*83*72cm
- FCL: 30pcs/20ft;70pcs/40HQ



CEM-ET08

- Motor: 500W
- Battery: 48V10AH Li-ion
- Gears: Shimano 7-speed
- Brakes: Disc/Dual discs
- Tire: 24/20*4.0"
- Max.speed: 20mph
- Frame: Aluminum 6061
- Load capacity: 200kgs
- Carton size: 140*73*70cm
- FCL: 30pcs/20ft;70pcs/40HQ



CEM-TR01 Trailer

- Tire: 20*4.0"
- Frame: Carbon Steel
- Load capacity:120kgs
- N.W/G.W: 24kg/27kg
- Cargo size: 107*81*60CM
- Carton size: 111*27*57.5cm



CEMOTO

ECO-DRIVEN, TRUSTED MOBILITY

 <https://www.cemotobike.com>

 Cemoto-Ebicyclefactory

 +86 13758981508

 cem@cemoto.cn

 Cemoto Ltd

 <https://www.facebook.com/cemotobike>

 Huasheng 459, Bailongqiao,
Jinhua, zhejiang, China



Scan the QR
for e-catalog



WeChat



WhatsApp