

AC Variable Speed Pumps



AC Return Pump



VSA-A Series 节能AC循环泵


产品特点：

- 采用英国摩根棕色陶瓷轴
特点，与普通陶瓷轴相比，大大提高了使用寿命和静音效果；
- 水泵具有三种模式：10档调速模式、造浪模式、喂食模式；
- 正弦波技术，卧室级静音；
- 水泵体积小，安全可靠，效率高；
- 适用于淡水和海水使用。

FEATURE:

- The brown ceramic shaft of British Morgan has the characteristics of high precision, wear resistance and corrosion resistance, which greatly improves the service life and mute effect compared with the common ceramic shaft.
- The pump includes 3 modes: 10 levels adjustable mode, wave mode and feed mode.
- Sine wave technology, bedroom level silent.
- Reliable and efficient, have small shape.
- Can be used infresh and sea water.

PERFORMANCE CURVE



MODEL	VSA-2000A	VSA-2500A	VSA-3500A	VSA-6000A	VSA-9000A	VSA-12000A	VSA-15000A	VSA-20000A	VSA-25000A	VSA-30000A
WATT	13W	18W	25W	40W	60W	80W	115W	150W	200W	280W
H.MAX	3m	3.3m	3.6m	4.5m	5.2m	5.8m	6.5m	7m	8m	9m
F.MAX	2000L/H	2500L/H	3500L/H	6000L/H	9000L/H	12000L/H	15000L/H	20000L/H	25000L/H	30000L/H

VOLTAGE:110-120V/220-240V

FREQUENCY:50/60Hz

VSA-B Series 节能AC底吸泵


AC Bottom Suction Pump

产品特点:

- 采用英国摩根棕色陶瓷轴，具有高精度、耐磨损、耐腐蚀等特点，与普通陶瓷轴相比，大大提高了使用寿命和静音效果；
- 水泵具有三种模式：10档调速模式、造浪模式、喂食模式；
- 正弦波技术，卧室级静音；
- 水泵体积小，安全可靠，效率高；
- 适用于淡水和海水使用。
- 大吸力，低水位，超静音。

FEATURE:

- The brown ceramic shaft of British Morgan has the characteristics of high precision, wear resistance and corrosion resistance, which greatly improves the service life and mute effect compared with the common ceramic shaft.
- The pump includes 3 modes: 10 levels adjustable mode, wave mode and feed mode.
- Sine wave technology, bedroom level silent.
- Reliable and efficient, have small shape.
- Can be used in fresh and sea water.
- Large suction, low water level, super silent.



MODEL	VSA-2000B	VSA-2500B	VSA-3500B	VSA-6000B	VSA-9000B	VSA-12000B	VSA-15000B	VSA-20000B
WATT	13W	18W	25W	40W	60W	80W	115W	150W
H.MAX	3m	3.3m	3.6m	4.5m	5.2m	5.8m	6.5m	7m
F.MAX	2000L/H	2500L/H	3500L/H	6000L/H	9000L/H	12000L/H	15000L/H	20000L/H
VOLTAGE: 110-120V/220-240V				FREQUENCY: 50/60Hz				



VSA-C Series 节能AC底吸泵

AC Bottom Suction Pump

FEATURE:

- Imported brown ceramic shaft, with high precision, wear resistance, corrosion resistance, compared with ordinary ceramic shaft, which greatly improve the service life and mute effect.
- With three modes: 10 levels adjustable mode, wave mode and feed mode. The output power could be adjusted to match different size of tank.
- Sine wave technology, large suction, low water level, silent operation.
- Reliable and efficient with small shape.
- Can be used in fresh and sea water.

产品特点:

- 采用进口棕色陶瓷轴，具有高精度、耐磨损、耐腐蚀的特点，与普通陶瓷轴相比，大大提高了使用寿命和静音效果；
- 水泵具有三种模式：10档恒流调速模式、造浪模式、喂食模式，功率多档可调使之适用于各种大小鱼缸；
- 正弦波技术，大吸力，低水位，静音运行；
- 水泵体积小，安全可靠，效率高；
- 适用于淡水和海水使用。

MODEL	VSA-450C	VSA-850C	VSA-1500C	VSA-2800C	VSA-5000C	VSA-7500C	VSA-10000C	VSA-12500C	VSA-15000C
WATT	5W	9W	12W	22W	42W	60W	85W	105W	130W
H.max	1.1m	1.8m	2.5m	3.2m	4.5m	5.3m	5.8m	6.0m	6.6m
F.max	450L/H	850L/H	1500L/H	2800L/H	5000L/H	7500L/H	10000L/H	12500L/h	15000L/h
VOLTAGE:AC 110-120/220-240V					FREQUENCY:50/60Hz				

