

Pond Variable Speed Pumps



Pond pump




VSP-A Series 节能池塘泵

产品特点：

- 采用英国摩根棕色陶瓷轴，特点，与普通陶瓷轴相比，大大提高了使用寿命和静音效果；
- 水泵具有三种模式：10档调速模式、造浪模式、喂食模式；
- 正弦波技术，卧室级静音；
- 水泵体积小，安全可靠，效率高；
- 适用于淡水和海水使用。

FEATURE:

- The brown ceramic shaft of British Morgan has the characteristics of high precision, wear resistance and corrosion resistance, which greatly improves the service life and mute effect compared with the common ceramic shaft.
- The pump includes 3 modes: 10 levels adjustable mode, wave mode and feed mode.
- Sine wave technology, bedroom level silent.
- Reliable and efficient, have small shape.
- Can be used infresh and sea water.



MODEL	VSP-2000A	VSP-2500A	VSP-3500A	VSP-6000A	VSP-9000A	VSP-12000A	VSP-15000A	VSP-20000A	VSP-25000A	VSP-30000A
WATT	13W	18W	25W	40W	60W	80W	115W	150W	200W	280W
H.MAX	3m	3.3m	3.6m	4.5m	5.2m	5.8m	6.5m	7m	8m	9m
F.MAX	2000L/H	2500L/H	3500L/H	6000L/H	9000L/H	12000L/H	15000L/H	20000L/H	25000L/H	30000L/H

VOLTAGE:110-120V/220-240V

FREQUENCY:50/60Hz

VSP-C Series

Pond Pump

池塘变频泵



High Flow Rate



Energy Saving



Adjustable flow



Low Noise



Features 产品特点:

- | | |
|---------------|-----------------------------------|
| 01 动力强 | 01 Strong power |
| 02 可调流量 | 02 Adjustable flow |
| 03 具有喂食模式 | 03 With Feeding mode |
| 04 淡水和海水使用 | 04 Fresh water and Salt water use |
| 05 正弦波控制, 超静音 | 05 Sine wave control, Super quiet |
| 06 稳定, 故障率低 | 06 Stable, Low failure rate |

Model No.	Power (W)	Voltage (V)	F.MAX (L/H)	H.MAX (M)	Outlet (mm)
VSP-15000C	93W	AC 110V-240V	15000L	5M	30,36MM
VSP-18000C	105W	AC 110V-240V	18000L	5.5M	30,36MM
VSP-20000C	145W	AC 110V-240V	20000L	7.5M	30,36MM
VSP-23000C	185W	AC 110V-240V	23000L	8M	30,36MM
VSP-25000C	195W	AC 110V-240V	25000L	9M	30,36MM

FREQUENGY:50/60Hz



VSP-D Series 不锈钢池塘过滤泵

304 STAINLESS STEEL POND FILTER PUMP

FEATURE:

- Imported brown ceramic shaft, with high precision, wear resistance, corrosion resistance, compared with ordinary ceramic shaft, which greatly improve the service life and mute effect.
- Using brushless control technology, high efficiency and energy saving.
- With durable 304 stainless steel case.
- Portable handle, easy to carry.
- Bottom filtration, larger suction, low water level.

产品特点:

- 采用进口棕色陶瓷轴，具有高精度、耐磨损、耐腐蚀的特点,与普通陶瓷轴相比,大大提高了使用寿命和静音效果;
- 正弦波技术，静音运行;
- 采用304不锈钢外壳，经久耐用;
- 便携式提手设计，提拿方便;
- 底部过滤，大吸力，低水位。



MODEL	VSP-15000D	VSP-25000D	VSP-35000D	VSP-45000D	VSP-55000D	VSP-65000D	VSP-75000D
WATT	60W	90W	140W	200W	300W	380W	450W
F.max	15000L/h	25000L/h	35000L/h	45000L/h	55000L/h	65000L/h	75000L/h
VOLTAGE: AC 110-120/220-240V				FREQUENCY: 50/60Hz			



Pond Pump



VSP-E Series 节能锦鲤池塘泵

产品特点:

- 采用英国摩根棕色陶瓷轴，具有高精度、耐磨损、耐腐蚀等特点，与普通陶瓷轴相比，大大提高了使用寿命和静音效果;
- 采用无刷控制技术,高效节能;
- 正弦波技术，卧室级静音;
- 底部过滤，大吸力，低水位;
- 适用于淡水和海水使用。

FEATURE:

- The brown ceramic shaft of British Morgan has the characteristics of high precision, wearresistance and corrosion resistance, which greatly improves the service life and muteeffect compared with the common ceramic shaft.
- Use brushless control technology, high efficiency and energy saving.
- Sine wave technology, bedroom level silent.
- Bottom filtration, large suction, low water level.
- Can be used in fresh and sea water.



MODEL	VSP-E						
WATT	55W	75W	100W	130W	175W	230W	280W
H.MAX	2.5m	2.8m	3.2m	3.5m	3.8m	4m	4.5m
F.MAX	20000L/H	25000L/H	30000L/H	35000L/H	40000L/H	50000L/H	60000L/H
VOLTAGE:110-120V/220-240V				FREQUENCY:50/60Hz			

Pond & Garden Pumps



PGP-A Series

Pond Pump

池塘泵



High Flow Rate



Energy Saving


Dual-Layer
Filter Screen

Overheat
Protection


Features 产品特点:

- | | |
|-------------------------------|--|
| 01 节能型分体管式电机。 | 01 Energy saving split tube motor. |
| 02 所有电气部件均嵌入塑料树脂块中。 | 02 All the electrical parts are embedded in a block of plastic resin. |
| 03 采用耐磨陶瓷轴承，确保持续无故障运行。 | 03 Wear-resistant ceramic bearings for continuous and trouble-free use. |
| 04 配备大型前置过滤器，易于拆卸。 | 04 Large prefilter, easy to disassemble. |
| 05 优化的水流设计，减少泵体清洁频率。 | 05 Reduced frequency of pump cleaning due to optimum water flow. |
| 06 适用于花园池塘、大型水族箱。 | 06 Ideal for use in garden pond, large aquarium. |
| 07 转子组件可拆卸，维护简便。 | 07 Simple maintenance with removable rotor assembly. |
| 08 通过热过载脱扣装置实现过载保护。 | 08 Overload protection by means of a thermal overload trip. |

Model No.	Power (W)	Flow (L/H)	H.Max(M)	OUTLET (MM)	SIZE (MM)	Pcs/ Carton
PGP-6000A	75W	6000	3.5	25、32	308x128x148	6
PGP-9000A	130W	9000	5.5	25、32	308x128x148	6
PGP-11000A	170W	11000	6.2	25、32	308x128x148	6
PGP-16000A	230W	16000	5.8	(25/32/38)、50	315x120x148	6
PGP-20000A	400W	20000	9	(25/32/38)、50	388x175x203	2
PGP-25000A	500W	25000	10	(25/32/38)、50	388x175x203	2
PGP-33000A	500W	33000	9	50、63	388x175x203	2

VOLTAGE: AC 100V-120V/220V-240V

FREQUENCY: 50/60Hz

TWO INLET MESH COVERS
Double layer protection, not blocked



PGP-B Series

Pond Pump

池塘泵



High Flow Rate



Energy Saving


Vertical and
Horizontal

Overheat
Protection


Features 产品特点:

- 01 采用新型高效能电机，节能达40%以上
- 02 扬程高，流量大，超静音
- 03 选用陶瓷耐磨轴套，使用寿命长
- 01 High performance standard asynchronous motor, energy saving up to 40%;
- 02 High pump heads and bigger flow;
- 03 Adopt wear proof ceramic shaft which can used in a longer time.

Model No.	Power (W)	Flow (L/H)	H.Max(M)	OUTLET (MM)	SIZE (MM)	Pcs/ Carton
PGP-18000B	350W	18000	6.5	49.3、62.3	326x168x203	4
PGP-20000B	400W	20000	8	49.3、62.3	326x168x203	2
PGP-25000B	500W	25000	9	49.3、62.3	326x168x203	2
PGP-30000B	600W	30000	10	49.3、62.3	326x168x203	2
PGP-38000B	750W	38000	10	49.3、62.3	346x188x219	2
PGP-48000B	1000W	45000	12	49.3、62.3	346x188x219	2
VOLTAGE: AC 100V-120V/220V-240V				FREQUENCY: 50/60Hz		

INLET MESH COVER

Keeps the Large Stones Out



Protects from excess debris



PAP-A Series

Pond Air Pump

池塘气泵


High AirFlow
Rate

AC/DC DUAL
USE

LCD Touch
Control

Portable
Handle


Features 产品特点:

01 便携式充电气泵

01 Portable Rechargeable Air Pump

02 强劲气流

02 Powerful Air Flow

03 多档可调

03 Various Flow Adjustments

04 断电无忧，养鱼必备

04 No Fear Of Power Outages,A Must For Fish

Model No.	Voltage	Power	AirFlow Rate (L/Min)	Air Pressure (Mpa)	Working hours*off mode
PAP-120A	DC12V 12AH	28W	2X60L/min	≥0.030Mpa	13.8 hours
PAP-140A	DC12V 12AH	32W	2X70L/min	≥0.032Mpa	13.8 hours
PAP-160A	DC12V 20AH	36W	2X80L/min	≥0.030Mpa	13.8 hours
VOLTAGE: AC 110V-120V/220V-240V FREQUENCY: 50/60Hz					

POWERFUL AIR FLOW



Suitable for garden small ponds, hydroponic planting, and seafood tanks of restaurants.

PORTABLE RECHARGEABLE AIR PUMP



AC and DC dual-purpose, usually can be used while charging. On a fishing boat, or fishing by the river, or put in the trunk of the car, don't have to worry about the power problem, Jinwa battery air pump with LCD display voltage and battery status.