

SHANDONG FANDA

Company Presentation

International Trade Department

China manufacturer of



Highway guardrails and accessories

Company Introduction

Our company is located in Liaocheng city, Shandong of China.

Our company has more than 200 employees, including 16 senior engineers and 41 specialized backbone technicians.

We have passed ISO9001, BV,SGS.

Main market: Africa, South America, South-east Asia, Middle east ,Russia, UK, etc.

Our office show



Our factory show



Product: Highway guardrail of two waves

Zinc Coating: 10-85micro

Thickness: 2.5mm-4.3mm


Width: 310mm(+/-5)

Length:4320mm or else

Depth of waves: 83mm(+/-2)

Grade: Q235, Q345

Standard: JT/T281, AASHTO M180 etc



Product: Trapezoid shape of Guardrail beam

Zinc Coating: 10-85micro

Thickness: 2.5mm-4.0mm


Width: 350mm(+/-5)

Length:4340mm or else


Depth of waves: 75mm(+/-2)

Grade: Q235B

Standard: JT/T281, AASHTO M180 etc



Products show



Product: Highway guardrail of three waves

Zinc Coating: 10-85micro

Thickness: 3.0mm-4.3mm


Width: 506mm(+/-5)

Length:4320mm or else

Depth of waves: 83mm(+/-2)

Grade: Q235, Q345

Standard: JT/T281, AASHTO M180 etc



Product: Highway guardrail with powder coating

Zinc Coating: 10-45micro

Powder coating: 40-120micro

Color: blue, green or else

Thickness: 2.5mm-4.3mm

Width: 310mm(+/-5)

Length:4320mm or else

Depth of waves: 83mm(+/-2)

Grade: Q235, Q345

Standard: JT/T281, AASHTO M180 etc



Product: U shape post

Zinc Coating: 40-85micro


Thickness: 4.0mm-6.0mm

Size: 150mmx75mm or else

Length:1500mm,1800mm or else

Grade: Q235,

Standard: JT/T281, AASHTO M180 etc



Product: U shape spacer

Zinc Coating: 40-85micro

Thickness: 4.0mm-6.0mm

Size: 150mmx75mm or else

Length:330mm,360mm or else

Grade: Q235,

Standard: JT/T281, AASHTO M180 etc



Product: C shape post

Zinc Coating: 40-85micro


Thickness: 4.0mm-5.0mm

Size: 149mmx110mmx19mm or else

Length:1500mm,1800mm or else

Grade: Q235,

Standard: JT/T281, AASHTO M180 etc



Product: C shape spacer

Zinc Coating: 40-85micro

Thickness: 4.0mm-5.0mm

Size: 149mmx110mmx19mm or else

Length:330mm,350mm or else

Grade: Q235,

Standard: JT/T281, AASHTO M180 etc



Product: Round shape post

Zinc Coating: 10-85micro

Thickness: 4.0mm or 4.5mm

Diameter: ϕ 114mm or ϕ 140mm

Length:1500mm,2150mm or else

Grade: Q235,

Standard: JT/T281, AASHTO M180 etc



Product: H shape post

Zinc Coating: 10-85micro

Thickness: 4.3mm and 5.5mm

Size: 150x100mm

Length:1830mm,2060mm or else

Grade: Q235B

Standard: JT/T281, AASHTO M180 etc



Product: H shape spacer

Zinc Coating: 10-85micro

Thickness: 4.3mm and 5.5mm

Size: 150x100


Length: 360mm, 554mm or else

Grade: Q235B

Standard: JT/T281, AASHTO M180 etc



The other shape of spacers



The terminal end



The Special terminal end



Nuts and bolts



Flat washer, reflector



Loading show



CONTACT

My name is Jerry宇柏

Any item you interested, feel free to contact us.

SHANDONG FANDA NEW MATERIALS CO., LTD

Web:www.fandasteel.com

Mobile: 008618553366695

Mobile/Wechat/Whatsapp:008618553366695

Email: jerry@chinabeststeel.com shandong_fanda@aliyun.com
