

Shandong Fanda New Materials Co., Ltd

Company Presentation

International Trade Department

China manufacturer of



Galvanized floor decking sheet with different profile,
please check designs below

Regular Specification



Thickness: 0.8mm, 1.0mm, 1.2mm etc.

Width: 600mm, 688mm, 720mm, 750mm, 910mm, 915mm etc.

Material: Hot dipped galvanized steel coils

Grade: DX51D, ASTM A653, JIS G3302 SGCC


YX51-240-720



YX51-240-720开口型承重板
YX51-240-720 floor deck(open connection)

有效覆盖宽度 (mm) Effective cover width	展开宽度 (mm) Fssding width	板厚 (mm) Plate thickness	截面惯性矩 (cm ⁴ /m) Section of inertia	截面抵抗矩 (cm ³ /m) Section resistance mod
720	1000	0.8	51.64	16.56
		1.0	64.55	20.70
		1.2	77.50	24.82

YX51-250-750




YX51-250-750开口型承重板

YX51-250-750 floor deck(open connection)

有效覆盖宽度 (mm) Effective cover width	展开宽度 (mm) Feeding width	板厚 (mm) Plate thickness	截面惯性矩 (cm ⁴ /m) Section of inertia
750	1000	0.8	8.37
		1.0	10.47
		1.2	12.56


YX75-200-600



YX75-200-600开口型承重板
YX75-200-600 floor deck(open connection)

有效覆盖宽度 (mm) Effective cover width	展开宽度 (mm) Feeding width	板厚 (mm) Plate thickness
600	1000	0.8
		1.0
		1.2


YX76-344-688





YX76-344-688开口型承重板
YX76-344-688 floor deck(open connection)

有效覆盖宽度 (mm) Effective cover width	展开宽度 (mm) Feeding width	板厚 (mm) Plate thickness	截面惯性矩 (cm ⁴ /m) Section of inertia	截面抵抗矩 Section resist
688	1000	0.8	119.50	28.54
		1.0	148.20	35.68
		1.2	180.10	42.83

YX50-182-910



YX76-305-915



CONTACT

Company: Shandong Fanda New Materials Co., Ltd

Brand: Fanda Steel

Email: sales@fandasteel.com

Web: www.fandasteel.com

WhatsApp/WeChat: +86 185 5336 6695

Phone: +86 185 5336 6695